On the growth of the Swedish Forests

From the heights of inner Norrland to the
Westrobothnian coast

Carl Vigren
Faculty of Forest Sciences,
Department of Forest Ecology and Management
Umeå

SLU

**SWEDISH UNIVERSITY
OF AGRICULTURAL
SCIENCES**

DOCTORAL THESIS
Umeå   2021

Acta Universitatis agriculturae Sueciae
Serial number XXX

Cover photo description.

On the growth of the Swedish Forests

English abstract title

abstract

Keywords: keywords

Author's address: Carl Vigren, SLU, Skogsmarksgränd 17, 901 83 Umeå
Department of Forest Ecology and Management, Umeå, Sweden

Om tillväxten i de Svenska Skogarna

Swedish abstract title

The swedish abstract version

Nyckelord: Nyckelord

Författarens address: Carl Vigren, SLU, Skogsmarksgränd 17, 901 83 Umeå
Institutionen för Skogens Ekologi och Skötsel, Umeå, Sverige

Populärvetenskaplig Sammanfattning

Svenska som folk förstår här.

Dedication

To all those who helped me.

Contents

Prerequisites

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports, e.g., a math equation $a^2 + b^2 = c^2$.

The **bookdown** package can be installed from CRAN or Github:

```r
install.packages("bookdown")
# or the development version
# devtools::install_github("rstudio/bookdown")
```

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading `#`.

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): https://yihui.org/tinytex/.

Introduction

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter 2. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 4.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```


Figure 2.1: Here is a nice figure!

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 2.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 2.1.

Table 2.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2021) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).

Literature

Here is a review of existing methods.

Methods

We describe our methods in this chapter.

Applications

Some *significant* applications are demonstrated in this chapter.

5.1 Example one

5.1.1 Example two

5.1.1.1 Example three

Final Words

We have finished a nice book.

Bibliography

Xie, Y. (2015). *Dynamic Documents with R and knitr.* Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2021). *bookdown: Authoring Books and Technical Documents with R Markdown.* R package version 0.22.