

Current-state printout of the active Supabase application schemas, tables, and attributes.

Osama

July 29, 2026

Active Supabase database

No

Document Information

Project	IEP SaaS Application

Source	Active Supabase database
Snapshot date	July 29, 2026
Prepared by	Osama
Status	Current-state schema printout
Validation performed	No

Scope

This document is a current-state printout of the existing Supabase database tables and attributes. It does not include schema validation, proposed modifications, recommendations, sample data, or future requirements.

Application-Owned Schemas

Schema: Cm_Event_Orchestration

Table: change_events

1	id	uuid	NO	gen_random_uuid()
2	change_request_id	uuid	NO	—
3	action	text	NO	—
4	field_name	text	YES	—
5	old_value	text	YES	—
6	new_value	text	YES	—
7	created_by	uuid	NO	—
8	created_at	timestamp with time zone	NO	now()

Table: change_requests

1	id	uuid	NO	gen_random_uuid()

2	requested_by	uuid	NO	—
---	--------------	------	----	---

IEP SaaS Application - Current System Schema Page 2 of 60

3	entity_type	text	NO	—
4	entity_id	uuid	NO	—
5	change_type	change_type	NO	—
6	payload	jsonb	NO	—
7	status	change_status	NO	'pending':change_status
8	approver_id	uuid	YES	—
9	approved_at	timestamp with time zone	YES	—
10	applied_at	timestamp with time zone	YES	—
11	event_id	uuid	YES	—
12	created_at	timestamp with time zone	NO	now()
13	updated_at	timestamp with time zone	NO	now()

IEP SaaS Application - Current System Schema Page 3 of 60

Schema: public

Table: Authorization

1	sign_in	text	NO	—
2	created_at	timestamp with time zone	NO	now()
5	sign_out	text	YES	—
18	userid	text	YES	—
	Missing attributes from table	Reset password, magic_link		

Table: Bookings Directory

1	book_id	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	confirmation	boolean	YES	—
5	rsvp	boolean	YES	—
6	registry	_text	YES	—
7	reservation	boolean	YES	—
8	QR_Code	boolean	YES	—
9	user_id	uuid	YES	—
10	barcode	boolean	YES	—

Table: Bookings Profile

1	id	uuid	NO	gen_random_uuid()
2	name	text	YES	—
3	contact_info	text	YES	—
4	booking_type	text	YES	—
5	notes	text	YES	—
6	created_at	timestamp with time zone	YES	now()
7	updated_at	timestamp with time zone	YES	now()

Table: Check Lists

1	id	uuid	NO	gen_random_uuid()
2	entity_type	text	NO	—
3	entity_id	uuid	NO	—

4	label	text	NO	—
5	checked	boolean	YES	false
6	category	text	YES	—
7	sort_order	integer	YES	0
8	notes	text	YES	—
9	due_date	date	YES	—
10	assigned_to	uuid	YES	—
11	completed_at	timestamp with time zone	YES	—
12	created_at	timestamp with time zone	NO	now()
13	updated_at	timestamp with time zone	NO	now()

Table: Collaborators

1	collab_type	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	service_vendor + _assign_to	text	YES	—
4	suppliers_assign_to	text	YES	—
5	vendors_assign_to	text	YES	—
6	venue_assign_to	text	YES	—
7	hospitality_assign_to	text	YES	—
8	entertainment_assign_to	text	YES	—
9	booking_assign_to	text	YES	—
10	transportation_assign_to	text	YES	—
11	service_rental_buy_assign_to_text	text	YES	—
12	external_vendor_assign_to_text	text	YES	—
13	marketing_assign_to_text	text	YES	—

Table: Communication Hub

1	comment	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	creator	_text	YES	—
4	subject	text	YES	—

Table: Create Event

1	userid	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	event_theme	_text	YES	—
4	booking_type	_text	YES	—
5	email	text	YES	—
6	contact_name	text	YES	—
7	contact_phone_nbr	numeric	YES	—
9	event_budget	numeric	YES	—
10	event_collaborators	_text	YES	—
11	event_description	text	YES	—
12	event_start_date	date	YES	—
13	event_start_time	timestamp with time zone	YES	—
14	event_end_date	date	YES	—
15	event_end_time	timestamp with time zone	YES	—
16	event_location	_text	YES	—
17	notification	text	YES	—

18	resources	_text	YES	—
19	priority	_text	YES	—
20	venue_type	_text	YES	—
21	service_rental_type	text	YES	—
22	is_service_type_available	boolean	YES	—
23	Is_venue_available + type	boolean	YES	—
24	is_booking_available + type	boolean	YES	—
25	is_service_rental_available + buy and type: change to: is_service_rental_buy_type _available	boolean	YES	—

26	supplier_type	_text	YES	—
27	is_supply_available + type	boolean	YES	—
28	transportation_type	text	YES	—
29	is_transportation_available + type	boolean	YES	—
30	Venue_Location	_text	YES	—
31	Hospitality_Location	numeric	YES	—
32	resource_cost	numeric	YES	—
33	is_service_vendor + type_available	boolean	YES	false
34	entertainment_type + available	_text	YES	—

35	transportation_type_arr	_text	YES	—
36	hospitality_type_arr	_text	YES	—
37	marketing_type_arr	_text	YES	—

Table: Entertainment Directory

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Standup Comic	text - Array	YES	—
4	DJ Music	text - Array genre type	YES	—
5	Performer	text - Array	YES	—
6	Musicians	text - Array	YES	—
7	Stage_Production	text - Array	YES	—
8	Speaker	text - Array	YES	—
9	Other	text - Array	YES	—
10	state	text - Array	YES	—
11	city	text - Array	YES	—
12	region	text - Array	YES	—

Table: Entertainment Profile

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Business_Name	text	YES	—

4	Contact_Name	text	YES	—
5	Contact_Ph_Nbr	numeric	YES	—
6	Business_Location	text	YES	—
7	Email	text	YES	—
8	Price	numeric	YES	—
9	Available_Dates	timestamp with time zone	YES	—
10	type_id	text	YES	—
11	Genre	text	YES	—

Table: Event Analytics

1	event_id	integer	NO	—
2	created_at	timestamp with time zone	NO	now()
3	event_count_update	numeric	YES	—
4	event_freq_by_location	text	YES	—
5	lead_conversion_rate	numeric	YES	—
6	resource_util_percent	real	YES	—
7	task_completion_rate	numeric	YES	—
8	avg_task_duration	real	YES	—

Table: Event Plan Report

1	userid	uuid	NO	gen_random_uuid()
2	created_at	timestamp with time zone	NO	now()

3	event_attendee_count	numeric	YES	—
4	event_type	text	YES	—
5	event_total_cost	numeric	YES	—
6	event_collaborators_name	text	YES	—
7	event_comments	text	YES	—
8	event_description	text	YES	—
9	event_end_date	date	YES	—
10	event_end_time	timestamp with time zone	YES	—
11	event_location	text	YES	—

IEP SaaS Application - Current System Schema Page 8 of 60

12	event_start_date	date	YES	—
13	event_start_time	timestamp with time zone	YES	—
14	event_priority	text	YES	—
15	event_status	text	YES	—
16	event_theme	text	YES	—
17	user_name	text	YES	—
18	event_budget	numeric	YES	—
19	user_contact_name	text	YES	—
20	user_contact_nbr	numeric	YES	—
21	event_hosp_biz_name	text	YES	—
22	event_hosp_location	text	YES	—
23	event_hosp_contact_name	text	YES	—
24	event_hosp_contact_nbr	numeric	YES	—
25	event_hosp_type	text	YES	—
26	event_hosp_cost	numeric	YES	—

27	event_hosp_check_in_date	date	YES	—
28	event_hosp_check_out_date	date	YES	—
29	event_venue_collab_name	text	YES	—
30	event_venue_biz_name	text	YES	—
31	event_venue_location	text	YES	—
32	event_venue_contact_name	text	YES	—
33	event_venue_contact_nbr	numeric	YES	—
34	venue_email	text	YES	—
35	hosp_email	text	YES	—
36	event_venue_type	text	YES	—
37	event_venue_check_in_date	date	YES	—
38	event_venue_check_out_date	date	YES	—
39	event_venue_cost	numeric	YES	—
40	event_vend_collab_name	text	YES	—
41	event_vend_email	text	YES	—
42	event_vend_contact_name	text	YES	—
43	event_vend_biz_name	text	YES	—

44	event_vend_contact_nbr	numeric	YES	—
45	event_vend_location	text	YES	—
46	event_vend_type	text	YES	—
47	event_vend_cost	budget_category	YES	—
48	event_vend_start_date	date	YES	—
49	event_vend_end_date	date	YES	—
50	event_transport_collab_name	text	YES	—

51	event_transport_biz_name	text	YES	—
52	event_transport_location	text	YES	—
53	event_transport_contact_name	text	YES	—
54	event_transport_contact_nbr	numeric	YES	—
55	event_transport_email	text	YES	—
56	event_transport_type	text	YES	—
57	event_transport_cost	numeric	YES	—
58	event_transport_start_date	date	YES	—
59	event_transport_end_date	date	YES	—
60	event_entertain_collab_name	text	YES	—
61	event_entertain_biz_name	text	YES	—
62	event_entertain_location	text	YES	—
63	event_entertain_contact_name	text	YES	—
64	event_entertain_contact_nbr	numeric	YES	—
65	event_entertain_email	text	YES	—
66	event_entertain_type	text	YES	—
67	event_entertain_cost	numeric	YES	—
68	event_entertain_start_date	date	YES	—
69	event_entertain_end_date	date	YES	—
70	event_market_collab_name	text	YES	—
71	event_market_biz_name	text	YES	—
72	event_market_contact_name	text	YES	—
73	event_market_contact_nbr	numeric	YES	—
74	event_market_email	text	YES	—
75	event_market_type	text	YES	—

76	event_market_cost	numeric	YES	—
77	event_ext_vendor_collab_name	text	YES	—
78	event_ext_vendor_biz_name	text	YES	—
79	event_ext_vendor_contact_name	text	YES	—
80	event_ext_vendor_contact_nbr	numeric	YES	—
81	event_ext_vendor_email	text	YES	—
82	event_ext_vendor_type	text	YES	—
83	event_ext_vendor_cost	numeric	YES	—
84	event_service_rental_buy_biz_name	text	YES	—
85	event_service_rental_buy_collab_name	text	YES	—
86	event_service_rental_buy_contact_name	text	YES	—
87	event_service_rental_buy_contact_nbr	numeric	YES	—
88	event_service_rental_buy_cost	budget_category	YES	—
89	event_service_rental_buy_email	text	YES	—
90	event_service_rental_buy_end_date	text	YES	—
91	event_service_rental_buy_location	text	YES	—
92	event_service_rental_buy_start_date	text	YES	—
93	event_service_rental_buy_type	text	YES	—
94	event_service_vendor_biz_name	text	YES	—
95	event_service_vendor_collab_name	text	YES	—
96	event_service_vendor_contact_name	text	YES	—
97	event_service_vendor_contact_nbr	numeric	YES	—
98	event_service_vendor_cost	budget_category	YES	—
99	event_service_vendor_email	text	YES	—
100	event_service_vendor_end_date	text	YES	—
101	event_service_vendor_location	text	YES	—

102	event_service_vendor_start_date	text	YES	—
103	event_service_vendor_type	text	YES	—
104	event_supplier_biz_name	text	YES	—
105	event_supplier_collab_name	text	YES	—
106	event_supplier_contact_name	text	YES	—
107	event_supplier_contact_nbr	numeric	YES	—

IEP SaaS Application - Current System Schema Page 11 of 60

108	event_supplier_cost	budget_category	YES	—
109	event_supplier_email	text	YES	—
110	event_supplier_end_date	text	YES	—
111	event_supplier_location	text	YES	—
112	event_supplier_start_date	text	YES	—
113	event_supplier_type	text	YES	—
114	booking_type	text	YES	—

Table: Event Resources

1	event_id	integer	NO	—
2	created_at	timestamp with time zone	NO	now()
3	hospitality_types	text	YES	—
4	service_rental_buy_type	text	YES	—
5	service_vendor_types	text	YES	—
6	venue_types	text	YES	—
7	supplier_types	text	YES	—
8	vendor_types	text	YES	—

9	booking_types_text	text	YES	—
10	marketing_types_text	text	YES	—
11	entertainment_types_text	text	YES	—
12	transportation_types_text	text	YES	—
13	external_vendor_types_text	text	YES	—

Table: Hospitality Directory

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Airbnb	text	YES	—
4	Hotel	text	YES	—
5	Motel - change to Lodge	text	YES	—
6	Resort	text	YES	—
7	Other	text	YES	—

8	state	text	YES	—
9	city	text	YES	—
10	region	text	YES	—

Table: Hospitality Profile

1	hosp_type_id	budget_category	NO	—
2	created_at	timestamp with time zone	NO	now()
3	hosp_biz_name	text	YES	—

4	hosp_location	_text	YES	—
5	hosp_contact_name	text	YES	—
6	hosp_contact_nbr	numeric	YES	—
7	hosp_website	text	YES	—
8	hosp_amendities	_text	YES	—
9	hosp_price	numeric	YES	—
10	hospitality_type	integer	YES	—
11	hosp_email	text	YES	—

Table: Manage Event

1	event_user_id	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	event_contact_email	text	YES	—
4	event_contact_name	text	YES	—
5	event_contact_ph_nbr	numeric	YES	—
6	event_budget_cost	_numeric	YES	—
7	event_date	date	YES	—
9	event_time	timestamp with time zone	YES	—
10	event_type	text	YES	—
11	hosp_biz_name	text	YES	—
13	hosp_location	text	YES	—
14	hosp_booking_date	date	YES	—
15	hosp_booking_time	timestamp with time zone	YES	—

--	--	--	--	--

16	service_vendor_type	_text	YES	—
17	service_vendor_biz_name	text	YES	—
18	service_vendor_delivery_location	text	YES	—
19	service_vendor_delivery_date	date	YES	—
20	service_vendor_delivery_time	timestamp with time zone	YES	—
	Add; repeat this pattern for service_rental_buy			
21	venue_contact_name	text	YES	—
22	venue_contact_ph_nbr	numeric	YES	—
23	venue_location	text	YES	—
24	venue_booking_time	timestamp with time zone	YES	—
25	venue_name	text	YES	—
26	venue_type	text	YES	—
27	venue_booking_date	date	YES	—
28	venue_cost	numeric	YES	—
29	hosp_cost	numeric	YES	—
30	hosp_contact_name	text	YES	—
31	hosp_contact_nbr	numeric	YES	—
32	hosp_email	text	YES	—
	Insert: service_rental_buy_cost			
33	service_vendor_cost	numeric	YES	—
34	supplier_biz_name	text	YES	—
35	supplier_types	_text	YES	—

36	supplier_contact_name	text	YES	—
37	supplier_contact_nbr	numeric	YES	—
38	supplier_email	text	YES	—
39	supplier_cost	numeric	YES	—
40	supplier_delivery_date	date	YES	—
41	supplier_delivery_time	timestamp with time zone	YES	—
42	vendor_biz_name	text	YES	—
43	vendor_contact_name	text	YES	—
44	vendor_contact_nbr	numeric	YES	—
45	vendor_email	text	YES	—
46	vendor_cost	numeric	YES	—
47	event_status	event_status_enum	YES	—

IEP SaaS Application - Current System Schema Page 14 of 60

48	set_priority	text	YES	—
49	task_status	text	YES	—
50	event_theme	text	YES	—
51	service_rental_buy_type	_text	YES	—
52	external_vendor_type	_text	YES	—
53	service_vendor_types	_text	YES	—
54	entertainment_type	_text	YES	—
55	transportation_type	_text	YES	—
56	bookings_type	_text	YES	—
57	marketing_type	_text	YES	—

Table: Manage Event Tasks

1	event_theme	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	analytics_update	_jsonb	YES	—
4	task_update	_text	YES	—
5	resource_update	text	YES	—
6	progress_update	text	YES	—
7	task_change_update	_text	YES	—
8	task_modified_date	date	YES	—
9	task_align_update	_jsonb	YES	—
10	task_completion_time_update	timestamp with time zone	YES	—
11	linked_event_id	uuid	YES	—

Table: Marketing Directory

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Social Media	text	YES	—
4	Email Marketing	text	YES	—
5	Print Media	text	YES	—
6	Digital Ads	text	YES	—

7	Influencer	text	YES	—
8	PR / Press	text	YES	—
9	Event Promo	text	YES	—

10	Other	text	YES	—
11	state	text	YES	—
12	city	text	YES	—
13	region	text	YES	—

Table: Marketing Profile

1	id	uuid	NO	gen_random_uuid()
2	name	text	YES	—
3	contact_info	text	YES	—
4	marketing_type	_text	YES	—
5	notes	text	YES	—
6	created_at	timestamp with time zone	YES	now()
7	updated_at	timestamp with time zone	YES	now()

Table: Service Rental/Sale Directory change “Sale” to “Buy”

1	rental_type_id	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	audio_visual equip	text	YES	—
4	child_play equip	_text	YES	—
5	venue_space_decor	_text	YES	—
6	entertainment_options	text	YES	—
7	flowers_plants	text	YES	—
8	game_tables	text	YES	—
9	table_chairs	text	YES	—
10	housewares	text	YES	—

11	lighting	text	YES	—
12	photo_both	text	YES	—
13	potty_johns	numeric	YES	—

IEP SaaS Application - Current System Schema Page 16 of 60

14	prod_props	text	YES	—
15	tents	text	YES	—
16	transport_options	text	YES	—
17	state	text	YES	—
18	city	text	YES	—
19	region	text	YES	—

Table: Service_Vendor Profile

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Business Name	text	YES	—
4	Contact_Name	text	YES	—
5	Contact_Ph_Nbr	numeric	YES	—
6	Price	numeric	YES	—
7	Email	text	YES	—
8	Location	text	YES	—
9	Service_Type	text	YES	—
10	service_provided_listing	text	YES	—

Table: Subscription_Plans Directory

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Trial - Change to Starter Plan	text	YES	'Free':text
4	Standard_Plan - Change to Pro Plan	numeric	YES	—
5	Premium - Change to BusinessTeam	numeric	YES	—
6	Premium Plus - Change to One time Use	numeric	YES	—
7	Enterprise	numeric	YES	—
8	Special Promo	text	YES	—

Table: Subscription Plans Profile

1	id	uuid	NO	gen_random_uuid()
2	plan_name - Change to subscriber_name	text	YES	—
3	plan_type	text	YES	—
4	price	numeric	YES	—
5	features	_text	YES	—
6	notes	text	YES	—
7	created_at	timestamp with time zone	YES	now()
8	updated_at	timestamp with time zone	YES	now()

Table:

table: Supplier Profile Supplier Directory - These are also 'External Vendors'

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Distributor - Array type	text	YES	—
4	Merchandizer - Array type	text	YES	—
5	Online_Market - Array type	text	YES	—
6	Wholesaler - Array type	text	YES	—
7	Other - Array	text	YES	—
8	Food_Wholesaler - Array type	text	YES	—
9	other_manual_text	text	YES	—
10	state	text	YES	—
11	city	text	YES	—
12	region	text	YES	—

1	supplier_id	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	distributor_supplier_biz_name	text	YES	—
4	supplier_email	text	YES	—
5	supplier_location	text	YES	—

6	supplier_contact_name	text	YES	—
---	-----------------------	------	-----	---

IEP SaaS Application - Current System Schema Page 18 of 60

7	supplier_contact_nbr	numeric	YES	—
8	supplier_type	text	YES	—
9	wholesaler_supplier_biz_name	text	YES	—
10	online_marketplace_supplier_biz_name	text	YES	—
11	merchandizer_supplier_biz_name	text	YES	—

Table: Supplier Vendor Profile

1	type	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	supp_name	text	YES	—
4	supp_contact_name	text	YES	—
5	supp_contact_nbr	numeric	YES	—
6	supp_contact_role	text	YES	—
7	supp_email	text	YES	—
10	supp_location	text	YES	—
11	supp_biz_name	text	YES	—
12	supp_rate	numeric	YES	—
14	inventory_listing	text	YES	—

Table: Themes Directory

1	baby_shower	text	NO	—

3	bridal_shower	text	YES	—
4	Celebration	text	YES	—
5	Dining	text	YES	—
6	Festival	text	YES	—
7	market_place	_text	YES	—
8	meet_up	_text	YES	—
9	parties	_text	YES	—
10	retreats	text	YES	—
11	reunion	text	YES	—
12	special_event	_text	YES	—

IEP SaaS Application - Current System Schema Page 19 of 60

13	sporting	_text	YES	—
14	wedding	text	YES	—
15	Health_Wellness	text	YES	—
16	event_themes_catalog	jsonb	YES	—

Table: Themes Directory Catalog

2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()
4	description	text	YES	—
5	tags	_text	YES	—
6	premium	boolean	NO	false
8	wedding_types	_text	YES	ARRAY['bridal_shower':text, 'ceremony':text, 'rehearsal_dinner':text, 'bachelor_party':text]

9	celebration_types	_text	YES	ARRAY['holiday':text, 'personal':text]
10	holiday_types	_text	YES	ARRAY['New Years Day':text, 'MLK Day':text, 'Presidents Day':text, 'Memorial Day':text, 'Independence Day':text, 'Labor Day':text, 'Columbus Day':text, 'Veterans Day':text, 'Thanksgiving':text, 'Christmas':text]
11	personal_types	_text	YES	ARRAY['baby_shower':text, 'birthday_party':text, 'anniversary':text, 'graduation':text]
12	dining_types	_text	YES	—
13	festival_types	_text	YES	—
14	retreat_types	_text	YES	ARRAY['skills_building':text, 'personal_development':text, 'community_relationships':text, 'hybrid':text]
15	reunion_types	_text	YES	—
16	health_wellness_types	_text	YES	—
17	id	integer	NO	nextval('event_themes_id_seq':regclass)

Table: Transportation Directory

1	transo_rental_id	integer	NO	—
2	created_at	timestamp with time zone	NO	now()
3	bus	_text	YES	—
4	van	text	YES	—

5	limo	text	YES	—
6	car_suv	text	YES	—
7	truck	text	YES	—
8	other	text	YES	—
9	state	text	YES	—
10	city	text	YES	—

11	region	text	YES	—
----	--------	------	-----	---

Table: Transportation Profile

1	transpo_id	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	trans_type	text	YES	—
4	biz_name	text	YES	—
5	biz_email	text	YES	—
6	trans_contact_name	text	YES	—
7	trans_contact_nbr	numeric	YES	—
8	days_of_operation	_text	YES	—
9	hours_of_operation	_timestamptz	YES	—
10	dates_available	date	YES	—
11	departure_date	date	YES	—
12	departure_time	timestamp with time zone	YES	—
13	arrival_date	date	YES	—
14	arrival_time	timestamp with time zone	YES	—
15	departure_location	text	YES	—
16	destination_location	text	YES	—
17	seating_capacity	numeric	YES	—
18	special_accommodations	_text	YES	—
19	transpo_cost	numeric	YES	—
20	confirmation_nbr	numeric	YES	—
21	trans_amenities	text	YES	—

Table: User Profile

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Biz_Name	text	YES	—
4	User_Contact_Ph_Nbr	numeric	YES	—
5	User_Contact_Name	text	YES	—
6	User_Email	text	YES	—
7	User_Type	text	YES	—
8	Subscription_type	text	YES	'Trial':text
9	Pay_Method	text	YES	—
10	Subscription_Start_Date	date	YES	—
11	Subscription_End_Date	date	YES	—
12	Subscription_Upgrade_Type	text	YES	—
13	Subscription_Upgrade_Date	date	YES	—
14	User_Category	text	YES	—
15	User_Subscription_Freq	text	YES	—
16	User_Location	text	YES	—
18	user_id	uuid	YES	—
19	user_upload_pics	text	YES	—

Table: Vendor Directory

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Bakery	text	YES	—
4	Beverage	text	YES	—

5	Brewery	text	YES	—
	Add - Mobile Entertainment			
6	Caterer	text	YES	—
7	Chef	text	YES	—
8	Florist	text	YES	—
9	Food Truck	text	YES	—
10	Foodies	text	YES	—

IEP SaaS Application - Current System Schema Page 22 of 60

11	Ice_Sculpure	text	YES	—
12	Mobile_Pop_Up	text	YES	—
13	Other	text	YES	—
14	Videographer	text	YES	—
15	Winery - Remove	text	YES	—
	Add - Support Service	Array		
16	other_manual_text	text	YES	—
17	state	text	YES	—
18	city	text	YES	—
19	region	text	YES	—

Table: Vendor Profile

1	vendor_type_id	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	vendor_biz_name	text	YES	—

4	vendor_location	text	YES	—
5	vendor_contact_name	text	YES	—
6	vendor_contact_nbr	numeric	YES	—
7	vendor_email	text	YES	—
8	vendor_type	text	YES	—
9	vendor_price	numeric	YES	—
10	ven_avail_dates	date	YES	—

Table: Venue Directory

1	id	bigint	NO	—
2	created_at	timestamp with time zone	NO	now()
3	Agri-Farming	text	YES	—
4	Hospitality_Location	text	YES	—
5	Local_Govern_Location	text	YES	—
6	Market_Place	text	YES	—
7	Other	text	YES	—
8	Private_Club	text	YES	—
	ADD: Vineyard/Winery			

9	Private_Resident	text	YES	—
10	Recreation_Location	text	YES	—
11	Resort_Location	text	YES	—
12	Restaurant_Location	text	YES	—
13	Business_Location	text	YES	—

14	Sporting_Facility	text	YES	—
15	State_Govern_Location	text	YES	—
16	Warehouse	text	YES	—
17	Sporting_Facility_Location	text	YES	—
18	Warehouse_Location	text	YES	—
19	Private_Club_Location	text	YES	—
20	Agri_Location	text	YES	—
21	Market_Location	text	YES	—
22	Hospitality	text	YES	—
23	Local_Govern	text	YES	—
24	Private_Residence_Location	text	YES	—
25	Other_Location	text	YES	—
26	Recreation	text	YES	—
27	Resort	text	YES	—
28	Restaurant	text	YES	—
29	Business	text	YES	—
30	State_Govern	text	YES	—
31	state	text	YES	—
32	city	text	YES	—
33	region	text	YES	—

Table: Venue Profile

1	venue_type_id	text	NO	—
2	created_at	timestamp with time zone	NO	now()
3	ven_locationm	text	YES	—
4	ven_email	text	YES	—

5	ven_contact_name	text	YES	—
---	------------------	------	-----	---

IEP SaaS Application - Current System Schema Page 24 of 60

6	ven_contact_ph_nbr	numeric	YES	—
7	ven_biz_name	text	YES	—
8	ven_reservation_date	date	YES	—
9	ven_reservation_time	timestamp with time zone	YES	—
10	ven_price	numeric	YES	—
11	venue_amenities	text	YES	—

Table: amenity_types

1	id	integer	NO	nextval('amenity_types_id_seq'::regclass)
2	name	text	NO	—
3	description	text	YES	—
4	created_at	timestamp with time zone	NO	now()
5	updated_at	timestamp with time zone	NO	now()
6	price	numeric	YES	0

Table: backup_cm_change_requests_columns 20260608

1	backed_up_at	timestamp with time zone	YES	—
2	table_schema	name	YES	—
3	table_name	name	YES	—
4	column_name	name	YES	—
5	ordinal_position	integer	YES	—

6	column_default	character varying	YES	—
7	is_nullable	character varying	YES	—
8	data_type	character varying	YES	—
9	udt_name	name	YES	—

Table: backup_cm_change_requests_data_20260608

1	id	uuid	YES	—
2	created_at	timestamp with time zone	YES	—
3	event_id	uuid	YES	—

4	task_id	uuid	YES	—
5	requested_by	uuid	YES	—
6	description	text	YES	—
7	priority_tag	text	YES	—
8	field_changed	text	YES	—
9	old_value	text	YES	—
10	new_value	text	YES	—
11	status	text	YES	—
12	resolved_at	timestamp with time zone	YES	—
13	resolved_by	uuid	YES	—
14	rollout_timing	text	YES	—
15	location_id	uuid	YES	—
16	device_info	jsonb	YES	—
17	requested_estimate_minutes	integer	YES	—

18	change_type	text	YES	—
----	-------------	------	-----	---

Table: backup_cm_change_requests_policies_20260608

1	backed_up_at	timestamp with time zone	YES	—
2	schemaname	name	YES	—
3	tablename	name	YES	—
4	policyname	name	YES	—
5	permissive	text	YES	—
6	roles	_name	YES	—
7	cmd	text	YES	—
8	qual	text	YES	—
9	with_check	text	YES	—

Table: backup_cm_change_requests_test_event_20260608

1	id	uuid	YES	—
2	created_at	timestamp with time zone	YES	—
3	event_id	uuid	YES	—

4	task_id	uuid	YES	—
5	requested_by	uuid	YES	—
6	description	text	YES	—
7	priority_tag	text	YES	—
8	field_changed	text	YES	—

9	old_value	text	YES	—
10	new_value	text	YES	—
11	status	text	YES	—
12	resolved_at	timestamp with time zone	YES	—
13	resolved_by	uuid	YES	—
14	rollout_timing	text	YES	—
15	location_id	uuid	YES	—
16	device_info	jsonb	YES	—
17	requested_estimate_minutes	integer	YES	—
18	change_type	text	YES	—

Table: barcode_submissions

1	id	uuid	NO	gen_random_uuid()
2	book_id	text	NO	—
3	event_name	text	NO	—
4	ticket_number	text	NO	—
5	email	text	NO	—
6	phone	text	YES	—
7	notes	text	YES	—
8	created_at	timestamp with time zone	NO	now()
9	updated_at	timestamp with time zone	NO	now()

Table: budget_items

1	id	uuid	NO	gen_random_uuid()
2	event_id	uuid	NO	—

3	category	budget_category	NO	—
---	----------	-----------------	----	---

IEP SaaS Application - Current System Schema Page 27 of 60

4	item_name	text	NO	—
5	description	text	YES	—
6	estimated_cost	numeric	YES	—
7	actual_cost	numeric	YES	—
8	vendor_name	text	YES	—
9	vendor_contact	text	YES	—
10	payment_status	text	YES	'pending':text
11	payment_due_date	date	YES	—
12	created_by	uuid	NO	—
13	created_at	timestamp with time zone	NO	now()
14	updated_at	timestamp with time zone	NO	now()
15	archived	boolean	NO	false
16	status	text	YES	'Estimated':text
17	original_amount	numeric	YES	—
18	budget_credit	numeric	YES	0

Table: change_logs

1	id	uuid	NO	gen_random_uuid()
2	entity_type	text	NO	—
3	entity_id	uuid	NO	—
4	action	text	NO	—
5	field_name	text	YES	—

6	old_value	text	YES	—
7	new_value	text	YES	—
8	changed_by	uuid	NO	—
9	change_description	text	YES	—
10	created_at	timestamp with time zone	NO	now()

Table: change_requests

1	id	uuid	NO	gen_random_uuid()
2	title	text	NO	—

3	description	text	YES	—
4	status	change_status	NO	'pending'::change_status
5	priority	task_priority	NO	'medium'::task_priority
6	event_id	text	YES	—
7	task_id	uuid	YES	—
8	requested_by	uuid	YES	—
9	approved_by	uuid	YES	—
10	applied_by	uuid	YES	—
11	created_at	timestamp with time zone	NO	now()
12	updated_at	timestamp with time zone	NO	now()
13	approved_at	timestamp with time zone	YES	—
14	applied_at	timestamp with time zone	YES	—
15	rejection_reason	text	YES	—
16	change_type	change_type	YES	'event_update'::change_type

17	field_changes	jsonb	YES	—
----	---------------	-------	-----	---

Table: check_lists

1	id	uuid	NO	gen_random_uuid()
2	event_id	uuid	NO	—
3	resource_type	text	NO	—
4	resource_id	text	NO	"::text
5	title	text	NO	"::text
6	items	jsonb	NO	'[]'::jsonb
7	created_at	timestamp with time zone	NO	now()
8	updated_at	timestamp with time zone	NO	now()

Table: checklist_templates

1	id	integer	NO	nextval('checklist_templates_id_seq'::regclass)
2	category_name	text	NO	—
3	sort_order	integer	NO	0
4	label	text	NO	—

IEP SaaS Application - Current System Schema Page 29 of 60

5	created_at	timestamp with time zone	NO	now()

Table: cm_activity

1	id	uuid	NO	gen_random_uuid()

2	event_id	uuid	YES	—
3	entity_type	text	NO	—
4	entity_id	uuid	YES	—
5	action	text	NO	—
6	changed_by	uuid	YES	—
7	metadata	jsonb	YES	—
8	created_at	timestamp with time zone	NO	now()

Table: cm_audit_events

1	id	uuid	NO	gen_random_uuid()
2	created_at	timestamp with time zone	NO	now()
3	user_id	uuid	YES	—
4	event_id	uuid	YES	—
5	type	text	NO	—
6	description	text	YES	—
7	payload	jsonb	YES	—

Table: cm_change_logs

1	id	uuid	NO	gen_random_uuid()
2	entity_type	text	NO	—
3	entity_id	uuid	NO	—
4	action	text	NO	—
5	field_name	text	YES	—
6	old_value	text	YES	—
7	new_value	text	YES	—

8	changed_by	uuid	NO	—
---	------------	------	----	---

9	change_description	text	YES	—
10	created_at	timestamp with time zone	NO	now()

Table: cm_change_requests

1	id	uuid	NO	gen_random_uuid()
2	created_at	timestamp with time zone	NO	now()
3	event_id	uuid	YES	—
4	task_id	uuid	YES	—
5	requested_by	uuid	YES	—
6	description	text	YES	—
7	priority_tag	text	YES	—
8	field_changed	text	YES	—
9	old_value	text	YES	—
10	new_value	text	YES	—
11	status	text	YES	'pending':text
12	resolved_at	timestamp with time zone	YES	—
13	resolved_by	uuid	YES	—
14	rollout_timing	text	NO	'optional':text
15	location_id	uuid	YES	—
16	device_info	jsonb	YES	—
17	requested_estimate_minutes	integer	YES	—
18	change_type	text	YES	—

Table: cm_event_members

1	user_id	uuid	NO	—
2	event_id	uuid	NO	—
3	role	text	NO	'viewer':text

Table: cm_locations

1	id	uuid	NO	gen_random_uuid()

IEP SaaS Application - Current System Schema Page 31 of 60

2	event_id	uuid	YES	—
3	name	text	YES	—
4	address	text	YES	—
5	city	text	YES	—
6	state	text	YES	—
7	zip	text	YES	—
8	region	text	YES	—
9	created_at	timestamp with time zone	YES	now()

Table: cm_resources

1	id	uuid	NO	gen_random_uuid()
2	event_id	uuid	YES	—
3	name	text	YES	—

4	role	text	YES	—
5	location_id	uuid	YES	—
6	availability	jsonb	YES	—

Table: cm_tasks

1	id	uuid	NO	gen_random_uuid()
2	event_id	uuid	YES	—
3	name	text	YES	—
4	start_date	timestamp with time zone	YES	—
5	end_date	timestamp with time zone	YES	—
6	depends_on	uuid	YES	—
7	locked	boolean	YES	false
8	status	text	YES	—

Table: collaborator_configurations

1	id	uuid	NO	gen_random_uuid()
2	team_id	uuid	YES	—

3	role	text	NO	—
4	collaborator_types	_text	NO	—
5	is_coordinator	boolean	YES	false
6	is_viewer	boolean	YES	false
7	assigned_user_id	uuid	YES	—

8	notes	text	YES	—
9	created_at	timestamp with time zone	YES	now()
10	updated_at	timestamp with time zone	YES	now()
11	roles	_text	YES	'{}':text[]
12	permission_level_text	text	YES	'R':text

Table: confirmation_submissions

1	id	uuid	NO	gen_random_uuid()
2	book_id	text	NO	—
3	confirmation_number	text	NO	—
4	name	text	NO	—
5	email	text	NO	—
6	phone	text	YES	—
7	notes	text	YES	—
8	created_at	timestamp with time zone	NO	now()
9	updated_at	timestamp with time zone	NO	now()
10	event_id	text	YES	—

Table: discussion_comment_likes

1	comment_id	uuid	NO	—
2	user_id	uuid	NO	—
3	created_at	timestamp with time zone	NO	now()

Table: discussion_comments

--	--	--	--	--

1	id	uuid	NO	gen_random_uuid()
---	----	------	----	-------------------

IEP SaaS Application - Current System Schema Page 33 of 60

2	user_id	uuid	NO	—
3	parent_id	uuid	YES	—
4	content	text	NO	—
5	entity_type	text	NO	'general'::text
6	entity_id	text	NO	'general'::text
7	entity_title	text	NO	'General Discussion'::text
8	attachments	jsonb	NO	'[]'::jsonb
9	mentions	_text	NO	'{}'::text[]
10	is_edited	boolean	NO	false
11	created_at	timestamp with time zone	NO	now()
12	updated_at	timestamp with time zone	NO	now()
13	author_display_name	text	YES	—
14	author_avatar_url	text	YES	—

Table: email_events

1	id	uuid	NO	gen_random_uuid()
2	user_id	uuid	YES	—
3	event_id	uuid	YES	—
4	template	text	NO	—
5	recipient	text	NO	—
6	provider	text	YES	'resend'::text
7	status	text	NO	'sent'::text

8	error	text	YES	—
9	metadata	jsonb	YES	—
10	created_at	timestamp with time zone	NO	now()

Table: entertainment_types

1	id	integer	NO	nextval('entertainment_types_id_seq'::regclass)
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()
4	updated_at	timestamp with time zone	NO	now()

Table: entertainments

1	id	uuid	NO	gen_random_uuid()
2	business_name	text	NO	—
3	contact_name	text	YES	—
4	email	text	YES	—
5	phone_number	text	YES	—
6	city	text	YES	—
7	state	text	YES	—
8	zip	text	YES	—
9	ent_type_id	integer	YES	—
10	created_at	timestamp with time zone	NO	now()
11	updated_at	timestamp with time zone	NO	now()
12	price	numeric	YES	—
13	description	text	YES	—

14	linkedin_url	text	YES	—
15	instagram_url	text	YES	—
	ADD: FaceBook_url			
16	rating	numeric	YES	0
17	entertainment_directory_id	bigint	YES	—
18	checklist	jsonb	YES	'[]':jsonb
19	checklist_completed_count	integer	YES	0
20	custom_type	text	YES	—

Table: event_resource_selections

1	id	uuid	NO	gen_random_uuid()
2	event_id	uuid	NO	—
3	resource_id	uuid	NO	—
4	selection_type	text	NO	—
5	status	text	NO	'selected':text
6	notes	text	YES	—
7	created_at	timestamp with time zone	NO	now()
8	updated_at	timestamp with time zone	NO	now()

Table: event_types

2	name	text	NO	—
3	theme_id	integer	YES	—
4	created_at	timestamp with time zone	NO	now()
6	parent_id	integer	YES	—

7	id	integer	NO	nextval('event_types_id_seq'::regclass)
---	----	---------	----	---

Table: events

1	id	uuid	NO	gen_random_uuid()
2	user_id	uuid	NO	—
3	title	text	NO	—
4	description	text	YES	—
6	venue	text	NO	—
7	start_date	date	NO	—
8	end_date	date	YES	—
9	budget	numeric	YES	—
10	expected_attendees	integer	YES	—
12	created_at	timestamp with time zone	NO	now()
13	updated_at	timestamp with time zone	NO	now()
16	start_time	time without time zone	YES	—
17	end_time	time without time zone	YES	—
18	theme_id	integer	YES	—
21	status	event_status_enum	YES	'pending'::event_status_enum
22	location	text	YES	—
23	entertainment_id	uuid	YES	—
24	service_rental_buy_id	uuid	YES	—
25	archived	boolean	NO	false
26	service_vendor_id	uuid	YES	—
27	entertainment_ids	_uuid	YES	—
28	service_vendor_ids	_uuid	YES	—
29	external_supplier_ids	_uuid	YES	—

30	venue_booking_completed	boolean	NO	false
31	type_id	integer	YES	—
32	organization_id	uuid	YES	—

Table: external_vendor directory

1	id	uuid	NO	gen_random_uuid()
2	category	text	NO	—
3	type	text	NO	—
4	manual_entry	text	YES	—
5	created_at	timestamp with time zone	NO	now()
6	updated_at	timestamp with time zone	NO	now()

Table: external_vendor profile

1	id	uuid	NO	gen_random_uuid()
2	external_vendor_directory_id	uuid	YES	—
3	business_name	text	YES	—
4	contact_name	text	YES	—
5	email	text	YES	—
6	phone	text	YES	—
7	notes	text	YES	—
8	manual_entry	text	YES	—
9	created_at	timestamp with time zone	NO	now()

10	updated_at	timestamp with time zone	NO	now()
----	------------	--------------------------	----	-------

Table: hospitality_profile_amenities

1	id	uuid	NO	gen_random_uuid()
2	hospitality_profile_id	uuid	NO	—
3	amenity_type_id	integer	NO	—
4	created_at	timestamp with time zone	NO	now()

Table: hospitality_profiles

1	id	uuid	NO	gen_random_uuid()
2	business_name	text	NO	—
3	contact_name	text	YES	—
4	email	text	YES	—
5	phone_number	text	YES	—
6	website	text	YES	—
7	city	text	YES	—
8	state	text	YES	—
9	zip	text	YES	—
10	created_at	timestamp with time zone	NO	now()
11	updated_at	timestamp with time zone	NO	now()
12	hospitality_type	integer	YES	—
13	cost	numeric	YES	—
14	capacity	integer	YES	—
15	make_reservations	text	YES	—

16	linkedin_url	text	YES	—
17	instagram_url	text	YES	—
18	rating	numeric	YES	0
19	checklist	jsonb	YES	'[]'::jsonb
20	checklist_completed_count	integer	YES	0

Table: hospitality_types

1	id	integer	NO	nextval('hospitality_types_id_seq'::regclass)
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()
4	updated_at	timestamp with time zone	NO	now()

Table: invoices

1	id	uuid	NO	gen_random_uuid()
2	user_id	uuid	NO	—

3	plan_name	text	NO	'starter'::text
4	amount	numeric	NO	0
5	currency	text	NO	'USD'::text
6	status	text	NO	'draft'::text
7	due_date	date	YES	—
8	paid_at	timestamp with time zone	YES	—
9	invoice_number	text	YES	—

10	description	text	YES	—
11	billing_period_start	date	YES	—
12	billing_period_end	date	YES	—
13	stripe_invoice_id	text	YES	—
14	created_at	timestamp with time zone	NO	now()
15	updated_at	timestamp with time zone	NO	now()

Table: marketing_campaigns

1	id	uuid	NO	gen_random_uuid()
2	campaign_name	text	YES	—
3	campaign_type	text	YES	—
4	start_date	timestamp with time zone	YES	—
5	end_date	timestamp with time zone	YES	—
6	created_at	timestamp with time zone	NO	now()

Table: marketing_conversions

1	id	uuid	NO	gen_random_uuid()
2	subscriber_id	uuid	YES	—
3	conversion_type	text	YES	—
4	conversion_date	timestamp with time zone	NO	now()
5	value	numeric	YES	—
6	created_at	timestamp with time zone	NO	now()
7	auth_user_id	uuid	YES	—

Table: marketing_email_deliveries

1	id	uuid	NO	gen_random_uuid()
2	subscriber_id	uuid	NO	—
3	email_id	uuid	YES	—
4	sent_at	timestamp with time zone	YES	—
5	opened	boolean	NO	false
6	clicked	boolean	NO	false
7	created_at	timestamp with time zone	NO	now()

Table: marketing_emails

1	id	uuid	NO	gen_random_uuid()
2	campaign_id	uuid	YES	—
3	email_name	text	YES	—
4	subject_line	text	YES	—
5	send_day	integer	YES	—
6	template_key	text	YES	—
7	created_at	timestamp with time zone	NO	now()

Table: marketing_profiles

1	id	uuid	NO	gen_random_uuid()
2	business_name	text	NO	—
3	contact_name	text	YES	—
4	email	text	YES	—
5	phone_number	text	YES	—

6	website	text	YES	—
7	city	text	YES	—
8	state	text	YES	—
9	zip	text	YES	—
10	address	text	YES	—
11	marketing_type_id	integer	YES	—
12	marketing_directory_id	bigint	YES	—

IEP SaaS Application - Current System Schema Page 40 of 60

13	specialization	text	YES	—
14	platforms	_text	YES	—
15	target_audience	text	YES	—
16	campaign_types	_text	YES	—
17	price	numeric	YES	—
18	price_unit	text	YES	'per campaign':text
19	budget_range_min	numeric	YES	—
20	budget_range_max	numeric	YES	—
21	instagram_url	text	YES	—
22	linkedin_url	text	YES	—
23	facebook_url	text	YES	—
24	twitter_url	text	YES	—
25	rating	numeric	YES	0
26	total_reviews	integer	YES	0
27	portfolio_url	text	YES	—
28	description	text	YES	—

29	checklist	jsonb	YES	'[{"id": "m1", "label": "Campaign brief confirmed", "checked": false, "category": "Planning"}, {"id": "m2", "label": "Target audience defined", "checked": false, "category": "Strategy"}, {"id": "m3", "label": "Budget approved", "checked": false, "category": "Finance"}, {"id": "m4", "label": "Contract / agreement signed", "checked": false, "category": "Legal"}, {"id": "m5", "label": "Creative assets delivered", "checked": false, "category": "Creative"}, {"id": "m6", "label": "Platforms / channels confirmed", "checked": false, "category": "Distribution"}, {"id": "m7", "label": "Launch date scheduled", "checked": false, "category": "Scheduling"}, {"id": "m8", "label": "Performance tracking setup", "checked": false, "category": "Analytics"}]':jsonb
30	checklist_completed_count	integer	YES	0
31	is_active	boolean	YES	true
32	created_at	timestamp with time zone	NO	now()
33	updated_at	timestamp with time zone	NO	now()

Table: marketing_subscribers

1	id	uuid	NO	gen_random_uuid()
2	email	text	NO	—

3	name	text	YES	—
4	user_type	text	YES	—
5	organization	text	YES	—
6	signup_source	text	YES	—
7	created_at	timestamp with time zone	NO	now()

Table: marketing_types

1	id	integer	NO	nextval('marketing_types_id_seq':regclass)

2	name	text	NO	—
3	description	text	YES	—
4	created_at	timestamp with time zone	NO	now()
5	updated_at	timestamp with time zone	NO	now()

Table: notifications

1	id	uuid	NO	gen_random_uuid()
2	recipient_id	uuid	NO	—
3	sender_id	uuid	YES	—
4	title	text	NO	—
5	message	text	NO	—
6	type	text	NO	—
7	entity_type	text	YES	—
8	entity_id	uuid	YES	—
9	is_read	boolean	NO	false
10	created_at	timestamp with time zone	NO	now()
11	event_id	uuid	YES	—
12	channel	text	YES	—
13	sent_at	timestamp with time zone	YES	—

Table: organization_members

1	id	uuid	NO	gen_random_uuid()

--	--	--	--	--

2	organization_id	uuid	NO	—
3	user_id	uuid	NO	—
4	role	text	NO	'host':text
5	created_at	timestamp with time zone	NO	now()

Table: organizations

1	id	uuid	NO	gen_random_uuid()
2	name	text	NO	—
3	owner_id	uuid	YES	—
4	created_at	timestamp with time zone	NO	now()
5	updated_at	timestamp with time zone	NO	now()

Table: private profiles

1	user_id	uuid	NO	—
2	email	text	YES	—
3	phone	text	YES	—
4	pay_method	text	YES	—

Table: private residence responses

1	id	uuid	NO	gen_random_uuid()
2	user_id	uuid	YES	—
3	event_id	uuid	YES	—
4	street_address	text	NO	—
5	email	text	NO	—

6	phone_number	text	NO	—
7	created_at	timestamp with time zone	NO	now()
8	updated_at	timestamp with time zone	NO	now()

Table: profiles

1	id	uuid	NO	gen_random_uuid()
2	user_id	uuid	NO	—
3	username	text	YES	—
4	display_name	text	YES	—
5	bio	text	YES	—
6	created_at	timestamp with time zone	NO	now()
7	updated_at	timestamp with time zone	NO	now()
8	avatar_url	text	YES	—
9	subscription_level	text	YES	—
10	onboarding_completed_at	timestamp with time zone	YES	—
11	subscription_plan	text	YES	'starter':text
12	subscription_status	text	YES	'active':text
13	subscription_started_at	timestamp with time zone	YES	—
14	subscription_expires_at	timestamp with time zone	YES	—

Table: public profiles

1	user_id	uuid	NO	—
2	display_name	text	YES	—
3	avatar_url	text	YES	—

4	role	text	YES	—
---	------	------	-----	---

Table: qrcode_submissions

1	id	uuid	NO	gen_random_uuid()
2	book_id	text	NO	—
3	event_name	text	NO	—
4	ticket_number	text	NO	—
5	email	text	NO	—
6	phone	text	YES	—
7	notes	text	YES	—
8	created_at	timestamp with time zone	NO	now()

9	updated_at	timestamp with time zone	NO	now()

Table: registry_submissions

1	id	uuid	NO	gen_random_uuid()
2	book_id	text	NO	—
3	name	text	NO	—
4	email	text	NO	—
5	phone	text	YES	—
6	selected_items	jsonb	NO	—
7	total_amount	numeric	NO	—
8	message	text	YES	—

9	created_at	timestamp with time zone	NO	now()
10	updated_at	timestamp with time zone	NO	now()

Table: reservation_submissions

1	id	uuid	NO	gen_random_uuid()
2	book_id	text	NO	—
3	name	text	NO	—
4	email	text	NO	—
5	phone	text	NO	—
6	party_size	integer	NO	—
7	preferred_date	date	NO	—
8	preferred_time	text	NO	—
9	special_requests	text	YES	—
10	created_at	timestamp with time zone	NO	now()
11	updated_at	timestamp with time zone	NO	now()
12	venue_id	uuid	YES	—
13	event_id	text	YES	—

Table: resource_categories

1	id	integer	NO	nextval('resource_categories_id_seq'::regclass)
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()

Table: resource_status

1	id	integer	NO	nextval('resource_status_id_seq'::regclass)
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()

Table: resources

1	id	uuid	NO	gen_random_uuid()
2	name	text	NO	—
3	category_id	integer	NO	—
4	status_id	integer	YES	—
5	location	text	NO	—
7	allocated	integer	NO	0
8	total	integer	NO	0
9	event_id	uuid	NO	—
10	created_at	timestamp with time zone	NO	now()
11	updated_at	timestamp with time zone	NO	now()

Table: role_permission_groups

1	role	app_role	NO	—
2	permission_group	permission_level	NO	—
3	created_at	timestamp with time zone	YES	now()

Table: rsvp_submissions

1	id	uuid	NO	gen_random_uuid()

2	book_id	text	NO	—
3	guest_name	text	NO	—
4	guest_email	text	NO	—
5	response_type	text	NO	—
6	guest_count	integer	YES	—
7	special_requests	text	YES	—
8	created_at	timestamp with time zone	NO	now()
9	updated_at	timestamp with time zone	NO	now()
10	event_id	text	YES	—

Table: service rental buy

1	id	uuid	NO	gen_random_uuid()
2	business_name	text	NO	—
3	contact_name	text	YES	—
4	email	text	YES	—
5	phone_number	text	YES	—
6	city	text	YES	—
7	state	text	YES	—
8	zip	text	YES	—
9	created_at	timestamp with time zone	NO	now()
10	updated_at	timestamp with time zone	NO	now()
11	price	numeric	YES	—
12	description	text	YES	—

Table: service_rental_buy_assignments

1	id	integer	NO	nextval('serv_vendor_rental_types_id_seq'::regclass)
2	service_rental_buy_id	uuid	YES	—
3	vendor_rental_type_id	integer	YES	—
4	created_at	timestamp with time zone	NO	now()
5	updated_at	timestamp with time zone	NO	now()

Table: service_rental_types

1	id	integer	NO	nextval('serv_vendor_rental_types_id_seq1'::regclass)
2	serv_vendor_rental_id	uuid	YES	—
3	vendor_rental_type_id	integer	YES	—
4	created_at	timestamp with time zone	NO	now()
5	updated_at	timestamp with time zone	NO	now()

Table: supplier_categories

1	id	integer	NO	nextval('supplier_categories_id_seq'::regclass)
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()

Table: supplier_types

1	id	integer	NO	nextval('supplier_types_id_seq'::regclass)

2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()

Table: suppliers

1	id	uuid	NO	gen_random_uuid()
2	business_name	text	NO	—
3	contact_name	text	YES	—
4	email	text	YES	—
5	phone_number	text	YES	—
6	city	text	YES	—
7	state	text	YES	—
8	zip	text	YES	—
9	type_id	integer	YES	—
10	category_id	integer	YES	—
11	created_at	timestamp with time zone	NO	now()
12	updated_at	timestamp with time zone	NO	now()

13	price	numeric	YES	—
14	description	text	YES	—
15	inventory_images	text	YES	—
16	linkedin_url	text	YES	—
17	instagram_url	text	YES	—
18	rating	numeric	YES	0
19	checklist	jsonb	YES	'[]'::jsonb

20	checklist_completed_count	integer	YES	0
21	supplier_cost	numeric	YES	—
22	custom_category	text	YES	—
23	custom_type	text	YES	—

Table: task_assignments

1	id	uuid	NO	gen_random_uuid()
2	task_id	uuid	NO	—
4	created_at	timestamp with time zone	NO	now()
5	created_by	uuid	NO	—
6	user_id	uuid	YES	—

Table: task_collaborator_assignments

1	id	integer	NO	nextval('team_assignments_id_seq'::regclass)
2	team_id	uuid	NO	—
3	user_id	uuid	NO	—
4	team_admin	boolean	NO	false
5	created_at	timestamp with time zone	NO	now()
6	updated_at	timestamp with time zone	NO	now()
7	is_viewer	boolean	NO	false
8	is_collaborator	boolean	NO	false

Table: tasks

|--|--|--|--|--|

1	id	uuid	NO	gen_random_uuid()
2	event_id	uuid	YES	—
3	title	text	NO	—
4	description	text	YES	—
5	assigned_to	uuid	YES	—
7	status	task_status	YES	'not_started'::task_status
8	priority	task_priority	NO	'medium'::task_priority
9	estimated_hours	numeric	YES	—
10	actual_hours	numeric	YES	—
11	due_date	timestamp with time zone	YES	—
12	created_by	uuid	NO	—
13	created_at	timestamp with time zone	NO	now()
14	updated_at	timestamp with time zone	NO	now()
15	assigned_venue_role	text	YES	—
16	assigned_supplier_vendor_role	text	YES	—
17	assigned_service_vendor_role	text	YES	—
18	assined_vendor_role	text	YES	—
19	start_time	time without time zone	YES	—
20	end_time	time without time zone	YES	—
21	start_date	date	YES	—
22	end_date	date	YES	—
23	archived	boolean	NO	false
24	category	text	YES	—
25	assigned_coordinator_name	text	YES	—
26	assigned_to_display_name	text	YES	—
27	assigned_bookings_role	text	YES	—
28	assigned_service_rental_role	text	YES	—

29	assigned_hospitality_role	text	YES	—
30	assigned_entertainment_role	text	YES	—
31	assigned_transportation_role	text	YES	—
32	assigned_external_vendor_role	text	YES	—

IEP SaaS Application - Current System Schema Page 50 of 60

33	organization_id	uuid	YES	—
34	location_id	uuid	YES	—
35	checklist	jsonb	NO	'{}':jsonb
36	resource_assignments	jsonb	YES	—

Table: tasks_assignments

1	id	uuid	NO	gen_random_uuid()
2	event_id	uuid	NO	—
3	event_theme	text	NO	—
4	description	text	YES	—
5	assigned_to	uuid	YES	—
7	status	task_status	YES	'not_started':task_status
8	priority	task_priority	NO	'medium':task_priority
9	estimated_hours	numeric	YES	—
10	actual_hours	numeric	YES	—
11	due_date	timestamp with time zone	YES	—
12	created_by	uuid	NO	—
13	created_at	timestamp with time zone	NO	now()
14	updated_at	timestamp with time zone	NO	now()

19	task_name	text	YES	—
----	-----------	------	-----	---

Table: tasks_dependencies

1	id	uuid	NO	gen_random_uuid()
2	task_id	uuid	NO	—
3	depends_on_task_id	uuid	NO	—
4	created_at	timestamp with time zone	NO	now()

Table: tasks_old

1	id	uuid	NO	gen_random_uuid()
2	event_id	uuid	YES	—

3	title	text	NO	—
4	description	text	YES	—
5	assigned_to	uuid	YES	—
7	status	task_status	YES	'not_started':task_status
8	priority	task_priority	NO	'medium':task_priority
9	estimated_hours	numeric	YES	—
10	actual_hours	numeric	YES	—
11	due_date	timestamp with time zone	YES	—
12	created_by	uuid	NO	—
13	created_at	timestamp with time zone	NO	now()
14	updated_at	timestamp with time zone	NO	now()

15	assigned_venue_role	text	YES	—
16	assigned_supplier_vendor_role	text	YES	—
17	assigned_service_vendor_role	text	YES	—
18	assined_vendor_role	text	YES	—
19	start_time	time without time zone	YES	—
20	end_time	time without time zone	YES	—
21	start_date	date	YES	—
22	end_date	date	YES	—
23	archived	boolean	NO	false
24	category	text	YES	—
25	assigned_coordinator_name	text	YES	—
26	resource_assignments	jsonb	YES	'{}':jsonb
27	change_request_id	uuid	YES	—
28	checklist	jsonb	YES	'[]':jsonb
29	assignment_type	text	YES	—
30	assign_hospitality	uuid	YES	—
31	assign_transportation	uuid	YES	—
32	assigned_bookings_role	text	YES	—
33	assigned_service_rental_role	text	YES	—
34	assigned_hospitality_role	text	YES	—
35	assigned_entertainment_role	text	YES	—

36	assigned_transportation_role	text	YES	—
37	assigned_external_vendor_role	text	YES	—
38	assigned_to_display_name	text	YES	—

Table: team_assignments

1	id	integer	NO	nextval('team_assignments_id_seq1'::regclass)
2	team_id	uuid	NO	—
3	user_id	uuid	NO	—
4	team_admin	boolean	NO	false
5	is_collaborator	boolean	NO	false
6	is_viewer	boolean	NO	false
7	created_at	timestamp with time zone	NO	now()
8	updated_at	timestamp with time zone	NO	now()

Table: teams

1	id	uuid	NO	gen_random_uuid()
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()
4	updated_at	timestamp with time zone	NO	now()

Table: template_tasks

1	id	uuid	NO	gen_random_uuid()
2	template_id	uuid	NO	—
3	user_id	uuid	NO	—
4	title	text	NO	—
5	description	text	YES	—
6	created_at	timestamp with time zone	NO	now()

7	updated_at	timestamp with time zone	NO	now()
---	------------	--------------------------	----	-------

Table: templates

1	id	uuid	NO	gen_random_uuid()
2	user_id	uuid	NO	—
3	name	text	NO	—
4	description	text	YES	—
5	created_at	timestamp with time zone	NO	now()
6	updated_at	timestamp with time zone	NO	now()

Table: transportation_profiles

1	id	uuid	NO	gen_random_uuid()
2	business_name	text	NO	—
3	contact_name	text	YES	—
4	email	text	YES	—
5	phone_number	text	YES	—
6	city	text	YES	—
7	state	text	YES	—
8	zip	text	YES	—
9	capacity	integer	YES	—
10	transp_type_id	integer	YES	—
11	created_at	timestamp with time zone	NO	now()
12	updated_at	timestamp with time zone	NO	now()
13	seating_capacity	integer	YES	—

14	price	numeric	YES	—
15	description	text	YES	—
16	amenities	_text	YES	—
17	transpo_images	text	YES	—
18	amenity_ids	_int4	YES	—
19	amenities_notes	text	YES	—
20	has_wifi	boolean	YES	false
21	has_ac	boolean	YES	false
22	has_wheelchair_access	boolean	YES	false

IEP SaaS Application - Current System Schema Page 54 of 60

23	has_luggage_storage	boolean	YES	false
24	has_gps_tracking	boolean	YES	false
25	has_entertainment_system	boolean	YES	false
26	has_refreshments	boolean	YES	false
27	is_pet_friendly	boolean	YES	false
28	is_child_seat_available	boolean	YES	false
29	passenger_capacity	integer	YES	—
30	checklist	jsonb	YES	'[]'::jsonb
31	checklist_completed_count	integer	YES	0

Table: transportation_types

1	id	integer	NO	nextval('transportation_types_id_seq'::regclass)
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()

4	updated_at	timestamp with time zone	NO	now()
---	------------	--------------------------	----	-------

Table: transportations

1	id	uuid	NO	gen_random_uuid()
2	business_name	text	NO	—
3	contact_name	text	YES	—
4	email	text	YES	—
5	phone_number	text	YES	—
6	city	text	YES	—
7	state	text	YES	—
8	zip	text	YES	—
9	capacity	integer	YES	—
10	transp_type_id	integer	YES	—
11	created_at	timestamp with time zone	NO	now()
12	updated_at	timestamp with time zone	NO	now()
13	seating_capacity	integer	YES	—
14	price	numeric	YES	—

15	description	text	YES	—
16	special_accommodations	_text	YES	—
17	profile_url	text	YES	—
18	custom_type	text	YES	—

Table: uploads

1	id	uuid	NO	gen_random_uuid()
2	user_id	uuid	NO	—
3	file_path	text	NO	—
4	media_type	text	YES	—
5	event_id	uuid	YES	—
6	created_at	timestamp with time zone	NO	now()

Table: user_roles

1	id	uuid	NO	gen_random_uuid()
2	user_id	uuid	NO	—
3	role	app_role	NO	—
4	created_at	timestamp with time zone	NO	now()
5	permission_level	permission_level	YES	—
6	event_id	uuid	YES	—

Table: vendor

1	id	uuid	NO	gen_random_uuid()
2	business_name	text	NO	—
3	contact_name	text	YES	—
4	email	text	YES	—
5	phone_number	text	YES	—
6	city	text	YES	—
7	state	text	YES	—
8	zip	text	YES	—

9	vendor_sup_type_id	integer	YES	—
10	created_at	timestamp with time zone	NO	now()
11	updated_at	timestamp with time zone	NO	now()
12	price	numeric	YES	—
13	description	text	YES	—
14	linkedin_url	text	YES	—
15	instagram_url	text	YES	—
16	rating	numeric	YES	0
17	checklist	jsonb	YES	'[]'::jsonb
18	checklist_completed_count	integer	YES	0
19	custom_type	text	YES	—

Table: vendor_rental_types

1	id	integer	NO	nextval('vendor_rental_types_id_seq'::regclass)
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()
4	updated_at	timestamp with time zone	NO	now()

Table: vendor_supplier_types

1	id	integer	NO	nextval('vendor_supplier_types_id_seq'::regclass)
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()

4	updated_at	timestamp with time zone	NO	now()
---	------------	--------------------------	----	-------

Table: venue_types

1	id	integer	NO	nextval('venue_types_id_seq'::regclass)
2	name	text	NO	—
3	created_at	timestamp with time zone	NO	now()
4	updated_at	timestamp with time zone	NO	now()

Table: venues

1	id	uuid	NO	gen_random_uuid()
2	business_name	text	NO	—
3	contact_name	text	YES	—
4	email	text	YES	—
5	phone_number	text	YES	—
6	city	text	YES	—
7	state	text	YES	—
8	zip	text	YES	—
9	capacity	integer	YES	—
10	venue_type_id	integer	YES	—
11	created_at	timestamp with time zone	NO	now()
12	updated_at	timestamp with time zone	NO	now()
14	user_id	uuid	YES	—
15	cost	numeric	YES	—
16	venue_images	text	YES	—

17	amenities	_text	NO	'{}':text[]
18	linkedin_url	text	YES	—
19	instagram_url	text	YES	—
20	rating	numeric	YES	0
21	venue_directory_id	bigint	YES	—
22	amenity_ids	_int4	YES	—
23	amenities_notes	text	YES	—
24	has_parking	boolean	YES	false
25	has_wifi	boolean	YES	false
26	has_catering	boolean	YES	false
27	has_av_equipment	boolean	YES	false
28	has_accessibility	boolean	YES	false
29	has_outdoor_space	boolean	YES	false
30	checklist	jsonb	YES	'[]':jsonb
31	checklist_completed_count	integer	YES	0
32	price	numeric	YES	—

34	custom_type	text	YES	—

Table: workflow_types

1	id	integer	NO	nextval('workflow_types_id_seq':regclass)
2	name	text	NO	—
3	description	text	YES	—
4	tags	_text	YES	—

5	created_at	timestamp with time zone	NO	now()
6	updated_at	timestamp with time zone	NO	now()

Table: workflows

1	id	uuid	NO	gen_random_uuid()
2	workflow_type_id	integer	YES	—
3	user_id	uuid	NO	—
4	created_at	timestamp with time zone	NO	now()
5	updated_at	timestamp with time zone	NO	now()
6	theme_id	integer	YES	—
7	hospitality_id	uuid	YES	—
8	venue_id	uuid	YES	—
9	supplier_id	uuid	YES	—
10	serv_vendor_id	uuid	YES	—
11	service_rental_buy_id	uuid	YES	—
12	event_id	uuid	NO	—
13	bookings_id	uuid	YES	—
14	entertainment_id	uuid	YES	—
15	transportation_id	uuid	YES	—
16	vendor_id	uuid	YES	—
17	external_vendor_id	uuid	YES	—

Client Review and Identified Changes

I have reviewed this Schema Report and identified changes that need to be made. My overall initial review is that the database is clean/accurate.

