

REAL-TIME IMPLEMENTATION OF THE ELASTO-PLASTIC BOW MODEL APPLIED TO FINITE-DIFFERENCE SCHEMES

Silvin Willemsen

Multisensory Experience Lab, CREATE,
Aalborg University Copenhagen
Copenhagen, Denmark
sil@create.aau.dk

Stefania Serafin

Multisensory Experience Lab, CREATE,
Aalborg University Copenhagen
Copenhagen, Denmark
sts@create.aau.dk

ABSTRACT

This is the template file for the proceedings of the 22nd International Conference on Digital Audio Effects (DAFx-19). This template has been derived from WASPAA'99 templates and aims at producing conference proceedings in electronic form. The format is essentially the one used for ICASSP conferences. Please use either this L^AT_EX or the accompanying Word formats when preparing your submission. The templates are available in electronic form on <http://dafx2019.bcu.ac.uk/>.

1. INTRODUCTION

This template can be found on the conference website.

1.1. Figures

All figures should be centred on the column (or page, if the figure spans both columns). Figure captions (in *italic*) should follow each figure and have the format given in Figure ?? . Vectorial figures are preferred. For example when using `Matlab`, export using either Postscript or PDF format. Also, in order to provide a better readability, figure text font size should be at least identical to footnote font size. To do so using `Matlab`, use the `subplot` command before plotting. If bitmap figures are used, please make sure that the resolution is enough for print quality. Fig. ?? illustrates an example of a figure spanning two columns.

1.2. Tables

As for figures, all tables should be centered on the column (or page, if the table spans both columns). Table captions should be in *italic*, precede each table and have the format given in Table ?? .

1.3. Equations

Equations should be placed on separate lines and numbered:

$$X(e^{j\Omega}) = \sum_{n=0}^{N-1} x(n)e^{-j\Omega n} \quad (1)$$

where the sequence $x(n)$ in equation (1) is a windowed frame:

$$x(n) = s(n)w(n) \quad (2)$$

with a window function $w(n)$.

Copyright: © 2019 Silvin Willemsen et al. This is an open-access article distributed under the terms of the Creative Commons Attribution 3.0 Unported License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

1.4. Page Numbers

Page numbers will be added to the document in the post-processing stage, so *please leave the numbering as is*, that is, the first page will start at page DAFX-1 and the last page, at most, will have to be DAFX-8.

1.5. References

The references will be numbered in order of appearance [1], [2], [3] and [4]. Please avoid listing references that do not appear in the text (we did the opposite in this template).

1.5.1. Reference Format

The reference format is the standard IEEE one. We recommend to use BibTeX to create the reference list.

2. STIFF STRING

Using a subscript t and x to denote a derivative with respect to time and space respectively, the partial differential equation of the damped stiff string is defined as

$$u_{tt} = c^2 u_{xx} - \kappa^2 u_{xxxx} - 2\sigma_0 u_t + 2\sigma_1 u_{txx}, \quad (3)$$

where $c = \sqrt{T/\rho A}$ is the wave speed (in m/s) with tension T (in N), material density ρ (in kg·m⁻³) and cross-sectional area A (in m²), $\kappa = \sqrt{EI/\rho A}$ is the stiffness coefficient (in m²/s) with Young's Modulus E (in Pa) and area moment of inertia I (in m⁴) and frequency independent and frequency dependent damping coefficients $\sigma_0 \geq 0$ and $\sigma_1 \geq 0$.

3. ELASTO-PLASTIC BOW MODEL

As opposed to less complex bow models, such as the hyperbolic [source] and exponential [source] models, the elasto-plastic assumes that the friction between the bow and the string is caused by a large quantity of bristles, each of which contributes to the total amount of friction. The bristles are assumed to be stiff springs with damping that can 'break' after a given break-away displacement. In the model, the average bristle displacement z is used. An extra term can be added to (3) to include the bowing interaction

$$u_{tt} = \dots - f(v, z), \quad (4)$$

where function f describes the bowing force acting on the scheme and is dependent on the relative velocity between the string and the bow at bowing point x_B

$$v = u_t(x_B) - v_B \quad (5)$$

and

4. FINITE-DIFFERENCE SCHEMES

Equation (3) can be discretised at times $t = nk$, with sample $n \in \mathbb{N}$ and time-step $k = 1/f_s$ with sample-rate f_s and locations $x = lh$, with grid points $l \in [0, N]$, where $N + 1$ is the total number of grid points and grid spacing h which is calculated using

$$h \geq h_{\min} = \sqrt{\frac{c^2 k^2 + \sigma_1 k \sqrt{(c^2 k^2 + 4\sigma_1 k)^2 + 16\kappa^2 k^2}}{2}}. \quad (6)$$

Approximations for the derivatives in the equations found in 3 are described in the following way:

$$u_{xx} \approx \delta_{xx} u_l^n = \frac{1}{h^2} (u_{l+1}^n - 2u_l^n + u_{l-1}^n), \quad (7a)$$

$$u_t \approx \delta_t u_l^n = \frac{1}{2k} (u_l^{n+1} - u_l^{n-1}), \quad (7b)$$

$$u_{tt} \approx \delta_{tt} u_l^n = \frac{1}{k^2} (u_l^{n+1} - 2u_l^n + u_l^{n-1}), \quad (7c)$$

$$u_{txx} \approx \delta_t \delta_{xx} u_l^n = \frac{1}{hk^2} (u_{l+1}^n - 2u_l^n + u_{l-1}^n - u_{l+1}^{n-1} + 2u_l^{n-1} - u_{l-1}^{n-1}), \quad (7d)$$

Using the discretised variable u_l^n is $u(x, t)$ at the n th time step and the l th point on the string, and the approximations shown in (7) we can discretise (3)

$$\delta_{tt} u_l^n = c^2 \delta_{xx} u_l^n - \kappa^2 \delta_{xxx} u_l^n - 2\sigma_0 \delta_t u_l^n + 2\sigma_1 \delta_t \delta_{xx} u_l^n \quad (8)$$

adding onto this

5. ELASTO-PLASTIC BOW MODEL

At the bowing point $l = x_B$, the FDS for the bowed string looks like:

$$\delta_{tt} u_l^n = c^2 \delta_{xx} u_l^n - \kappa^2 \delta_{xxx} u_l^n - 2\sigma_0 \delta_t u_l^n + 2\sigma_1 \delta_t \delta_{xx} u_l^n - f(v, z), \quad (9)$$

where we need to iteratively solve for two unknown variables: the relative velocity between the bow and the string v and the mean bristle displacement z of the bow. The excitation (or bowing) function is defined as

$$f(v, z) = s_0 z + s_1 \dot{z} + s_2 v \quad (10)$$

where

$$\dot{z}(v, z) = v \left[1 - \alpha(v, z) \frac{z}{z_{ss}(v)} \right] \quad (11)$$

with adhesion map

$$\alpha(v, z) = \begin{cases} 0 & |z| < z_{ba} \\ \alpha_m(v, z) & z_{ba} < |z| < z_{ss}(v) \\ 1 & |z| > z_{ss}(v) \end{cases} \quad \text{if } \text{sgn}(v) = \text{sgn}(z) \\ 0 & \text{if } \text{sgn}(v) \neq \text{sgn}(z), \quad (12)$$

the transition between the elastic and plastic behaviour

$$\alpha_m = \frac{1}{2} \left[1 + \sin \left(\pi \frac{z - \frac{1}{2}(z_{ss}(v) + z_{ba})}{z_{ss}(v) - z_{ba}} \right) \right], \quad (13)$$

and the steady-state function

$$z_{ss} = \frac{\text{sgn}(v)}{s_0} \left[f_c + (f_s - f_c) e^{-(v/v_s)^2} \right]. \quad (14)$$

We can solve (9) this we can use the following identities

$$\delta_{tt} u_l^n = \frac{2}{k} (\delta_t u_l^n - \delta_{t-} u_l^n) \quad \text{and} \quad \delta_t u_l^n = v + v_B, \quad (15)$$

resulting in

$$\frac{2}{k} v + \frac{2}{k} v_B - \delta_{t-} u_l^n = c^2 \delta_{xx} u_l^n - \kappa^2 \delta_{xxx} u_l^n - 2\sigma_0 v - 2\sigma_0 v_B + 2\sigma_1 \delta_{t-} \delta_{xx} u_l^n - f \quad (16)$$

This can be rewritten to

$$s_0 z + s_1 \dot{z} + s_2 v + \frac{2}{k} v + 2\sigma_0 v + b = 0 \quad \text{where} \quad (17)$$

$$b = \frac{2}{k} v_B - \frac{2}{k} \delta_{t-} u_l^n - c^2 \delta_{xx} u_l^n + \kappa^2 \delta_{xxx} u_l^n + 2\sigma_0 v_B - 2\sigma_1 \delta_{t-} \delta_{xx} u_l^n, \quad (18)$$

where b can be pre-computed.

Newton's method (or Newton-Raphson) is defined as

$$x^{i+1} = x^i - \frac{g(x^i)}{g'(x^i)} \quad (19)$$

where $g(x)$ is an arbitrary function dependent on to-be-calculated variable x . In this case, g is (11) $x = \dot{z}$

$$\dot{z}^{i+1} = \dot{z}^i - \frac{\dot{z}(v, z)}{\dot{z}'(v, z)} \quad (20)$$

where

$$\dot{z}'(v, z) = \frac{d\dot{z}}{dv} + \frac{d\dot{z}}{dz}, \quad (21)$$

i.e. the derivative of \dot{z} with respect to the relative velocity v plus the derivative of \dot{z} with respect to the average displacement z . In the iteration, we use the newly calculated value for \dot{z} and the value of z at the previous time step to calculate an estimate of z using

$$z^n = k \dot{z}^{i+1} - z^{n-1}. \quad (22)$$

Inserting this into (17) we can calculate v using

$$v = \frac{-s_0 z - s_1 \dot{z} - b}{s_2 + \frac{2}{k} + 2\sigma_0}. \quad (23)$$

6. CONCLUSIONS

This template can be found on the conference website. For changing the number of author affiliations (1 to 4), uncomment the corresponding regions in the template `tex` file. Please, submit full-length papers (max. 8 pages both oral and poster presentations). Submission is fully electronic and automated through the Conference Web Submission System. DO NOT send us papers directly by e-mail.

7. ACKNOWLEDGMENTS

Many thanks to the great number of anonymous reviewers!

8. REFERENCES

- [1] S. K. Mitra and J. F. Kaiser, Eds., *Handbook for Digital Signal Processing*, J. Wiley & Sons, New York, NY, USA, 1993.
- [2] Simon Haykin, *Adaptive Filter Theory*, Prentice Hall, Englewood Cliffs, NJ, USA, second edition, 1991.
- [3] James A. Moorer, “Audio in the new millennium,” *J. Audio Eng. Soc.*, vol. 48, no. 5, pp. 490–498, May 2000.
- [4] A. Nackaerts, B. De Moor, and R. Lauwereins, “Parameter estimation for dual-polarization plucked string models,” in *Proc. Intl. Computer Music Conf.*, Havana, Cuba, Sept. 17–23, 2001, pp. 203–206.
- [5] X. Serra, *Musical Signal Processing*, chapter Musical Sound Modeling with Sinusoids plus Noise, pp. 91–122, G. D. Poli, A. Piccilli, S. T. Pope, and C. Roads Eds. Swets & Zeitlinger, Lisse, Switzerland, 1996.
- [6] D. Arfib, “Different ways to write digital audio effects programs,” in *Proc. Digital Audio Effects (DAFx-98)*, Barcelona, Spain, Nov. 19–21, 1998, pp. 188–191.
- [7] A. Askenfelt, “Automatic notation of played music (status report),” Tech. Rep., STL-QPSR, Vol. 1, pp. 1–11, 1976.
- [8] E. B. Egozy, “Deriving musical control features from a real-time timbre analysis of the clarinet,” M.S. thesis, Massachusetts Institute of Technology, 1995.
- [9] P. Dutilleul, *Vers la machine à sculpter le son, modification en temps-réel des caractéristiques fréquentielles et temporelles des sons*, Ph.D. thesis, University of Aix-Marseille II, 1991.
- [10] K. Fitz and L. Haken, “Current Research in Real-time Sound Morphing,” Available at <http://www.cerlsoundgroup.org/RealTimeMorph/>, accessed March 08, 2006.

9. APPENDIX: MARGIN CHECK

This section shows the column margins for the text.

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodi consequat. Quis aute iure reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi. Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit

praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

Nam liber tempor cum soluta nobis eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim assum. Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis.

At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, At accusam aliquyam diam diam dolore dolores duo eirmod eos erat, et nonumy sed tempor et et invidunt justo labore Stet clita ea et gubergren, kasd magna no rebum. sanctus sea sed takimata ut vero voluptua. est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat.

Consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodi consequat. Quis aute iure reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi. Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.

Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi.

Nam liber tempor cum soluta nobis eleifend option congue ni-

hil imperdiet doming id quod mazim placerat facer possim assum. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exercitation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis.

At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, At accusam aliquyam diam diam dolore dolores duo eirmod eos erat, et nonumy sed tempor et et invidunt justo labore Stet clita ea et gubergren, kasd magna no rebum. sanctus sea sed takimata ut vero voluptua. est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat.

Consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.