

<page_start no = 1>

<sol_start id=1>

1. (4) +0.5

<sol_end>

<sol_start id=2>

2. (2) Outer surface of the cornea

<sol_end>

<sol_start id=3>

3. (1) Real, inverted, diminished

<sol_end>

<page_end>

<page_start no = 2>

<sol_start id=4>

4. (1) Both A and R are true and R is the correct explanation of A

<sol_end>

<sol_start id=5>

5. (2) Both assertion and reason are true but reason is not the correct explanation of assertion.

<sol_end>

<sol_start id=6>

6. The two common defects of vision are Myopia and hyper metropia. Myopia can be corrected by using a concave lens and hypermetropia can be corrected by using convex lens.

<sol_end>

<sol_start id=7>

<sub_id = 1>

7.(a) Water is optically denser than air. The light from the part of pencil, which is immersed in water travels from denser to rarer medium i.e. water to air, the light bends away from the normal and the pencil appears to be bent and shorter.

<sub_id end>

<sub_id = 2>

(b) $m = -2$

$$v = +20$$

$$f = ?$$

$$m = \frac{v}{u}$$

$$-2 = \frac{20}{u}$$

$$u = \frac{20}{-2} = u = -10 \text{ cm}$$

Using lens formula

$$\frac{1}{v} - \frac{1}{u} = \frac{1}{f}$$

$$\frac{1}{20} - \left(\frac{1}{-10} \right) = \frac{1}{f} \Rightarrow \frac{1}{20} + \frac{1}{10} = \frac{1}{f}$$

$$\Rightarrow \frac{1+2}{20} = \frac{1}{f} \Rightarrow \frac{3}{20} = \frac{1}{f}$$

$$\Rightarrow f = \frac{20}{3} \Rightarrow f = +6.67 \text{ cm}$$

<sub_id end>

<sol_end>

<page_end>

<page_start no = 2>

<sol_start id=8>

8. $f = +15 \text{ cm}$

$$u = -10 \text{ cm}$$

Using mirror formula

$$\frac{1}{f} = \frac{1}{v} + \frac{1}{u}$$

$$\frac{1}{15} = \frac{1}{v} + \frac{1}{(-10)} \Rightarrow \frac{1}{15} = \frac{1}{v} - \frac{1}{10}$$

$$\Rightarrow \frac{1}{v} = \frac{1}{15} + \frac{1}{10} \Rightarrow \frac{1}{v} = \frac{2+3}{30}$$

$$\Rightarrow \frac{1}{v} = \frac{5}{30} = \frac{1}{6} \Rightarrow v = 6 \text{ cm}$$

Nature of the image is virtual and erect the image is formed 6 cm behind the mirror.

<sol_end>

<sol_start id=9>

9. $U = 10 \text{ cm}$

$$m = -\frac{v}{u}$$

$$v = +3 \times (-10) = -30 \text{ cm}$$

Using lens formula

$$\frac{1}{f} = \frac{1}{v} - \frac{1}{u} \Rightarrow \frac{1}{f} = \frac{-1}{30} - \left(\frac{1}{-10} \right)$$

$$\frac{1}{f} = -\frac{1}{30} + \frac{1}{10} \Rightarrow \frac{1}{f} = \frac{-1+3}{30}$$

$$\Rightarrow \frac{1}{f} = \frac{2}{30} \Rightarrow f = 15 \text{ cm}$$

<sol_end>

<page_end>

<page_start no = 3>

<sol_start id=10>

10. The person is suffering from Myopia and needs a concave lens to correct the defect.

$$\therefore f = -x = -80 \text{ cm}$$

$$= -0.8 \text{ m}$$

$$\text{Power} = \frac{1}{f}$$

$$\Rightarrow \frac{1}{(-0.8)} \Rightarrow \frac{1}{-8} \times 10$$

$$= \frac{-10}{8} = -1.25 \text{ D}$$

<sol_end>

<sol_start id=11>

11. (a) The lens forms a real image so it is a convex lens.

(b) Negative as the image is real and inverted.

(c) $f = 20 \text{ cm}$

$$U = 21 \text{ cm}$$

$$\frac{1}{f} = \frac{1}{v} - \frac{1}{u}$$

$$\frac{1}{20} = \frac{1}{v} - \left(\frac{-1}{21} \right)$$

$$\Rightarrow \frac{1}{20} = \frac{1}{v} + \frac{1}{21}$$

$$\frac{1}{v} = \frac{1}{20} - \frac{1}{21}$$

$$\frac{1}{v} = \frac{21-20}{420} \Rightarrow \frac{1}{v} = \frac{1}{420}$$

$$v = 420 \text{ cm}$$

<sol_end>

<sol_start id=12>

<sub_id = 1>

12. (a) Laws of refraction are :

- (i) The incident ray, refracted ray & normal to the interface of two media at the point of incidence, all lie in the same plane.
- (ii) The ratio of the sine of the angle of incidence to the sine of the angle of refraction is constant absolute refractive index =

$$\frac{\text{speed of light in vacuum}}{\text{speed of light in medium}} = \frac{c}{v}$$

in terms of $\angle i$ and $\angle r$

$$n = \frac{\sin i}{\sin r}$$

<sub_id end>

<sub_id = 2>

(b) Refractive index of water = $\frac{4}{3}$

Refractive index of glass = $\frac{3}{2}$

Speed of light in glass = $2 \times 10^8 \text{ ms}^{-1}$

(i) Speed of light in air = $\frac{8 \times 10^8 \times 3}{8}$
 $= 3 \times 10^8 \text{ ms}^{-1}$

(ii) Speed of light in water = $\frac{c}{v_w}$

$= \frac{3 \times 10^8 \times 3}{4}$

$= 2.25 \times 10^8 \text{ ms}^{-1}$

<sub_id end>

<sol_end>

<page_end>