

12.1.2008

Scientific publications of Kumpula Space Centre 2008

Ph.D. Theses

- Tanskanen, Aapo, 2008: Modeling of surface UV radiation using satellite data, Finnish Meteorological Institute Contributions No 70, ISBN 978-951-697-663-4, ISSN 0782-6117, ISBN 978-951-697-664-1 (pdf), 40 + 51 pages
- Muhonen, Vesa, 2008: Primordial isocurvature perturbation in light of CMB and LSS data, Helsinki Institute of Physics – Internal Report HIP – 2008 – 06, ISBN 978-952-10-3724-5, ISSN 1455-0563, ISBN 978-952-10-3725-2(pdf), 60 + 41 pages
- Laine, Mikko, 2008: Adaptive MCMC methods with applications in environmental and geophysical models. Finnish Meteorological Institute Contributions, 69.
<http://urn.fi/URN:ISBN:978-951-697-662-7>
- Sillanpää, Ilkka, 2008: Hybrid Modelling of Titan's Interaction with the Magnetosphere of Saturn. Finnish Meteorological Institute Contributions, 68, 200 p.
<http://urn.fi/URN:ISBN:978-951-697-660-3>

Peer-reviewed scientific publications

2008 (105)

- Abo-Seida, O.M. and Pirjola, R.J., 2008: Transient behaviour of magnetic and electric fields at any height above an atmospheric duct. Canadian Journal of Physics, Vol. 86, No. 9, pp. 1103-1107, doi:10.1139/P08-048.
- Agueda, N., Vainio, R., Lario, D., and B Sanahuja, 2008: Injection and interplanetary transport of near-relativistic electrons: Modeling the impulsive event on 2000 May 1, Astrophys J 675, 1601-1613.
- Aikio, A.T., et al. with Amm, O., 2008: EISCAT and Cluster observations in the vicinity of the dynamical polar cap boundary. Ann. Geophys., 26, 87-105.
- Alfonsi, L., et al. with Kauristie, Luntama, J.-P., 2008: Probing the high latitude ionosphere from ground-based observations: The state of current knowledge and capabilities during IPY (2007-2009). J. Atmos. Sol.-Terr. Phys., 70, 18, 2293-2398.
- Amm, O. and Fujii, R., 2008: Separation of Cowling channel and local closure currents in the vicinity of a substorm breakup spiral. J. Geophys. Res., 113, A06304, doi:10.1029/2008JA013021, 2008.
- Amm, O., et al. with Vanhamäki, H., 2008: Towards understanding the electrodynamics of the 3-dimensional high-latitude ionosphere: present and future. Ann. Geophys., 26, 3913-3932.

- Andréevová, K., Pulkkinen, T. I., Laitinen, T. and Prech, L., 2008: Shock propagation in the magnetosphere: Observations and MHD simulations compared. *J. Geophys. Res.*, 113, A09224, doi: 10.1029/2008JA013350.
- Apatenkov, S.V. et al. with Amm, O., 2008: Conjugate observation of sharp dynamical boundary in the inner magnetosphere by Cluster and DMSP spacecraft and ground network. *Ann. Geophys.*, 26, 2271-2780.
- Arst, H., Erm, A., Herlevi, A., Kutser, T., Leppäranta, M., Reinart, A., Virta, J., 2008: Optical properties of boreal lake waters in Finland and Estonia. *Boreal Environment Research* 13(2): 133–158.
- Ashdown, M. A. J. et al. with Kiehnänen, E., Keskitalo, R., Kurki-Suonio, H., Poutanen, T., 2008: Making maps from Planck LFI 30 GHz data with asymmetric beams and cooler noise, *Astron Astrophys*, eFIRST, [0806.3167v2](#)
- Attila J., et al. with Pulliainen, J., 2008: Analysis of turbid water quality using airborne spectrometer data with numerical weather prediction model-aided atmospheric correction. *PE&RS*, 74:363-374.
- Balikhin, M. A., T. L. Zhang, M. Gedalin, N. Y. Ganushkina, and S. A. Pope, 2008: Venus Express observes the new type of shock with pure kinematic relaxation. *Geophys. Res. Lett.*, 35, L01103, doi:10.1029/2007GL032495.
- Brinksma E. J., et al. with de Leeuw, G., 2008: The 2005 and 2006 DANDELIONS NO₂ and aerosol intercomparison campaigns, *J Geophys Res* 113, D16S46.
- Cao, X., et al. with Pulkkinen, T.I., 2008: Multi -spacecraft and ground-based observations of substorm activations: Two case studies. *J. Geophys. Res.*, 113, A07S25, doi: 10.1029/2007JA012761.
- Carleer, M. R. et al. with Kivi, R., 2008: Validation of water vapour profiles from the Atmospheric Chemistry Experiment (ACE). *Atmos. Chem. Phys. Discuss.*, 8, 4499-4559.
- Ceccherini, S., Cortesi, U., Verronen, P.T. and Kyrölä, E., 2008: Continuity of MIPAS-ENVISAT ozone data quality from full to reduced spectral resolution operation mode. *Atmospheric Chemistry and Physics*, 8, 2201-2212. www.atmos-chem-phys.net/8/2201/2008/
- Clilverd, M. A., et al. with Seppälä, A., 2008: Energetic electron precipitation during sub-storm injection events: high latitude fluxes and an unexpected mid-latitude signature. *J. Geophys. Res.*, 113, A10311, doi:10.1029/2008JA013220. <http://www.agu.org/pubs/crossref/2008/2008JA013220.shtml>
- Coates, A. J., et al. with E. Kallio, H. Koskinen, 2008: Ionospheric Photoelectrons at Venus: Initial Observations by ASPERA-4. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.12.008, 56, Issue 6, 802-806.
- Coustenis, A. , et al. with E. Kallio, 2008: Tandem: Titan and Enceladus Mission. *Experimental Astronomy*, DOI 10.1007/s10686-008-9103-z.
- Curier, R. L. et al. with de Leeuw, G., 2008: Retrieval of aerosol optical properties from OMI radiances using a multiwavelength algorithm: Application to western Europe, *J Geophys Res* 113, D17S90
- Daglis, I., Balasis, G., Ganushkina, N. Yu., Metallinou, F. A., Palmroth, M., Pirjola, R., and Tsagouri, I., 2008: Investigating dynamic coupling in geospace through the combined use of modeling, simulations and data analysis. *Acta Geophysica*, DOI: 10.2478/s11600-008-0055-5.

- Donovan, E., et al. with Syrjäsoo, M., 2008: Simultaneous THEMIS in situ and auroral observations of a small substorm. *Geophys. Res. Lett.*, VOL. 35, L17S18, doi:10.1029/2008GL033794.
- Enell, C.-F., et al. with Verronen, P.T., Seppälä, A., 2008: Parameterisation of the chemical effect of sprites in the middle atmosphere. *Ann. Geophys.*, 26, 13-27. [SRef-ID: 1432-0576/angeo/2008-26-13](#)
- Enell, C.-F., et al. with Verronen, P.T., Seppälä, A., 2008: Case study of the mesospheric and lower thermospheric effects of solar X-ray flares: coupled ion-neutral modelling and comparison with EISCAT and riometer measurements. *Ann. Geophys.*, 26, 2311-2321. [SRef-ID: 1432-0576/angeo/2008-26-2311](#)
- Engdahl, M., Pulliainen, J. and Hallikainen, M., 2008: Segment-based stem volume retrieval in boreal forests using multitemporal ERS INSAR data. *Can. J. Remote Sensing*, 34:46-55.
- Facchini, M. C. et al. with de Leeuw, G., 2008: Primiray submicron marine aerosol dominated by insoluble organic colloids and aggregates, *Geophys Res Lett* 35, L17814.
- Fedorov, A. et al. with H. Koskinen, E. Kallio, W. Schmidt, P. Riihelä, J., 2008: *Planet. Space Sci.*, doi:10.1016/j.pss.2007.12.012, 56, Issue 6, 812-817.
- Frahm, R. A., et al. with E. Kallio, P. Janhunen, 2008: Variations of the magnetic field near Mars caused by magnetic crustal anomalies. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.12.018, 56, Issue 6, 856-860.
- Frilund, H., et al. with E. Kallio, P. Janhunen, R., 2008: The Magnetic Field Near Mars: A Comparison Between A Hybrid Model, Mars Global Surveyor and Mars Express Observations. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.12.003, Vol. 56, Issue 6, 828-831.
- Futaana, Y., et al. with, E. Kallio, Hannu E.J. Koskinen, W. Schmidt, P. Riihelä, 2008: Mars Express and Venus Express multi-point observations of geoeffective solar flare events in December 2006. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.10.014, 56, Issue 6, 873-880.
- Galli, A. et al. with E. Kallio, 2008: Tailward flow of energetic neutral atoms observed at Venus. *J. Geophys. Res.*, 113, E00B15, doi:10.1029/2008JE003096.
- Galli, A. et al. with E. Kallio, W. Schmidt, P. Riihelä, H. Koskinen, 2008: First observation of energetic neutral atoms in the Venus environment. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.12.011, 56, Issue 6, 807-811.
- Gurvich, A.S., Sofieva, V.F. and Dalaudier, F., 2008: Global distribution of CT2 at altitudes 30-50 km from space-borne observations of stellar scintillation. *Geophys. Res. Lett.*, 34, L24813, doi:10.1029/2007GL031134.
- Harris, N. R. P., Kyrö, E. et al. with Kivi, R., 2008: Ozone trends at northern mid- and high latitudes - a European perspective. *Ann. Geophys.*, 26, 1207-1220.
- Hassinen S., Tamminen J., Tanskanen A., Koskela T., Karhu J. M., Lakkala K., Mälkki A., Leppelmeier G., Veefkind P., Krotkov N., Aulamo O., 2008: Description and Validation of the OMI Very Fast Delivery Products. *J. Geophys. Res.*, 113, D16S35, doi:10.1029/2007JD008784.
- Huttunen, K. E. J., Bale, S. D., and Salem, C., 2008: Wind observations of low energy particles within a solar wind reconnection region, *Ann Geophys* 26, 2701-2710.

- Huttunen, K. E. J., Kilpua, S. P., Pulkkinen, A., Viljanen, A., Tanskanen, E., 2008: Solar wind drivers of large geomagnetically induced currents during the solar cycle 23, *Space Weather*, 6, S10002, doi:10.1029/2007SW000374.
- Janhunen, P., 2008: The electric sail - a new propulsion method which may enable fast missions to the outer solar system. *Journal of British Interplanetary Society*, 61, 8, 322-325.
- Juusola, L., Amm, O., Frey, H.U., Kauristie, K., et al., 2008: Ionospheric signatures during a magnetospheric flux rope event. *Ann. Geophys.*, 26, 3967-3977.
- Järvinen, R., Kallio, E., Sillanpää, I., Janhunen, P., 2008: Hybrid Modelling the Pioneer Venus Orbiter Magnetic Field Observations. *Adv. Space Res.*, 41 (9), 1361-1374. <http://dx.doi.org/10.1016/j.asr.2007.10.003>
- Kallio, E., A. Fedorov, E. Budnik, S. Barabash, R. Järvinen, and P. Janhunen, 2008: On the properties of O⁺ and O²⁺ ions in a hybrid model and in Mars Express IMA/ASPERA-3 data: A case study. 56, 1204-1213, doi:10.1016/j.pss.2008.03.007, 2008.
- Kallio, E., M. Yamauchi and H. Frilund, 2008: Analysis of the H⁺ ring velocity distribution function near the Martian and Venusian bow shocks by an analytical model. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.12.004, 56, Issue 6, 818-822.
- Kallio, E., R. A. Frahm, Y. Futaana, A. Fedorov and P. Janhunen, 2008: Morphology of the magnetic field near Mars and the role of the magnetic crustal anomalies: Dayside region. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.12.002, Vol. 56, Issue 6, 852-855.
- Kallio, E., S. Barabash, P. Janhunen and R. Järvinen, 2008: Magnetized Mars: Transformation of Earth-like magnetosphere to Venus-like induced magnetosphere. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.12.005, 56, Issue 6, Pages 823-827.
- Kallio, E. et al. with R. Järvinen, I. Sillanpää, P. Janhunen, H.E.J. Koskinen, W. Schmidt, P. Riihelä, 2008: The Venusian induced magnetosphere: A case study of plasma and magnetic field measurements on the Venus Express mission. *Planet. Space Sci.*, , doi:10.1016/j.pss.2007.09.011, 56, Issue 6, 796-801.
- Kallio, E. et al. with P. Janhunen, 2008: On the impact of multiply charged heavy solar wind ions on the surface of Mercury, the Moon and Ceres. *Planet. Space Sci.*, doi:10.1016/j.pss.2008.07.018 , 7 Vol. 56, 11, Pages 1506-1516, 2008.
- Kallio, K., et al. with Pulliainen, J., 2008: Landsat ETM+ images in the estimation of seasonal lake water quality in boreal river basins. *Environmental Management*, 45:511-522.
- Kauhanen, J., Siili, T., Järvenoja, S., and Savijärvi, H., 2008: The Mars limited area model and simulations of atmospheric circulations for the Phoenix landing area and season of operation, *J Geophys Res* 113, E00A14.
- Kohout, T., et al. with Elbra, T., Pesonen, L. J., 2008: Physical properties of meteorites – Applications in space missions to asteroids, *Meteorit Planet Sci* 43, 1009-1020.
- Kubyschkina, M. V., Pulkkinen, T. I., Ganushkina, N. Y. and Partamies, N., 2008: Magnetospheric currents during sawtooth events: Event- Oriented Magnetic Field Model Analysis. *J. Geophys. Res.*, 113, A08211, doi:10.1029/2007JA012983.
- Laine, M., Tamminen, J., 2008: Aerosol model selection and uncertainty modelling by adaptive MCMC technique. *Atmospheric Chemistry and Physics Discussion*, 8(3), pp. 10791-10816. <http://www.atmos-chem-phys-discuss.net/8/10791/2008/>

- Laine, V, 2008: Antarctic ice sheet and sea ice regional albedo and temperature change, 1981-2000, from AVHRR Polar Pathfinder data. *Remote Sensing of Environment*, Vol. 112, p. 646-667. www.elsevier.com/locate/rse
- Ledvina, S. A., Y.-J. Ma, E. Kallio, 2008: Modeling and Simulating Flowing Plasmas and Related Phenomena. *Space Sci. Rev.*, DOI 10.1007/s11214-008-9384-6.
- Lehtinen, N. J., et al. with Vainio, R., 2008: Sources of SEP acceleration during a flare - CME event, *Solar Phys* 247, 151-169.
- Leppäranta, M., and Wang, K., 2008: The ice cover on small and large lakes: scaling analysis and mathematical modelling, *Hydrobiologia* 599, 183-189.
- Li, Y., et al. with Huttunen, K. E. J., 2008: The solar magnetic field and coronal dynamics of the eruption on 2007 May 19, *Astrophys J* 681, L37-L40.
- Liang, J., et al. with Syrjäso, M., 2008: Intensification of preexisting auroral arc at substorm expansion phase onset: Wave-like disruption during the first tens of seconds. *Geophys. Res. Lett.*, 35, L17S19, doi:10.1029/2008GL033666.
- Liu, Y. et al., with Huttunen, K. E. J., 2008: Reconstruction of the 2007 May 22 Magnetic Cloud: How Much Can We Trust the Flux-Rope Geometry of CMEs?, *The Astrophysical Journal*, Volume 677, Issue 2, pp. L133-L136.
- Liang, J., et al. with Syrjäso, M., 2008: Intensification of preexisting auroral arc at substorm expansion phase onset: Wave-like disruption during the first tens of seconds. *Geophys. Res. Lett.*, 35, L17S19, doi:10.1029/2008GL033666.
- Lu, H., M. A. Clilverd, A. Seppälä, and L. L. Hood, 2008: Geomagnetic Perturbations on Stratospheric Circulation in Late Winter and Spring. *J. Geophys. Res.*, 113, D16106, doi:10.1029/2007JD008915.
<http://www.agu.org/pubs/crossref/2008/2007JD008915.shtml>
- Martinez, C., et al. with E. Kallio, W. Schmidt, P. Riihelä, H.E.J. Koskinen, 2008: Location of the bow shock and ion composition boundaries at Venus - initial determinations from Venus Express ASPERA-4. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.07.007, 56, Issue 6, 780-784.
- Mengali, G., Quarta, A. and Janhunen, P., 2008: Considerations of electric sailcraft trajectory design. *Journal of British Interplanetary Society*, 61, 8, 326-329.
- Mengali, G., Quarta, A. and Janhunen, P., 2008: Electric sail performance analysis. *Journal of Spacecraft and Rockets*, 45, 122-129.
- Mura, A. et al. with E. Kallio, H. Koskinen, 2008: ENA detection in the dayside of Mars: ASPERA-3 NPD statistical study. *Planet. Space Sci.*, doi:10.1016/j.pss.2007.12.013, Volume 56, Issue 6, 840-845.
- Neubert, T., et al. with Verronen, P.T., 2008: Recent Results from Studies of Electric Discharges in the Mesosphere. *Surv. Geophys.*, 29, 71-137. [doi:10.1007/s10712-008-9043-1](https://doi.org/10.1007/s10712-008-9043-1)
- Norris, S. J., et al. with de Leeuw, G., 2008: Eddy covariance measurements of sea spray particles over the Atlantic Ocean, *Atmos Chem Phys* 8, 555-563
- Näränen, J. et al. with Nygård, K., and Peura, M., 2008: Laboratory studies into the effect of regolith on planetary X-ray fluorescence spectroscopy, *Icarus* 198, 408-419.
- Pirjola, R., 2008: Study of effects of changes of earthing resistances on geomagnetically induced currents in an electric power transmission system. *Radio Sci.*, 43, RS1004, doi:10.1029/2007RS003704.

- Pirjola, R., 2008: Effects of interactions between stations on the calculation of geomagnetically induced currents in an electric power transmission system. *Earth, Planets and Space*, Vol. 60, No. 7, 743-751.
- Pohjolainen, S., Pomoell, J., and Vainio, R., 2008: CME liftoff with high-frequency fragmented type II burst emission, *Astron Astrophys* 490, 357-363.
- Pomoell, J., Vainio, R., and Kissmann, R., 2008: MHD modeling of coronal large-amplitude waves related to CME lift-off, *Solar Physics* 253, 249-261.
- Pulkkinen, A., Pirjola, R. and Viljanen A., 2008: Statistics of extreme geomagnetically induced current events. *Space Weather*, 6, S07001, doi:10.1029/2008SW000388.
- Pulkkinen, T. I., Palmroth, M., Laitinen, T. V., 2008: Energy as a tracer of magnetospheric processes: Global MHD simulation results. *J. Atmos. Sol.-Terr. Phys.*, 70 (2008) 687-707.
- Rochette, P. et al. with Kohout, T., Pesonen, L. J., Magnetic classification of stony meteorites: 2. Non-ordinary chondrites, *Meteorit Planet Sci* 43 (2008) 959-980
- Robles-Gonzalez, C., and de Leeuw, G., 2008: Aerosol properties over the SAFARI-2000 area retrieved from ATSR-2, *J Geophys Res* 113, D05206.
- Rodger, C. J, A. Seppälä, and M. A. Clilverd, 2008: Significance of Transient Luminous Events to Neutral Chemistry: Experimental Measurements. *Geophys. Res. Lett.*, 35, L07803, doi:10.1029/2008GL033221. <http://dx.doi.org/10.1029/2008GL033221>
- Rodger, C. J., et al. with A. Seppälä, 2008: Observations of relativistic electron precipitation from the radiation belts driven by EMIC Waves. *Geophys. Res. Lett.*, 35, L16106, doi:10.1029/2008GL034804. <http://www.agu.org/pubs/crossref/2008/2008GL034804.shtml>
- Rodger, C. J., Verronen, P.T., Clilverd, M.A., Seppälä, A. and Turunen, E., 2008: Atmospheric impact of the Carrington event solar protons. *J. Geophys. Res.*, 113, D23302. doi:10.1029/2008JD010702
- Runov, A., et al. with Ganushkina, N., 2008: Multi-point observations of the inner boundary of the plasma sheet during geomagnetic disturbances. *Geophys. Res. Lett.*, 35, Issue 17, CiteID L17S23, 10.1029/2008GL033982.
- Runov, A., et al. with Amm, O., 2008: Observations of an active thin current sheet. *J. Geophys. Res.*, 113, A07S27, doi:10.1029/2007JA012685.
- Safargaleev, V., et al. with Uspensky, M., 2008: Optical, radar, and magnetic observations of magnetosheath plasma capture during a positive IMF Bz impulse. *Ann. Geophys.*, 26, 517-531.
- Savijärvi, H., and Kauhanen, J., 2008: Surface and boundary-layer modelling for the Mars Exploration Rover sites, *Q J Roy Meteor Soc* 134, 635-641.
- Semenova, N.V., et al. with Amm, O., 2008: Specific features of resonance structures in spectra of ULF electromagnetic noise at high latitudes (Barentsburg observatory). *Geomagn. Aeronomy*, 48, 38.
- Seppälä, A., Clilverd, M.A., Rodger, C.J., Verronen, P.T. and Turunen, E., 2008: The effects of Hard Spectra Solar Proton Events on the Middle Atmosphere. *J. Geophys. Res.*, 113, A11311. doi:10.1029/2008JA013517
- Sergeev, V., et al. with Partamies, N., 2008: Simultaneous THEMIS observations in the near-tail portion of the inner and outer plasma sheet flux tubes at substorm onset. *J. Geophys. Res.*, 113, doi:10.1029/2008JA013527.

- Smith, A.K., et al. with Kyrölä, E., 2008: Satellite observations of high nighttime ozone at the equatorial mesopause. *J. Geophys. Res.*, D17, D17312.
- Smith, A.M., et al. with Kauristie, K., 2008: GPS Scintillation in the high arctic associated with an auroral arc. *Space Weather*, 6, S03D01, doi:10.1029/2007SW000349.
- Sofieva, V. F., F. Dalaudier, R. Kivi, and E. Kyrö, 2008: On the variability of temperature profiles in the stratosphere: Implications for validation. *Geophys. Res. Lett.*, 35, L23808, doi:10.1029/2008GL035539.
- Soomere, T., Myrberg, K., Leppäranta, M., and Nekrasov, A., 2008: The progress in knowledge of physical oceanography of the Gulf of Finland: a review for 1997–2007, *Oceanologia* 50, 287-362.
- Stenberg, P., et al. with Manninen, T., 2008: Boreal forest leaf area index from optical satellite images: model simulations and empirical analyses using data from central Finland. *Boreal Env. Res.*, 13: 433-443.
- Taha, G., et al. with Kyrölä, E., 2008: Ozone profile retrieval from GOMOS limb scattering measurements. *J. Geophys. Res.*, 113, D23307.
- Takada, T., et al. with Juusola, L., Amm, O., 2008: Local field-aligned currents in the magnetotail and ionosphere as observed by a Cluster, DSP, and MIRACLE conjunction. *J. Geophys. Res.*, 113, A07S20, doi:10.1029/2007JA012759.
- Takala, M., Pulliainen, J., Huttunen, M. and Hallikainen M., 2008: Detecting the onset of snow-melt using SSM/I data and the self-organizing map. *International Journal of Remote Sensing*, 29(3-4), pp. 755-766.
- Taylor, P. A., et al. with, A.-M. Harri and C. F. Lange, 2008: Temperature, pressure, and wind instrumentation in the Phoenix meteorological package. *J. Geophys. Res.*, Vol 113.
- Tukiainen, S., Hassinen, S., Seppälä, A., Auvinen, H., Kyrölä, E., Tamminen, J., Haley, C.S., Lloyd, N., and Verronen, P., 2008: Description and validation of a limb scatter retrieval method for Odin/OSIRIS. *J. Geophys. Res.*, VOL. 113.
<http://www.agu.org/journals/jd/jd0804/2007JD008591/>
- Uspensky, M.V., Pellinen, R.J. and Janhunen, P., 2008: The electron drift velocity, ion acoustic speed and irregularity drifts in high-latitude E-region. *Ann. Geophys.*, 26, 3395-3409.
- Vainio, R., and Laitinen, T., 2008: Simulations of coronal shock acceleration in self-generated turbulence, *J Atmos Sol-Terr Phy* 70, 467-474.
- Vana, M., Ehn, M., Petäjä, T., Vuollekoski, H., Aalto, P., de Leeuw, G., Ceburnis, D., O'Dowd, C. D., Kulmala, M., 2008: Characteristic features of air ions at Mace head on the west coast of Ireland, *Atmos Res* 90, 278-286.
- Viljanen, A., Pulkkinen, A. and Pirjola, R., 2008: Prediction of the geomagnetic K index based on its previous value. *Geophysica*, 44, 3-13.
- Verronen, P.T., et al. with Tamminen, J., 2008: About the increase of HNO₃ in the stratopause region during the Halloween 2003 solar proton event. *Geophys. Res. Lett.*, 35, L20809. doi:10.1029/2008GL035312
- Wang, K., Leppäranta, M., Gästgifvars, M., Vainio, J., Wang, C., 2008: The drift and spreading of Runner-4 oil spill and the ice conditions in the Gulf of Finland, winter 2006. *Estonian Journal of Earth Sciences*, Vol. 57, No. 3, pp. 181-191.

- Weygand, J.M., McPherron, R.L., Frey, H.U., Amm, O., Kauristie, K., Viljanen, A. and Koistinen, A., 2008: Relation of Substorm Onset to Harang Discontinuity. *J. Geophys. Res.*, 113, A04213, doi:10.1029/2007JA012537.
- Weygand, J.M., et al. with Kauristie, K., 2008: Relation of auroral substorm onset to local AL index and dispersionless particle injections. *J. Atmos. Sol.-Terr. Phys.*, 70, 18, 2336-2345.
- Wik, M., Viljanen, A., Pirjola, R., Pulkkinen, A., Wintoft, P. and Lundstedt, H., 2008: Calculation of Geomagnetically Induced Currents in the 400 kV Power Grid in Southern Sweden. *Space Weather*, 6, S07005, doi:10.1029/2007SW000343.
- Yamauchi, M., et al. with E. Kallio, 2008: Advanced method to derive the IMF direction near Mars from cycloidal proton distributions. *Planet. Space Sci.*, 56, 1145-1154, doi:10.1016/j.pss.2008.02.012.