

svZeroDSolver: A modular package for lumped-parameter cardiovascular simulations

Karthik Menon^{1*}, Jakob Richter^{2*}, Martin R. Pfaller^{3*}, Jonathan Pham²,
Emilin M. Mathew², Kaitlin E. Harold², Nicholas C. Dorn², Aekaansh
Verma², and Alison L. Marsden^{2¶}

¹ Georgia Institute of Technology, Atlanta, GA, United States of America ² Stanford University,
Stanford, CA, United States of America ³ Yale University, New Haven, CT, United States of America ¶
Corresponding author * These authors contributed equally.

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright
and release the work under a
Creative Commons Attribution 4.0
International License ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/))

Summary

Computational modeling of cardiovascular blood flow has emerged as a valuable tool in the diagnosis and treatment of cardiovascular disease (Menon, Hu, et al., 2024). While simulations of blood flow can be performed using high and low-fidelity techniques, lumped-parameter or zero-dimensional modeling is a widely used low-order technique in applications which require quick estimation of bulk flow quantities, such as flow and pressure at specific anatomical locations (Pfaller et al., 2024).

We introduce [svZeroDSolver](#), an efficient and modular package for performing lumped-parameter (zero-dimensional) simulations of cardiovascular blood flow. As part of the [SimVascular](#) open-source project, [svZeroDSolver](#) and [SimVascular](#) together allow users to go from medical imaging to fast zero-dimensional evaluations of patient-specific hemodynamics. [svZeroDSolver](#) is written in C++ using a modular object-oriented framework. Simply specifying a .json dictionary of lumped-parameter “blocks” – such as blood vessels, junctions between blood vessels, and boundary conditions (along with their associated parameters) – allows the code to automatically assemble and solve the governing equations corresponding to the user-specified vascular model. In addition, the package includes Python and C++ interfaces to facilitate its use with other software packages. For example, it can be integrated into Python-based optimization and uncertainty quantification applications (Lee et al., 2024; Menon, Zandoni, et al., 2024; Richter et al., 2024; Zandoni et al., 2024). It can also be interfaced with C++/Fortran software for high-fidelity cardiovascular flow simulations, where [svZeroDSolver](#) can conveniently provide physiological lumped-parameter boundary conditions (Menon et al., 2023; Menon, Khan, et al., 2024). [svZeroDSolver](#) includes an application, called [svZeroDCalibrator](#), to automatically calibrate parameters of a given zero-dimensional model based independent hemodynamic measurements or high-fidelity simulations – thus improving the accuracy of zero-dimensional models (Richter et al., 2024). It also includes graphical interfaces to interactively create lumped-parameter models for simulations, as well as to visualize the simulated anatomy and hemodynamics.

Statement of need

Non-invasive quantification of patient-specific hemodynamics via computational simulations has improved patient outcomes and reduced invasive clinical procedures in large randomized clinical trials (Taylor et al., 2023). Computational modeling is also a promising tool for non-invasive and personalized optimization of clinical treatments and surgery (Marsden, 2014).

Previous work has used several techniques to model cardiovascular blood flow, all of which

can be broadly categorized based on their level of fidelity. High-fidelity models generally involve simulations of the full three-dimensional flow-field within anatomical regions of interest (Menon, Hu, et al., 2024; Updegrove et al., 2017). While these are the most accurate and informative, they are computationally expensive (each simulation can take several hours or days on hundreds of CPU cores) and therefore not practical in typical clinical settings or for applications, such as optimization and uncertainty quantification, which often require thousands of model evaluations. On the other end of the spectrum, lumped-parameter or zero-dimensional models provide information about bulk hemodynamics, such as flow rate and pressure, at specific anatomical regions of interest. While these models are not spatially-resolved, they are valuable in applications which require near real-time quantification of bulk hemodynamics, as well as those that rely on thousands of repeated model evaluations (Lee et al., 2024; Menon, Zanoni, et al., 2024; Richter et al., 2024; Zanoni et al., 2024). They are also commonly used in conjunction with high-fidelity simulations where lumped-parameter models are used as physiological boundary conditions (Menon et al., 2023; Menon, Khan, et al., 2024).

svZeroDSolver, which is a part of the SimVascular open-source project, is a new open-source software package that enables fast evaluation of zero-dimensional hemodynamics. One major challenge in zero-dimensional modeling that svZeroDSolver addresses is that different clinical applications (and individual clinical cases within the same application) often require unique anatomical arrangements of blood vessels, heart valves, etc. Moreover, distinct anatomical configurations are governed by a distinct set of governing equations. Therefore, it is common for users to implement application-specific solvers which simulate the equations governing a specific application or anatomical configuration. In contrast, the modularity of svZeroDSolver allows users to easily create arbitrary anatomical configurations by arranging a library of available “blocks”, following which the software automatically assembles the equations governing the user-specified configuration.

Another unique feature of svZeroDSolver is its ability to easily interface with other C++ and Python packages. This has been used in previous work on uncertainty quantification (Lee et al., 2024; Menon, Zanoni, et al., 2024; Richter et al., 2024; Zanoni et al., 2024) as well as in multi-scale simulations coupling three-dimensional hemodynamics with zero-dimensional representations of downstream circulation (Menon et al., 2023; Menon, Khan, et al., 2024). The C++ interface has been coupled with the high-fidelity multi-physics solver svFSIplus, which is part of the widely used SimVascular open-source software project for cardiovascular biomechanics simulations (Updegrove et al., 2017; Zhu et al., 2022). svZeroDSolver has also been integrated into the graphical user interface of the SimVascular project. This allows users to leverage the functionality in SimVascular to generate three-dimensional patient-specific anatomical models from medical images, and subsequently perform patient-specific zero-dimensional simulations of blood flow by automatically converting the three-dimensional anatomy into a zero-dimensional model (Pfaller et al., 2022). The automatic conversion of arbitrary patient-specific anatomies to zero-dimensional simulations is possible due to the modular nature of svZeroDSolver. Using this pipeline, previous work has demonstrated accelerated convergence of three-dimensional simulations when using corresponding zero-dimensional simulation results as initial conditions (Pfaller et al., 2021).

In addition, svZeroDSolver includes several applications to augment its functionality. The svZeroDCalibrator application improves the accuracy of zero-dimensional models by optimizing the parameters of blood vessels to recapitulate observed hemodynamics from measurements or high-fidelity simulations. This allows users to build more accurate zero-dimensional models than those typically based purely on the anatomy of the vascular region of interest (Richter et al., 2024). The svZeroDGUI application is a web-based graphical interface that allows users to create zero-dimensional simulations by interactively dragging-and-dropping individual blood vessels, heart chambers, boundary conditions, connections between these blocks, etc. Another graphical application, svZeroDVisualization, is an interface to visualize the lumped-parameter structure of given anatomical models as well as the simulated hemodynamics within each block. Together, these graphical interfaces make svZeroDSolver intuitive for a wide

95 range of users, potentially expanding its use from research to instructional and clinical contexts.
96 The functionality and accuracy of svZeroDSolver is assessed using continuous integration
97 tests on GitHub, and has also been verified by comparing with high-fidelity three dimensional
98 simulations (Pfaller et al., 2022). This combination of features makes svZeroDSolver uniquely
99 applicable to a wide range of applications in cardiovascular biomechanics.

100 While there are other open-source projects that provide the functionality for cardiovascular flow
101 modeling, and specifically zero-dimensional flow modeling, svZeroDSolver has several features
102 that distinguish it from previous work. For one, prior packages have primarily focused on multi-
103 physics finite element modeling for cardiovascular biomechanics (Africa et al., 2024; Arthurs,
104 2021; Hirschvogel, 2024; Zhu et al., 2022). While these projects allow the implementation of
105 simple zero-dimensional models, usually as boundary conditions to three-dimensional models,
106 the primary focus is on the modeling of full three-dimensional fluid and tissue mechanics. There
107 are also packages aimed at reduced-order modeling for cardiovascular flows. In particular, the
108 SimVascular project includes svOneDSolver for the purpose of one-dimensional blood flow
109 modeling. Another popular package for one-dimensional blood flow simulations is Nektar1D
110 (Alastruey et al., 2012). Similarly, the Artery.FE package implements one-dimensional blood
111 flow modeling using the FEniCS finite element framework (Agdestein et al., 2018), the VaMpy
112 toolkit includes a package for modeling one-dimensional blood flow using the Lax-Wendroff
113 finite difference method (Diem & Bressloff, 2017), and openBF is a finite volume implementation
114 of one-dimensional blood flow (Benemerito et al., 2024). In the zero-dimensional modeling
115 context, CRIMSON (Arthurs, 2021) and lifex-cfd (Africa et al., 2024) include the ability to
116 simulate simple zero-dimensional blood flow models, primarily as boundary conditions to three-
117 dimensional simulations. However, their focus is on multi-physics simulations of cardiovascular
118 biomechanics, therefore they are not stand-alone and modular zero-dimensional flow solvers.
119 The CellML and CVSim packages include a limited set of stand-alone zero-dimensional flow
120 models for specific anatomies/applications (Clerx et al., 2020; Heldt et al., 2010), but they
121 do not provide the modular functionality to specify unique anatomical models. In addition,
122 there have been other packages that use zero-dimensional modeling techniques with a focus on
123 statistical analysis and cardiac electromechanics (Huttary et al., 2017; Regazzoni & Quarteroni,
124 2021). However, these packages are either not focused on zero-dimensional modeling or
125 use MATLAB implementations, which require software licenses and are not free to use. In
126 contrast, the purpose of svZeroDSolver is to provide an open-source framework specifically
127 for simulating zero-dimensional flows in a variety of simple and complex anatomies that can
128 be designed in a user-specific and application-specific manner – by leveraging the modular
129 nature of the code. The unique features listed above allow the use of svZeroDSolver both as
130 a stand-alone zero-dimensional flow solver for unique and patient-specific anatomies, as well
131 as in conjunction with the aforementioned multi-physics solvers as boundary conditions, for
132 parameters estimation and uncertainty quantification, or even as an instructional tool using its
133 graphical interfaces.



Figure 1: Various zero-dimensional “blocks” included in svZeroDSolver at the time of writing.

Software details

svZeroDSolver relies on a collection of “blocks” to set up the governing equations for a given anatomical configuration. Each block is inherited from a block class, as illustrated in Figure 1, and is governed by a “local” set of equations with associated degrees-of-freedom. The solver parses through an input configuration .json file, which lists the blocks, their parameters, and the blocks’ connectivity, and then automatically assembles the local equations and degrees-of-freedom for each block into a global system of equations. The governing equations and circuit representation for each block are available in the documentation. For example, see the [documentation for a blood vessel block](#).

The zero-dimensional simulations performed by svZeroDSolver are governed by non-linear differential-algebraic equations. We integrate these equations in time using the implicit generalized-alpha scheme (Jansen et al., 2000), with Newton-Raphson iterations to solve the linearized system. Under the hood, these linearized governing equations for each block are implemented as local contributions to a system of linear (matrix) equations, which are then assembled into a global linear system based on the user-specified configuration. Details on the modular implementation of the blocks, along with their governing equations, are provided in the documentation’s [Developer Guide](#). We use the [Eigen package](#) to represent and solve these sparse linear systems (Guennebaud et al., 2010). Mathematical details on this implementation are provided in the [SparseSystem](#) and [Integrator](#) classes in the documentation.

svZeroDSolver currently has implementations of different types of blood vessel blocks with

non-linear resistors to model vascular stenoses, junctions between blood vessels, a heart valve block modeled using a hyperbolic tangent function, a cardiac chamber block modeled as a time-varying capacitor and inductor, and several boundary condition blocks including simple flow, pressure and resistors blocks, windkessel boundary conditions, coronary boundary conditions that include the intramyocardial pressure experienced by coronary arteries, as well as two-sided versions of windkessel and coronary boundary conditions that allow a user to build closed-loop circulation models (H. Kim et al., 2010; H. J. Kim et al., 2009; Menon et al., 2023; Menon, Khan, et al., 2024; Mirramezani et al., 2019; Vignon-Clementel et al., 2006). The input to svZeroDSolver is a .json file which specifies the simulation parameters (number of time steps, cardiac cycles, etc.), the types of blocks to be included in the specific model, the boundary conditions, and how the blocks are connected (typically using junction blocks). Each of these blocks generally requires several parameters which can be specified using a steady value or a list of time-varying values. The solver can either run simulations for a specified number of time steps and cardiac cycles, or until the difference in mean quantities between consecutive cardiac cycles is below a given threshold.

The documentation for svZeroDSolver is automatically built on GitHub using Doxygen. It includes instructions for installation, user guides for svZeroDSolver and its various applications, as well as mathematical and graphical descriptions of each zero-dimensional block that is implemented in the solver. Examples of configuration files to run svZeroDSolver simulations using the various available blocks are in svZeroDSolver/tests/cases. The repository also includes examples demonstrating the simple API for interfacing between svZeroDSolver and external C++ software packages in svZeroDSolver/tests/test_interface. Details on creating zero-dimensional simulations from three-dimensional models using the SimVascular graphical interface are available on the SimVascular documentation.

Future development plans include functionality to specify time-varying block parameters as mathematical expressions using the exprtk package. We are also expanding the available blocks to more accurately model hemodynamics, such as by using data-driven models for pressure losses at arbitrarily shaped vascular junctions (Rubio et al., 2025). In addition, we plan to extend the svZeroDGUI application to interactively create custom zero-dimensional boundary conditions for three-dimensional simulations. The development team actively implements new features, blocks and test cases to build on the capabilities of svZeroDSolver and ensure its accuracy and speed.

Acknowledgments

This work was supported by National Science Foundation grants 1663671 and 2310909, by the National Heart, Lung, and Blood Institute of the National Institutes of Health under Award Numbers R01HL141712 and K99HL161313, and the Stanford Maternal and Child Health Institute.

References

- Africa, P. C., Fumagalli, I., Bucelli, M., Zingaro, A., Fedele, M., Dede', L., & Quarteroni, A. (2024). Lifex-cfd: An open-source computational fluid dynamics solver for cardiovascular applications. *Computer Physics Communications*, 296, 109039. <https://doi.org/10.1016/j.cpc.2023.109039>
- Agdestein, S. D., Valen-Sendstad, K., & Diem, A. K. (2018). Artery.FE: An implementation of the 1D blood flow equations in FEniCS. *Journal of Open Source Software*, 3(32), 1107. <https://doi.org/10.21105/joss.01107>
- Alastruey, J., Parker, K. H., & Sherwin, S. J. (2012). Arterial pulse wave haemodynamics. *11th International Conference on Pressure Surges*, 401–443.

- 201 Arthurs, R. A. M., Christopher J. AND Khlebnikov. (2021). CRIMSON: An open-source
202 software framework for cardiovascular integrated modelling and simulation. *PLOS Compu-*
203 *tational Biology*, 17(5), 1–21. <https://doi.org/10.1371/journal.pcbi.1008881>
- 204 Benemerito, I., Melis, A., Wehenkel, A., & Marzo, A. (2024). openBF: An open-source finite
205 volume 1D blood flow solver. *Physiological Measurement*, 45(12), 125002.
- 206 Clerx, M., Cooling, M. T., Cooper, J., Garny, A., Moyle, K., Nickerson, D. P., Nielsen, P.
207 M. F., & Sorby, H. (2020). CellML 2.0. *Journal of Integrative Bioinformatics*, 17(2–3),
208 20200021. <https://doi.org/doi:10.1515/jib-2020-0021>
- 209 Diem, A. K., & Bressloff, N. W. (2017). VaMpy: A python package to solve 1D blood flow
210 problems. *Journal of Open Research Software*. <https://doi.org/10.5334/jors.159>
- 211 Guennebaud, G., Jacob, B., & others. (2010). *Eigen v3*. <http://eigen.tuxfamily.org>.
- 212 Heldt, T., Mukkamala, R., Moody, G. B., & Mark, R. G. (2010). CVSim: An open-source
213 cardiovascular simulator for teaching and research. *The Open Pacing, Electrophysiology &*
214 *Therapy Journal*, 3, 45.
- 215 Hirschvogel, M. (2024). Ambit – a FEniCS-based cardiovascular multi-physics solver. *Journal*
216 *of Open Source Software*, 9(93), 5744. <https://doi.org/10.21105/joss.05744>
- 217 Huttary, R., Goubergrits, L., Schütte, C., & Bernhard, S. (2017). Simulation, identification
218 and statistical variation in cardiovascular analysis (SISCA) – a software framework for
219 multi-compartment lumped modeling. *Computers in Biology and Medicine*, 87, 104–123.
220 <https://doi.org/https://doi.org/10.1016/j.combiomed.2017.05.021>
- 221 Jansen, K. E., Whiting, C. H., & Hulbert, G. M. (2000). A generalized-alpha method for
222 integrating the filtered navier–stokes equations with a stabilized finite element method.
223 *Computer Methods in Applied Mechanics and Engineering*, 190(3), 305–319. [https://doi.org/10.1016/S0045-7825\(00\)00203-6](https://doi.org/10.1016/S0045-7825(00)00203-6)
- 224
- 225 Kim, H. J., Vignon-Clementel, I. E., Figueroa, C. A., Ladisa, J. F., Jansen, K. E., Feinstein,
226 J. A., & Taylor, C. A. (2009). On coupling a lumped parameter heart model and a
227 three-dimensional finite element aorta model. *Annals of Biomedical Engineering*, 37(11),
228 2153–2169. <https://doi.org/10.1007/s10439-009-9760-8>
- 229 Kim, H., Vignon-Clementel, I., Coogan, J., Figueroa, C., Jansen, K., & Taylor, C. (2010).
230 Patient-specific modeling of blood flow and pressure in human coronary arteries. *Annals of*
231 *Biomedical Engineering*, 38, 3195–3209. <https://doi.org/10.1007/s10439-010-0083-6>
- 232 Lee, J. D., Richter, J., Pfaller, M. R., Szafron, J. M., Menon, K., Zanoni, A., Ma, M. R.,
233 Feinstein, J. A., Kreutzer, J., Marsden, A. L., & Schiavazzi, D. E. (2024). A probabilistic
234 neural twin for treatment planning in peripheral pulmonary artery stenosis. *International*
235 *Journal for Numerical Methods in Biomedical Engineering*, 40(5), e3820. <https://doi.org/10.1002/cnm.3820>
- 236
- 237 Marsden, A. L. (2014). Optimization in cardiovascular modeling. *Annual Review of Fluid*
238 *Mechanics*, 46, 519–546. <https://doi.org/10.1146/ANNUREV-FLUID-010313-141341>
- 239 Menon, K., Hu, Z., & Marsden, A. L. (2024). Cardiovascular fluid dynamics: A journey
240 through our circulation. *Flow*, 4, E7. <https://doi.org/10.1017/flo.2024.5>
- 241 Menon, K., Khan, M. O., Sexton, Z. A., Richter, J., Nguyen, P. K., Malik, S. B., Boyd, J.,
242 Nieman, K., & Marsden, A. L. (2024). Personalized coronary and myocardial blood flow
243 models incorporating CT perfusion imaging and synthetic vascular trees. *Npj Imaging*,
244 2(9). <https://doi.org/10.1101/2023.08.17.23294242>
- 245 Menon, K., Seo, J., Fukazawa, R., Ogawa, S., Kahn, A. M., Burns, J. C., & Marsden, A.
246 L. (2023). Predictors of myocardial ischemia in patients with kawasaki disease: Insights
247 from patient-specific simulations of coronary hemodynamics. *Journal of Cardiovascular*

- 248 *Translational Research*, 16, 1099–1109.
- 249 Menon, K., Zanoni, A., Khan, O., Geraci, G., Nieman, K., Schiavazzi, D. E., & Marsden, A. L.
250 (2024). Personalized and uncertainty-aware coronary hemodynamics simulations: From
251 bayesian estimation to improved multi-fidelity uncertainty quantification. *arXiv*, 2409.02247.
252 <https://arxiv.org/abs/2409.02247>
- 253 Mirramezani, M., Diamond, S. L., Litt, H. I., & Shadden, S. C. (2019). Reduced Order
254 Models for Transstenotic Pressure Drop in the Coronary Arteries. *Journal of Biomechanical*
255 *Engineering*, 141(3), 31005. <https://doi.org/10.1115/1.4042184>
- 256 Pfaller, M. R., Pegolotti, L., Pham, J., Rubio, N. L., & Marsden, A. L. (2024). Chapter
257 20 - reduced-order modeling of cardiovascular hemodynamics. In T. C. Gasser, S. Avril,
258 & J. A. Elefteriades (Eds.), *Biomechanics of the aorta* (pp. 449–476). Academic Press.
259 <https://doi.org/10.1016/B978-0-323-95484-6.00016-6>
- 260 Pfaller, M. R., Pham, J., Verma, A., Pegolotti, L., Wilson, N. M., Parker, D. W., Yang, W.,
261 & Marsden, A. L. (2022). Automated generation of 0D and 1D reduced-order models of
262 patient-specific blood flow. *International Journal for Numerical Methods in Biomedical*
263 *Engineering*, 38(10). <https://doi.org/10.1002/cnm.3639>
- 264 Pfaller, M. R., Pham, J., Wilson, N. M., Parker, D. W., & Marsden, A. L. (2021). On the
265 periodicity of cardiovascular fluid dynamics simulations. *Annals of Biomedical Engineering*.
266 <https://doi.org/10.1007/s10439-021-02796-x>
- 267 Regazzoni, F., & Quarteroni, A. (2021). Accelerating the convergence to a limit cycle in 3D
268 cardiac electromechanical simulations through a data-driven 0D emulator. *Computers in Bi-*
269 *ology and Medicine*, 135, 104641. <https://doi.org/10.1016/j.compbimed.2021.104641>
- 271 Richter, J., Nitzler, J., Pegolotti, L., Menon, K., Biehler, J., Wall, W. A., Schiavazzi, D. E.,
272 Marsden, A. L., & Pfaller, M. R. (2024). Bayesian windkessel calibration using optimized
273 0D surrogate models. *arXiv*, 2404.14187.
- 274 Rubio, N. L., Pegolotti, L., Pfaller, M. R., Darve, E. F., & Marsden, A. L. (2025). Hybrid physics-
275 based and data-driven modeling of vascular bifurcation pressure differences. *Computers in*
276 *Biology and Medicine*, 184, 109420. <https://doi.org/10.1016/j.compbimed.2024.109420>
- 277 Taylor, C. A., Petersen, K., Xiao, N., Sinclair, M., Bai, Y., Lynch, S. R., UpdePac, A.,
278 & Schaap, M. (2023). Patient-specific modeling of blood flow in the coronary arteries.
279 *Computer Methods in Applied Mechanics and Engineering*, 417, 116414. <https://doi.org/10.1016/j.cma.2023.116414>
- 281 Updegrove, A., Wilson, N. M., Mewkow, J., Lan, H., Marsden, A. L., & Shadden, S. C. (2017).
282 SimVascular: An Open Source Pipeline for Cardiovascular Simulation. *Annals of Biomedical*
283 *Engineering*, 45(3), 525–541. <https://doi.org/10.1007/s10439-016-1762-8>
- 284 Vignon-Clementel, I. E., Alberto Figueroa, C., Jansen, K. E., & Taylor, C. A. (2006). Outflow
285 boundary conditions for three-dimensional finite element modeling of blood flow and
286 pressure in arteries. *Computer Methods in Applied Mechanics and Engineering*, 195(29-32),
287 3776–3796. <https://doi.org/10.1016/j.cma.2005.04.014>
- 288 Zanoni, A., Geraci, G., Salvador, M., Menon, K., Marsden, A. L., & Schiavazzi, D. E. (2024).
289 Improved multifidelity Monte Carlo estimators based on normalizing flows and dimensionality
290 reduction techniques. *Computer Methods in Applied Mechanics and Engineering*, 429,
291 117119. <https://doi.org/10.1016/j.cma.2024.117119>
- 292 Zhu, C., Vedula, V., Parker, D., Wilson, N., Shadden, S., & Marsden, A. (2022). svFSI: A
293 multiphysics package for integrated cardiac modeling. *Journal of Open Source Software*,
294 7(78), 4118. <https://doi.org/10.21105/joss.04118>