


Phase :- 2 Backend Development & Configuration

Activity 1 : Creation of Custom Table to Store Ticket Records.

Steps to Create Custom Table

- Open All menus → Search for Tables.
- Under **System Definition** → Click **Tables**.
- On the top right corner Click **New** button.
- Label : **Incident WorkFlow**.
- Uncheck the **Create module**.
- Now **Save** the Form.
- Then Click the **Controls** Suction and Enable the Check box **true Auto Number**.
- Now again **save** the Form.



Tables

Updated

Search

Actions on selected rows...

New

All > Update name is not empty

Label	Name	Extends table	Extensible	Updated
Search	Search	Search	Search	Search
Logged in User	v_user_session	(empty)	false	2007-07-13 16:15:23
System Plugin	v_plugin	(empty)	false	2007-10-09 12:10:05
Active Transactions	v_transaction	(empty)	false	2008-05-23 17:30:17
Node Log	v_logfiles	(empty)	false	2009-05-14 17:05:41
Customer Uploads	v_customer_uploads	(empty)	false	2009-05-14 18:38:13
MySQL Process List	v_mysql_proclist	(empty)	false	2012-02-25 19:47:02
MySQL Status	v_mysql_status	(empty)	false	2012-02-25 19:47:08
MySQL Variables	v_mysql_variables	(empty)	false	2012-02-25 19:47:12
IOStats	v_iostats	(empty)	false	2012-02-27 17:13:51
Cluster Nodes	v_cluster_nodes	(empty)	false	2012-02-27 23:48:26
SQL Debug	v_sql_debug	(empty)	false	2012-02-28 16:40:55
Workflow Validation Report	v_wf_validation_report	(empty)	false	2012-10-01 10:43:05
Hyper-V Resource Pool Component	cmdb_ci_hyper_v_rpool_comp	Hyper-V Object	false	2012-10-30 08:07:25
Application Menu	sys_app_application	Application File	false	2012-10-30 13:59:18
Menu Category	sys_app_category	Application File	false	2012-10-30 13:59:44
Scriptable Object	v_scriptable_object	(empty)	false	2012-11-09 15:15:23

1 to 20 of 5,827

Table
New record

ServiceNow recommends creating custom tables in scoped applications. To learn more about creating scoped applications, click [here](#).

A table is a collection of records in the database. Each record corresponds to a row in a table, and each field on a record corresponds to a column on that table. Applications use tables and records to manage data and processes. [More Info](#)

* Label Incident Workflow

* Name u_incident_workflow

Extends table

Application Global

Create module

Remote Table

Columns Controls Application Access

Table Columns for text Search

Dictionary Entries

Column label	Type	Reference	Max length	Default value	Display
Insert a new row...					

Submit Cancel

Related Links

Table
Incident Workflow

Delete Update Delete All Records

Columns Controls Application Access

Extensible

Live feed

Use auto-numbering to define a sequential identifying code made up of a prefix, a base number and a padding value to ensure a consistent format

Auto-number

Prefix INC

Number 500

Number of digits 5

Security Rules (ACLs) are required if anyone other than an administrator needs to work with this table. Creating default security rules will grant full access to this table to anyone with the user role you specify.

Create access controls

* User role u_incident_workflow_user


Delete Update Delete All Records

Related Links

Form Builder

Design Editor

- Then Save the Form and Under Related Links Click **Show Form**.
- Now Open the Configure On clicking the Context Menu and then Open the **Form Designer**.
- Then Create Fields as Required.





Activity 2: Field Creation and Data Type Configuration

The objective of this milestone is to create all required fields in the School IT Ticket table with correct data types, choices, and dependencies, ensuring structured and consistent data capture.

Field Label	Type	Reference/Choice
Number	Auto Number	—
Caller	Reference	sys_user
Category	Choice	[Network,Hardware,Access, Performance]
Subcategory	Choice	[Wi-Fi,Projector,Forgot Password,Slow Compter]
Short Description	String	—
Description	String	—
State	Choice	[New,In progress,On hold,Resolved,Closed]
Assigned Group	Reference	sys_user_group
Assigned to	Reference	sys_user

- After Creating Fields with their appropriate Type, then add the Choice from the Form design.
- To all the Choice list Fields.
- They are Category,Subcategory and State.




- Same like that, add Choice to the State field.
- Then Click the save button on the top right corner.
- Open the Form and reload it.

Activity 3 : Implementing Dependency Between Category and Subcategory Choice Fields


The objective of this milestone is to implement a **dependency relationship** between the **Category** and **Subcategory** fields so that the available Subcategory options dynamically change based on the selected Category.

NavigationSteps :

- Open the Created Table Form and Right click on the **Subcategory** Field.
- Click on the **Configure Dictionary**.
- Under **Relatedlinks** Click on the **Advancedview** ,
- Then select the **Dependent Field** Section.
- Enable the checkbox **Use dependent field true**.
- Then select the Field **Category** on the **Dependent on field**.
- Then **save** the Form.



This screenshot shows the 'Incident Workflow' 'New record' form. A right-click context menu is open over the 'Subcategory' field. The menu options are: 'Configure Label', 'Configure Dictionary' (highlighted with a red box), 'Configure Styles', 'Show Security Rules', 'Configure Choices', 'Show Choice List', and 'Show - 'u_subcategory''. Other fields visible include 'Number' (INC00509), 'State' (None), 'Assigned group', and 'Assigned to'.



This screenshot shows the 'Dictionary Entry' configuration page for the 'Subcategory' field in 'Advanced' view. The 'Table' is set to 'Incident Workflow [u_incident_workflow]' and the 'Type' is 'Choice'. The 'Column label' is 'Subcategory' and the 'Column name' is 'u_subcategory'. The 'Application' is 'Global' and 'Active' is checked. Under the 'Choice List Specification' tab, the 'Dependent Field' section is expanded, showing 'Use dependent field' checked and 'Dependent on field' set to 'Category' (highlighted with a red box).

- Now scroll down to the choice section.
- Then add the dependent fields for which option dependent on the category gives the category choice backend name to the subcategory choice values.
- Wi-Fi → Network.
- Projector → Hardware.
- Forgot password → Access.
- Slow computer → Performance.

Specify a field whose value is used to determine choice list options for this field. [More Info](#)

Use dependent field ☒

Dependent on field Category

Create Choice List Delete Column Update

Related Links
[Show Table](#)
[Run Point Scan](#)
[\[SN Utilities\] Versions \(0\)](#)

Access Controls Choices (4) Attributes Labels (1)

Label Search

Actions on selected rows... New

Label	Value	Language	Sequence	Inactive	Updated	Dependent value
Forgot Password	forgot password	en	2	false	2026-02-06 21:45:02	access
Wi-Fi	wi-fi	en	0	false	2026-02-06 21:44:50	network
Slow Computer	slow computer	en	3	false	2026-02-06 21:45:15	performance
Projector	projector	en	1	false	2026-02-06 21:45:36	hardware

Insert a new row...

- Then save the Form.
- Then it will display each choice to each one separately based on the category subcategory displays.

Incident Workflow
New record

Number INC00509

State -- None --

* Caller

Category Network

Subcategory -- None --

* Short description Wi-Fi

Description

Assigned group

Assigned to

Submit

Incident WorkFlow

New record

Submit

Number

INC00509

State

-- None --

* Caller

Q

Assigned group

Q

Category

Hardware

Assigned to

Q

Subcategory

-- None --

* Short description

-- None --

Description

Projector

Submit

Incident WorkFlow

New record

Submit

Number

INC00509

State

-- None --

* Caller

Q

Assigned group

Q

Category

Access

Assigned to

Q

Subcategory

-- None --

* Short description

-- None --

Description

Forgot Password

Submit

Incident WorkFlow

New record

Submit

Number

INC00509

State

-- None --

* Caller

Q

Assigned group

Q

Category

Performance

Assigned to

Q

Subcategory

-- None --

* Short description

-- None --

Description

Slow Computer

Submit