

[Open Risk Identifier →](#)

Census 2021 AIHW Tables 10, 13 & 14 168 countries of birth 247 languages


One or more long-term health condition(s) Persons Male Female 0–44 45–64 65 and over [All regions](#)

POPULATION IN SCOPE	PEOPLE WITH CONDITION	CRUDE PREVALENCE	AGE-STANDARDISED PREVALENCE	HIGHEST-RISK REGION	MOST COMMON CONDITION
6,611,949	2,024,606	30.6%	30.6%	North-West Europe	Arthritis
overseas-born, in selection	One or more long-term health con...	cases ÷ population	adjusted to overseas-born age mix	36.8% age-standardised	9.0% of population


Data explorer

Age-specific prevalence of the selected condition for males and females.

Age-specific prevalence of the selected condition for males and females.



Region → sub-region → country of birth. Box size = people with the condition; colour = crude prevalence. Click to drill down.



Source: Australian Institute of Health and Welfare, Census 2021 long-term health conditions data. Master of Data Science project.

Long-Term Health Condition Analysis Dashboard

Prevalence of long-term health conditions among overseas-born Australians by country of birth, years in Australia, language used at home and English proficiency.

Census 2021 AIHW Tables 10, 13 & 14 168 countries of birth 247 languages

Open Risk Identifier →

HEALTH CONDITION

One or more long-term health condition(s)

SEX

☒ Persons ☐ Male ☐ Female

AGE GROUP

☒ 0–44 ☒ 45–64 ☒ 65 and over

REGION OF BIRTH

All regions

POPULATION IN SCOPE

6,611,949

overseas-born, in selection

PEOPLE WITH CONDITION

2,024,606

One or more long-term health con...

CRUDE PREVALENCE

30.6%

cases ÷ population

AGE-STANDARDISED PREVALENCE

30.6%

adjusted to overseas-born age mix

HIGHEST-RISK REGION

North-West Europe


36.8% age-standardised

MOST COMMON CONDITION

Arthritis

9.0% of population

OverviewCountry of birthYears in AustraliaLanguage & EnglishData explorer



HEALTH CONDITION

One or more long-term health condition(s)

SEX

☒ Persons☐ Male☐ Female

AGE GROUP

☒ 0–44☒ 45–64☒ 65 and over

REGION OF BIRTH

All regions

POPULATION IN SCOPE

6,611,949

overseas-born, in selection

PEOPLE WITH CONDITION

2,024,606

One or more long-term health con...

CRUDE PREVALENCE

30.6%

cases ÷ population

AGE-STANDARDISED PREVALENCE

30.6%

adjusted to overseas-born age mix

HIGHEST-RISK REGION

North-West Europe


36.8% age-standardised

MOST COMMON CONDITION

Arthritis

9.0% of population

Recent arrivals are typically younger and healthier (the ‘healthy migrant effect’). Comparisons below are made within age groups or age-standardised so that age does not masquerade as length of stay.



Which conditions increase with length of stay?

Rate ratio = prevalence among >10-year residents ÷ prevalence among 0–10-year arrivals, within each age group. Values above 1 mean higher prevalence with longer stay.

Health condition	Age group			ratio
	0–44	45–64	65 and over	
One or more long-term health condition(s)	2.06×	1.46×	1.27×	
Arthritis	2.86×	2.22×	2.35×	
Asthma	1.94×	1.71×	1.94×	
Cancer	2.33×	1.85×	1.81×	
Dementia	1.01×	0.53×	2.06×	
Diabetes	2.16×	1.15×	0.98×	
Heart disease	2.07×	1.49×	1.35×	
Kidney disease	1.88×	1.21×	1.31×	
Lung condition	2.41×	2.45×	2.26×	
Mental health condition	2.75×	2.08×	2.25×	
Stroke	2.65×	1.55×	1.27×	
Heart disease or stroke	2.16×	1.51×	1.33×	
Any other long-term health condition(s)	1.96×	1.32×	0.98×	

Ethics & data notes: aggregated census counts only – no individual-level or identifiable data. ABS randomly perturbs small cells, so Male + Female may not equal Persons and small groups are unreliable. Results describe associations, not causes, and must not be used to make decisions about individuals.

HEALTH CONDITION

One or more long-term health condition(s)

SEX

☒ Persons

☐ Male

☐ Female

AGE GROUP

☒ 0–44

☒ 45–64

☒ 65 and over

REGION OF BIRTH

All regions

POPULATION IN SCOPE

6,611,949

overseas-born, in selection

PEOPLE WITH CONDITION

2,024,606

One or more long-term health con...

CRUDE PREVALENCE

30.6%

cases ÷ population

AGE-STANDARDISED PREVALENCE

30.6%

adjusted to overseas-born age mix

HIGHEST-RISK REGION



North-West Europe

36.8% age-standardised

MOST COMMON CONDITION

Arthritis

9.0% of population



HEALTH CONDITION

One or more long-term health condition(s)

SEX

☒ Persons☐ Male☐ Female

AGE GROUP

☒ 0–44☒ 45–64☒ 65 and over

REGION OF BIRTH

All regions

POPULATION IN SCOPE

6,611,949

overseas-born, in selection

PEOPLE WITH CONDITION

2,024,606

One or more long-term health con...

CRUDE PREVALENCE

30.6%

cases ÷ population

AGE-STANDARDISED PREVALENCE

30.6%

adjusted to overseas-born age mix

HIGHEST-RISK REGION

North-West Europe

36.8% age-standardised

MOST COMMON CONDITION

Arthritis

9.0% of population

Underlying data

Filtered by the controls above. Use the column filters (e.g. >1000) and export to CSV.

TABLE

☒ Years in Australia (Table 10)

☐ Language & English proficiency (Tables 13/14)

Export

Country of birth	Region of birth	Sub-region	Years in Australia	Age group	Sex	Condition	People with condition	Population	Prevalence (%)
ASfilter data...	AS	AS	AS	AS	AS	AS	AS	AS	AS
Afghanistan	Southern and Central Asia	Central Asia	0–10 years	0–44	Persons	One or more long-term health conditio...	1825	26036	7.01
Afghanistan	Southern and Central Asia	Central Asia	More than 10 years	0–44	Persons	One or more long-term health conditio...	2281	15987	14.27
Afghanistan	Southern and Central Asia	Central Asia	0–10 years	45–64	Persons	One or more long-term health conditio...	1624	4649	34.93
Afghanistan	Southern and Central Asia	Central Asia	More than 10 years	45–64	Persons	One or more long-term health conditio...	3432	7852	43.71
Afghanistan	Southern and Central Asia	Central Asia	0–10 years	65 and over	Persons	One or more long-term health conditio...	390	649	60.09
Afghanistan	Southern and Central Asia	Central Asia	More than 10 years	65 and over	Persons	One or more long-term health conditio...	1414	1984	71.27
Albania	Southern and Eastern Europe	South Eastern Europe	0–10 years	0–44	Persons	One or more long-term health conditio...	47	987	4.76
Albania	Southern and Eastern Europe	South Eastern Europe	More than 10 years	0–44	Persons	One or more long-term health conditio...	92	954	9.64
Albania	Southern and Eastern Europe	South Eastern Europe	0–10 years	45–64	Persons	One or more long-term health conditio...	22	162	13.58
Albania	Southern and Eastern Europe	South Eastern Europe	More than 10 years	45–64	Persons	One or more long-term health conditio...	254	810	31.36
Albania	Southern and Eastern Europe	South Eastern Europe	More than 10 years	65 and over	Persons	One or more long-term health conditio...	277	428	64.72
Algeria	North Africa and the Middle East	North Africa	More than 10 years	0–44	Persons	One or more long-term health conditio...	40	180	22.22
Algeria	North Africa and the Middle East	North Africa	More than 10 years	45–64	Persons	One or more long-term health conditio...	208	560	37.14
Algeria	North Africa and the Middle East	North Africa	More than 10 years	65 and over	Persons	One or more long-term health conditio...	183	315	58.1
Argentina	Americas	South America	0–10 years	0–44	Persons	One or more long-term health conditio...	452	6089	7.42

«

<

1

/

46

>

»

Ethics & data notes: aggregated census counts only – no individual-level or identifiable data. ABS randomly perturbs small cells, so Male + Female may not equal Persons and small groups are unreliable. Results describe associations, not causes, and must not be used to make decisions about individuals.

Long-Term Health Condition Risk Identifier

Fill in the form to see which long-term health conditions people with a similar background are most likely to report, based on Census 2021 data for overseas-born Australians.

Open analysis dashboard →

Tell us about the person

Only age group and sex are required. Leave anything else as ‘Not specified’.

1 About them

AGE GROUP *

- ☐0–44
- ☐45–64
- ☐65 and over

SEX *

- ☐Female
- ☐Male
- ☐Not specified

2 Where they were born

REGION OF BIRTH

Not specified

▼

COUNTRY OF BIRTH

Not specified

▼

Choosing a region shortens this list.

YEARS LIVING IN AUSTRALIA

- ☐Up to 10 years
- ☐More than 10 years
- ☒Not specified

3 Language

LANGUAGE USED AT HOME

Not specified

▼

Languages recorded for the chosen country / region.

HOW WELL DO THEY SPEAK ENGLISH?

- ☐Very well or well
- ☐Not well or not at all
- ☒Not specified

Show likely conditions

?

Your results will appear here

Choose an age group and sex (and anything else you know), then click “Show likely conditions”.

Long-Term Health Condition Risk Identifier

Fill in the form to see which long-term health conditions people with a similar background are most likely to report, based on Census 2021 data for overseas-born Australians.

Open analysis dashboard →

Tell us about the person

Only age group and sex are required. Leave anything else as 'Not specified'.

1 About them

AGE GROUP *

☐ 0–44

☒ 45–64

☐ 65 and over

SEX *

☒ Female

☐ Male

☐ Not specified

2 Where they were born

REGION OF BIRTH

Not specified

COUNTRY OF BIRTH

Not specified

Choosing a region shortens this list.

YEARS LIVING IN AUSTRALIA

☐ Up to 10 years

☒ More than 10 years

☐ Not specified

3 Language

LANGUAGE USED AT HOME

Not specified

Languages recorded for the chosen country / region.

HOW WELL DO THEY SPEAK ENGLISH?

☒ Very well or well

☐ Not well or not at all

☐ Not specified

Show likely conditions

PROFILE

A woman aged 45–64, born overseas, living in Australia for more than 10 years, who speaks English very well or well

High confidence

based on a census group of 449,968 people

LIKELIHOOD OF AT LEAST ONE LONG-TERM CONDITION

38%

about 1 in 3 · average 37%

MOST LIKELY CONDITIONS

Arthritis

#1

12.9%

about 1 in 8

About average

1.1× the average

Mental health condition

#2

9.8%

about 1 in 10

About average

1.1× the average

Asthma

#3

9.1%


about 1 in 11

About average

1.2× the average


Estimated likelihood of each condition

Bars = estimated % of people with this profile who report the condition. ♦ = average for all overseas-born people of the same age group and sex.



Compared with the average

How many times more (right) or less (left) likely than the average person of the same age and sex.



Full results

Click a column header to sort, or use Export to download as CSV. 'Data source' shows whether the estimate comes from this exact group or from the wider region because the census did not publish it.

Export

Condition	Estimated likelihood (%)	Roughly	Average, same age & sex (%)	Times the average	Compared with average
One or more long-term health condition(s)	38	about 1 in 3	36.6	1.04	About average
Arthritis	12.9	about 1 in 8	11.3	1.14	About average
Mental health condition	9.8	about 1 in 10	9	1.09	About average
Asthma	9.1	about 1 in 11	7.7	1.18	About average
Diabetes	7.1	about 1 in 14	7.5	0.95	About average
Cancer	4.4	about 1 in 23	3.9	1.14	About average
Heart disease	2.2	about 1 in 45	2.2	0.99	About average
Lung condition	1.6	about 1 in 64	1.4	1.13	About average
Kidney disease	0.8	about 1 in 132	0.7	1.04	About average
Stroke	0.6	about 1 in 164	0.7	0.87	About average
Dementia	0.1	fewer than 1 in 1,000	0.1	0.5	Lower than average

How the estimate works: (1) the census rate for the person's country (or region) of birth, years in Australia, age group and sex is used, with small groups blended towards their wider sub-region and region (empirical-Bayes smoothing); (2) if a language or English level is chosen, the estimate is adjusted by how much more or less common each condition is for that language / English level among people from the same birthplace, age and sex.

Long-Term Health Condition Risk Identifier

Fill in the form to see which long-term health conditions people with a similar background are most likely to report, based on Census 2021 data for overseas-born Australians.

Open analysis dashboard →

Tell us about the person

Only age group and sex are required. Leave anything else as 'Not specified'.

1 About them

AGE GROUP *

☐ 0–44

☐ 45–64

☒ 65 and over

SEX *

☐ Female

☒ Male

☐ Not specified

2 Where they were born

REGION OF BIRTH

Not specified

COUNTRY OF BIRTH

Not specified

Choosing a region shortens this list.

YEARS LIVING IN AUSTRALIA

☐ Up to 10 years

☒ More than 10 years

☐ Not specified

3 Language

LANGUAGE USED AT HOME

Not specified

Languages recorded for the chosen country / region.

HOW WELL DO THEY SPEAK ENGLISH?

☐ Very well or well

☒ Not well or not at all

☐ Not specified

Show likely conditions

PROFILE

A man aged 65 or over, born overseas, living in Australia for more than 10 years, who speaks English not well or not at all

High confidence

based on a census group of 97,918 people

LIKELIHOOD OF AT LEAST ONE LONG-TERM CONDITION

66%

about 7 in 10 · average 64%

MOST LIKELY CONDITIONS

Heart disease

#1

19.8%

about 1 in 5

About average

2% below average

Diabetes

#2

19.4%

about 1 in 5

About average

4% below average

Arthritis

#3

18.7%


about 1 in 5

About average

8% below average


Estimated likelihood of each condition

Bars = estimated % of people with this profile who report the condition. ♦ = average for all overseas-born people of the same age group and sex.



Compared with the average

How many times more (right) or less (left) likely than the average person of the same age and sex.



Full results

Click a column header to sort, or use Export to download as CSV. 'Data source' shows whether the estimate comes from this exact group or from the wider region because the census did not publish it.

Export

Condition	Estimated likelihood (%)	Roughly	Average, same age & sex (%)	Times the average	Compared with average	Lang
One or more long-term health condition(s)	66.2	about 7 in 10	64.2	1.03	About average	1.02
Heart disease	19.8	about 1 in 5	20.1	0.98	About average	0.96
Diabetes	19.4	about 1 in 5	20.1	0.96	About average	0.96
Arthritis	18.7	about 1 in 5	20.4	0.92	About average	0.88
Cancer	10.4	about 1 in 10	10.7	0.97	About average	0.93
Lung condition	7.2	about 1 in 14	6.8	1.06	About average	1
Mental health condition	6.6	about 1 in 15	5.5	1.21	Higher than average	1.15
Asthma	6.5	about 1 in 15	6.6	1	About average	0.95
Dementia	5.2	about 1 in 19	3.9	1.33	Higher than average	1.3
Stroke	5.1	about 1 in 20	4.4	1.14	About average	1.14
Kidney disease	3.9	about 1 in 26	3.6	1.06	About average	1.04

How the estimate works: (1) the census rate for the person's country (or region) of birth, years in Australia, age group and sex is used, with small groups blended towards their wider sub-region and region (empirical-Bayes smoothing); (2) if a language or English level is chosen, the estimate is adjusted by how much more or less common each condition is for that language / English level among people from the same birthplace, age and sex.