

Product identity and status

Model C25-6205 - preliminary supplier data

DOCUMENT ID DS-CAND-C	REVISION 1
EFFECTIVE DATE 2026-08-01	OWNER Supplier Gamma Engineering
CLASSIFICATION Synthetic hackathon fixture	

Identification

- Candidate ID: CAND-C
- Supplier part: C25-6205
- Nominal bore class: 25 mm
- Data status: preliminary

Control status

- Not listed as an approved Plant-A production source.
- A prior temporary deviation is documented separately.

Dimensions and load

Preliminary catalog characteristics

DOCUMENT ID DS-CAND-C	REVISION 1
EFFECTIVE DATE 2026-08-01	OWNER Supplier Gamma Engineering
CLASSIFICATION Synthetic hackathon fixture	

Characteristics

- Bore diameter | 25 mm
- Outside diameter | 52 mm
- Width | 15 mm
- Basic dynamic load rating | 15 kN

Limitations

- Final tolerance report is not included.
- Lot-specific certificate is not included.

Evidence gaps

Items requiring current evidence before qualification

DOCUMENT ID
DS-CAND-C
EFFECTIVE DATE
2026-08-01
CLASSIFICATION
Synthetic hackathon fixture

REVISION
1
OWNER
Supplier Gamma Engineering

Missing evidence

- No application-specific lubricant temperature result.
- No current Plant-A qualification release.
- No current deviation applicable after 2026-09-25.

Disposition

- Candidate remains unqualified.
- Prior acceptance must not be treated as a current release.

Expired deviations are not valid recovery authorization.