

Assembly definition

Bearing station B-01

DOCUMENT ID
DWG-ASSY-B
EFFECTIVE DATE
2026-07-14
CLASSIFICATION
Synthetic hackathon fixture

REVISION
A
OWNER
Plant-A Mechanical Engineering

Drawing references

- Assembly: ASSEMBLY-B
- Material: MAT-BRG-001
- Interface: BEARING-SEAT-25MM
- Units: millimeters unless stated

Control note

- This assembly consumes the same purchased bearing family as Assembly A.
- Use the current drawing revision for fit decisions.

Bearing seat dimensions

Hard dimensional interface requirements

DOCUMENT ID
DWG-ASSY-B
EFFECTIVE DATE
2026-07-14
CLASSIFICATION
Synthetic hackathon fixture

REVISION
A
OWNER
Plant-A Mechanical Engineering

Interface dimensions

- Required bearing bore | 25.000 mm nominal
- Shaft seat | 25.000 mm nominal
- Maximum bearing width | 15.2 mm
- Maximum outside diameter | 52.1 mm

Fit control

- A 30 mm bore bearing does not fit this interface.
- Machining changes are outside the recovery-case scope.

Engineering notes

Shared material controls

DOCUMENT ID
DWG-ASSY-B
EFFECTIVE DATE
2026-07-14
CLASSIFICATION
Synthetic hackathon fixture

REVISION
A
OWNER
Plant-A Mechanical Engineering

Notes

- MAT-BRG-001 is purchased directly into the assembly BOM.
- Alternative parts require requirement-level evidence.
- Production use requires a current Plant-A release.

Related documents

- Bearing_Application_Requirements.pdf revision 1
- Quality_Release_Procedure.pdf revision 3