

Standalone XML configuration

By default, the following configurations are present in the standalone.xml in a Temenos Continuous Deployment Platform environment.

```

1. 1. Datasource:
2. <datasources>
3.     <datasource jta="true" jndi-name="java:/jdbc/t24DS" pool-
        name="t24DS" enabled="true" use-java-context="true" use-ccm="true">
4.         <connection-
            url>jdbc:h2:tcp:// *.*.*.*/data/temenos/h2/TAFJDB;MODE=Oracle;TRACE_LEVEL_FILE=0;TRACE
                _LEVEL_SYSTEM_OUT=0;DB_CLOSE_ON_EXIT=FALSE;FILE_LOCK=NO;IFEXISTS=TRUE;CACHE_SIZE=8192;M
                VCC=TRUE;LOCK_TIMEOUT=60000</connection-url>
5.         <connection-property name="defaultRowPrefetch">
6.             100
7.         </connection-property>
8.         <driver>h2</driver>
9.         <pool>
10.            <min-pool-size>5</min-pool-size>
11.            <max-pool-size>220</max-pool-size>
12.            <flush-strategy>FailingConnectionOnly</flush-strategy>
13.        </pool>
14.        <security>
15.            <user-name>***</user-name>
16.            <password>***</password>
17.        </security>
18.    </datasource>
19.    <datasource jta="true" jndi-name="java:/jdbc/t24Axis2DS" pool-
        name="Axis2H2DS" enabled="true" use-java-context="true" use-ccm="true">
20.        <connection-
            url>jdbc:h2:tcp:// *.*.*.*/data/temenos/h2/TAFJDB;MODE=Oracle;TRACE_LEVEL_FILE=0;TRACE
                _LEVEL_SYSTEM_OUT=0;DB_CLOSE_ON_EXIT=FALSE;FILE_LOCK=NO;IFEXISTS=TRUE;CACHE_SIZE=8192;M
                VCC=TRUE;LOCK_TIMEOUT=60000</connection-url>
21.        <connection-property name="defaultRowPrefetch">
22.            100
23.        </connection-property>
24.        <driver>h2</driver>
25.        <pool>
26.            <min-pool-size>5</min-pool-size>
27.            <max-pool-size>220</max-pool-size>
28.            <flush-strategy>FailingConnectionOnly</flush-strategy>
29.        </pool>
30.        <security>
31.            <user-name>***</user-name>
32.            <password>***</password>
33.        </security>
34.    </datasource>
35.    <datasource jta="false" jndi-name="java:/jdbc/t24LockingDS" pool-
        name="t24LockingDS" enabled="true" use-java-context="true" use-ccm="true">
36.        <connection-
            url>jdbc:h2:tcp:// *.*.*.*/data/temenos/h2/TAFJDB;MODE=Oracle;TRACE_LEVEL_FILE=0;TRACE
                _LEVEL_SYSTEM_OUT=0;DB_CLOSE_ON_EXIT=FALSE;FILE_LOCK=NO;IFEXISTS=TRUE;CACHE_SIZE=8192;M
                VCC=TRUE;LOCK_TIMEOUT=60000</connection-url>
37.        <driver>h2</driver>
38.        <pool>
39.            <min-pool-size>5</min-pool-size>
40.            <max-pool-size>220</max-pool-size>
41.            <flush-strategy>FailingConnectionOnly</flush-strategy>
42.        </pool>
43.        <security>
44.            <user-name>***</user-name>
45.            <password>***</password>
46.        </security>

```

Information in this document is subject to change without notice.

No part of this document may be reproduced or transmitted in any form or by any means, for any purpose, without the express written permission of TEMENOS HEADQUARTERS SA.

© 2020 Temenos Headquarters SA - all rights reserved.

Standalone XML configuration

```
47.         </datasource>
48.         <datasource jta="false" jndi-name="java:/jdbc/t24RODS" pool-
name="t24RODS" enabled="true" use-java-context="true" use-ccm="true">
49.             <connection-
url>jdbc:h2:tcp:// *.*.*.*//data/temenos/h2/TAFJDB;MODE=Oracle;TRACE_LEVEL_FILE=0;TRACE
LEVEL_SYSTEM_OUT=0;DB_CLOSE_ON_EXIT=FALSE;FILE_LOCK=NO;IFEXISTS=TRUE;CACHE_SIZE=8192;M
VCC=TRUE;LOCK_TIMEOUT=60000</connection-url>
50.             <driver>h2</driver>
51.             <pool>
52.                 <min-pool-size>5</min-pool-size>
53.                 <max-pool-size>220</max-pool-size>
54.                 <flush-strategy>FailingConnectionOnly</flush-strategy>
55.             </pool>
56.             <security>
57.                 <user-name>***</user-name>
58.                 <password>***</password>
59.             </security>
60.         </datasource>
61.         <drivers>
62.             <driver name="h2" module="com.h2">
63.                 <xa-datasource-class>org.h2.jdbcx.JdbcDataSource</xa-
datasource-class>
64.             </driver>
65.         </drivers>
66.     </datasources>
67. </subsystem>
68. 2. Connection-pool:
69. <mdb>
70.     <resource-adapter-ref resource-adapter-name="{ejb.resource-adapter-
name:activemq-ra.rar}"/>
71.     <bean-instance-pool-ref pool-name="mdb-strict-max-pool"/>
72. </mdb>
73. <pools>
74.     <bean-instance-pools>
75.         <strict-max-pool name="slsb-strict-max-pool" derive-size="from-
worker-pools" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
76.         <strict-max-pool name="mdb-strict-max-pool" derive-size="from-cpu-
count" instance-acquisition-timeout="5" instance-acquisition-timeout-unit="MINUTES"/>
77.         <strict-max-pool name="ofs-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
78.         <strict-max-pool name="browser-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
79.         <strict-max-pool name="arcmob-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
80.         <strict-max-pool name="twm-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
81.         <strict-max-pool name="tcib-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
82.         <strict-max-pool name="tcibcorp-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
83.         <strict-max-pool name="tcibwealth-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
```

Information in this document is subject to change without notice.

No part of this document may be reproduced or transmitted in any form or by any means, for any purpose, without the express written permission of TEMENOS HEADQUARTERS SA.

© 2020 Temenos Headquarters SA - all rights reserved.

Standalone XML configuration

```
84.         <strict-max-pool name="callat-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
85.         <strict-max-pool name="aml-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
86.         <strict-max-pool name="swf-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
87.         <strict-max-pool name="tps-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
88.         <strict-max-pool name="seat-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
89.         <strict-max-pool name="aaint-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
90.         <strict-max-pool name="inst-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
91.         <strict-max-pool name="management-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
92.         <strict-max-pool name="aaext-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
93.         <strict-max-pool name="phantom-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
94.         <strict-max-pool name="irisint-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
95.         <strict-max-pool name="irisext-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
96.         <strict-max-pool name="irismetadata-mdb-strict-max-pool" max-pool-
size="20" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
97.         <strict-max-pool name="dsfpackage-mdb-strict-max-pool" max-pool-
size="10" instance-acquisition-timeout="5" instance-acquisition-timeout-
unit="MINUTES"/>
98.         </bean-instance-pools>
99.     </pools>
100.     3. queues
101.
102.     <jms-queue name="ExpiryQueue" entries="java:/jms/queue/ExpiryQueue"/>
103.         <jms-queue name="DLQ" entries="java:/jms/queue/DLQ"/>
104.         <jms-
queue name="t240FSQueue" entries="queue/t240FSQueue java:jboss/exported/jms/queue/t240F
SQueue"/>
105.         <jms-
queue name="t240FSReplyQueue" entries="queue/t240FSReplyQueue java:jboss/exported/jms/q
ueue/t240FSReplyQueue"/>
106.         <jms-
queue name="t24BROWSERQueue" entries="queue/t24BROWSERQueue java:jboss/exported/jms/que
ue/t24BROWSERQueue"/>
107.         <jms-
queue name="t24BROWSERReplyQueue" entries="queue/t24BROWSERReplyQueue java:jboss/export
ed/jms/queue/t24BROWSERReplyQueue"/>
```

Information in this document is subject to change without notice.

No part of this document may be reproduced or transmitted in any form or by any means, for any purpose, without the express written permission of TEMENOS HEADQUARTERS SA.

© 2020 Temenos Headquarters SA - all rights reserved.

Standalone XML configuration

```
108.         <jms-  
queue name="t24ARCMOBQueue" entries="queue/t24ARCMOBQueue java:jboss/exported/jms/queue  
/t24ARCMOBQueue"/>  
109.         <jms-  
queue name="t24ARCMOBReplyQueue" entries="queue/t24ARCMOBReplyQueue java:jboss/exported  
/jms/queue/t24ARCMOBReplyQueue"/>  
110.         <jms-  
queue name="t24TWSQueue" entries="queue/t24TWSQueue java:jboss/exported/jms/queue/t24TW  
SQueue"/>  
111.         <jms-  
queue name="t24TWSReplyQueue" entries="queue/t24TWSReplyQueue java:jboss/exported/jms/q  
ueue/t24TWSReplyQueue"/>  
112.         <jms-  
queue name="t24TCIBQueue" entries="queue/t24TCIBQueue java:jboss/exported/jms/queue/t24  
TCIBQueue"/>  
113.         <jms-  
queue name="t24TCIBReplyQueue" entries="queue/t24TCIBReplyQueue java:jboss/exported/jms  
/queue/t24TCIBReplyQueue"/>  
114.         <jms-  
queue name="t24TCIBCORPQueue" entries="queue/t24TCIBCORPQueue java:jboss/exported/jms/q  
ueue/t24TCIBCORPQueue"/>  
115.         <jms-  
queue name="t24TCIBCORPReplyQueue" entries="queue/t24TCIBCORPReplyQueue java:jboss/expo  
rted/jms/queue/t24TCIBCORPReplyQueue"/>  
116.         <jms-  
queue name="t24TCIBWEALTHQueue" entries="queue/t24TCIBWEALTHQueue java:jboss/exported/j  
ms/queue/t24TCIBWEALTHQueue"/>  
117.         <jms-  
queue name="t24TCIBWEALTHReplyQueue" entries="queue/t24TCIBWEALTHReplyQueue java:jboss/  
exported/jms/queue/t24TCIBWEALTHReplyQueue"/>  
118.         <jms-  
queue name="t24CALLATQueue" entries="queue/t24CALLATQueue java:jboss/exported/jms/queue  
/t24CALLATQueue"/>  
119.         <jms-  
queue name="t24CALLATReplyQueue" entries="queue/t24CALLATReplyQueue java:jboss/exported  
/jms/queue/t24CALLATReplyQueue"/>  
120.         <jms-  
queue name="t24AMLQueue" entries="queue/t24AMLQueue java:jboss/exported/jms/queue/t24AM  
LQueue"/>  
121.         <jms-  
queue name="t24AMLReplyQueue" entries="queue/t24AMLReplyQueue java:jboss/exported/jms/q  
ueue/t24AMLReplyQueue"/>  
122.         <jms-  
queue name="t24TPSQueue" entries="queue/t24TPSQueue java:jboss/exported/jms/queue/t24TP  
SQueue"/>  
123.         <jms-  
queue name="t24TPSReplyQueue" entries="queue/t24TPSReplyQueue java:jboss/exported/jms/q  
ueue/t24TPSReplyQueue"/>  
124.         <jms-  
queue name="t24SEATQueue" entries="queue/t24SEATQueue java:jboss/exported/jms/queue/t24  
SEATQueue"/>  
125.         <jms-  
queue name="t24SEATReplyQueue" entries="queue/t24SEATReplyQueue java:jboss/exported/jms  
/queue/t24SEATReplyQueue"/>  
126.         <jms-  
queue name="t24IFInboundQueue" entries="queue/t24IFInboundQueue java:jboss/exported/jms  
/queue/t24IFInboundQueue"/>  
127.         <jms-  
queue name="t24IFOutboundQueue" entries="queue/t24IFOutboundQueue java:jboss/exported/j  
ms/queue/t24IFOutboundQueue"/>
```

Information in this document is subject to change without notice.

No part of this document may be reproduced or transmitted in any form or by any means,
for any purpose, without the express written permission of TEMENOS HEADQUARTERS SA.

© 2020 Temenos Headquarters SA - all rights reserved.

Standalone XML configuration

```
128.         <jms-
queue name="t24EXECQueue" entries="queue/t24EXECQueue java:jboss/exported/jms/queue/t24
EXECQueue"/>
129.         <jms-
queue name="t24SWFReplyQueue" entries="queue/t24SWFReplyQueue java:jboss/exported/jms/q
ueue/t24SWFReplyQueue"/>
130.         <jms-
queue name="t24SWFQueue" entries="queue/t24SWFQueue java:jboss/exported/jms/queue/t24SW
FQueue"/>
131.         <jms-
queue name="t24TPSInstInQueue" entries="queue/t24TPSInstInQueue java:jboss/exported/jms
/queue/t24TPSInstInQueue"/>
132.         <jms-
queue name="t24TPSInstInReplyQueue" entries="queue/t24TPSInstInReplyQueue java:jboss/ex
ported/jms/queue/t24TPSInstInReplyQueue"/>
133.         <jms-
queue name="t24AAIntQueue" entries="queue/t24AAIntQueue java:jboss/exported/jms/queue/t
24AAIntQueue"/>
134.         <jms-
queue name="t24AAIntReplyQueue" entries="queue/t24AAIntReplyQueue java:jboss/exported/j
ms/queue/t24AAIntReplyQueue"/>
135.         <jms-
queue name="t24AAExtQueue" entries="queue/t24AAExtQueue java:jboss/exported/jms/queue/t
24AAExtQueue"/>
136.         <jms-
queue name="t24AAExtReplyQueue" entries="queue/t24AAExtReplyQueue java:jboss/exported/j
ms/queue/t24AAExtReplyQueue"/>
137.         <jms-
queue name="t24IRISIntQueue" entries="queue/t24IRISIntQueue java:jboss/exported/jms/que
ue/t24IRISIntQueue"/>
138.         <jms-
queue name="t24IRISIntReplyQueue" entries="queue/t24IRISIntReplyQueue java:jboss/export
ed/jms/queue/t24IRISIntReplyQueue"/>
139.         <jms-
queue name="t24IRISExtQueue" entries="queue/t24IRISExtQueue java:jboss/exported/jms/que
ue/t24IRISExtQueue"/>
140.         <jms-
queue name="t24IRISExtReplyQueue" entries="queue/t24IRISExtReplyQueue java:jboss/export
ed/jms/queue/t24IRISExtReplyQueue"/>
141.         <jms-
queue name="t24IRISMetaQueue" entries="queue/t24IRISMetaQueue java:jboss/export
ed/jms/queue/t24IRISMetaQueue"/>
142.         <jms-
queue name="t24IRISMetaReplyQueue" entries="queue/t24IRISMetaReplyQueue java:jb
oss/exported/jms/queue/t24IRISMetaReplyQueue"/>
143.         <jms-
queue name="t24DSFPACKAGERQueue" entries="queue/t24DSFPACKAGERQueue java:jboss/exported
/jms/queue/t24DSFPACKAGERQueue"/>
144.         <jms-
queue name="t24DSFPACKAGERReplyQueue" entries="queue/t24DSFPACKAGERReplyQueue java:jbos
s/exported/jms/queue/t24DSFPACKAGERReplyQueue"/>
145.         <jms-
topic name="tecEventsTopic" entries="topic/tecEventsTopic java:jboss/exported/jms/topic
/tecEventsTopic"/>
146.         <jms-
topic name="t24ManagementTopic" entries="topic/t24ManagementTopic java:jboss/exported/j
ms/topitopic/t24ManagementTopic"/>
147.         <connection-
factory name="InVmConnectionFactory" entries="java:/ConnectionFactory" connectors="in-
vm"/>
```

Information in this document is subject to change without notice.

No part of this document may be reproduced or transmitted in any form or by any means, for any purpose, without the express written permission of TEMENOS HEADQUARTERS SA.

© 2020 Temenos Headquarters SA - all rights reserved.

Standalone XML configuration

```
148.         <connection-  
    factory name="RemoteConnectionFactory" entries="java:jboss/exported/jms/RemoteConnectio  
nFactory" connectors="http-connector"/>  
149.         <pooled-connection-factory name="activemq-  
ra" entries="java:/JmsXA java:jboss/DefaultJMSConnectionFactory" connectors="in-  
vm" transaction="xa"/>  
150.     </server>
```