Esercizio S5L3



Traccia: Tecniche di scansione con Nmap

Si richiede allo studente di effettuare le seguenti scansioni sul target **Metasploitable**:

- OS fingerprint.
- Syn Scan.
- TCP connect trovate differenze tra i risultati della scansioni TCP connect e SYN?
- Version detection.

E la seguente sul target Windows 7:

OS fingerprint.

A valle delle scansioni è prevista la produzione di un report contenente le seguenti info (dove disponibili):

- IP.
- Sistema Operativo.
- Porte Aperte.
- Servizi in ascolto con versione.

Quesito extra (al completamento dei quesiti sopra):

Quale potrebbe essere una valida ragione per spiegare il risultato ottenuto dalla scansione sulla macchina Windows 7? Che tipo di soluzione potreste proporre per continuare le scansioni?

```
sudo nmap -0 192.168.50.101
[sudo] password for kali:
Starting Nmap 7.94SVN (https://nmap.org) at 2024-06-26 10:44 CEST
Nmap scan report for 192.168.50.101
Host is up (0.0023s latency).
Not shown: 977 closed tcp ports (reset)
         STATE SERVICE
PORT
21/tcp
         open ftp
22/tcp open ssh
23/tcp open telnet
25/tcp open smtp
53/tcp open domain
80/tcp open http
111/tcp open rpcbind
139/tcp open netbios-ssn
445/tcp open microsoft-ds
512/tcp open exec
513/tcp open login
514/tcp open shell
1099/tcp open rmiregistry
1524/tcp open ingreslock
2049/tcp open nfs
2121/tcp open ccproxy-ftp
3306/tcp open mysql
5432/tcp open postgresql
5900/tcp open vnc
6000/tcp open X11
6667/tcp open irc
8009/tcp open ajp13
8180/tcp open unknown
MAC Address: 08:00:27:F0:DF:98 (Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Linux 2.6.X
OS CPE: cpe:/o:linux:linux_kernel:2.6
OS details: Linux 2.6.9 - 2.6.33
Network Distance: 1 hop
OS detection performed. Please report any incorrect results at https://nmap.org/submit/
Nmap done: 1 IP address (1 host up) scanned in 15.28 seconds
```

```
sudo nmap -sS 192.168.50.101
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-06-26 10:51 CEST
Nmap scan report for 192.168.50.101
Host is up (0.00086s latency).
Not shown: 977 closed tcp ports (reset)
        STATE SERVICE
PORT
       open ftp
21/tcp
22/tcp open ssh
23/tcp open telnet
25/tcp open smtp
53/tcp open domain
80/tcp
       open http
111/tcp open rpcbind
139/tcp open netbios-ssn
445/tcp open microsoft-ds
512/tcp open exec
513/tcp open login
514/tcp open shell
1099/tcp open rmiregistry
1524/tcp open ingreslock
2049/tcp open nfs
2121/tcp open ccproxy-ftp
3306/tcp open mysql
5432/tcp open postgresql
5900/tcp open vnc
6000/tcp open X11
6667/tcp open irc
8009/tcp open ajp13
8180/tcp open unknown
MAC Address: 08:00:27:F0:DF:98 (Oracle VirtualBox virtual NIC)
Nmap done: 1 IP address (1 host up) scanned in 13.46 seconds
```

```
> sudo nmap -sT 192.168.50.101
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-06-26 10:57 CEST
Nmap scan report for 192.168.50.101
Host is up (0.0060s latency).
Not shown: 977 closed tcp ports (conn-refused)
        STATE SERVICE
PORT
21/tcp
       open ftp
22/tcp open ssh
23/tcp open telnet
25/tcp open smtp
53/tcp open domain
80/tcp open http
111/tcp open rpcbind
139/tcp open netbios-ssn
445/tcp open microsoft-ds
512/tcp open exec
513/tcp open login
514/tcp open shell
1099/tcp open rmiregistry
1524/tcp open ingreslock
2049/tcp open nfs
2121/tcp open ccproxy-ftp
3306/tcp open mysql
5432/tcp open postgresql
5900/tcp open vnc
6000/tcp open X11
6667/tcp open irc
8009/tcp open ajp13
8180/tcp open unknown
MAC Address: 08:00:27:F0:DF:98 (Oracle VirtualBox virtual NIC)
Nmap done: 1 IP address (1 host up) scanned in 13.93 seconds
```

```
sudo nmap -sV -sS 192.168.50.101
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-06-26 11:03 CEST
Nmap scan report for 192.168.50.101
Host is up (0.00071s latency).
Not shown: 977 closed tcp ports (reset)
PORT
        STATE SERVICE
                          VERSION
21/tcp
        open ftp
                          vsftpd 2.3.4
                          OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
22/tcp
        open ssh
23/tcp
        open
              telnet
                          Linux telnetd
25/tcp
                          Postfix smtpd
        open
              smtp
53/tcp
              domain
                           ISC BIND 9.4.2
        open
                          Apache httpd 2.2.8 ((Ubuntu) DAV/2)
        open
80/tcp
              http
111/tcp open
              rpcbind
                           2 (RPC #100000)
139/tcp open
              netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
              netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp open
512/tcp open
513/tcp open
                          netkit-rsh rexecd
              exec
              login?
514/tcp open
              shell
                          Netkit rshd
                           GNU Classpath grmiregistry
1099/tcp open
               java-rmi
1524/tcp open
              bindshell
                           Metasploitable root shell
2049/tcp open
                           2-4 (RPC #100003)
              nfs
2121/tcp open
              ftp
                           ProFTPD 1.3.1
                           MySQL 5.0.51a-3ubuntu5
3306/tcp open mysql
              postgresql
5432/tcp open
                          PostgreSQL DB 8.3.0 - 8.3.7
5900/tcp open
                           VNC (protocol 3.3)
              vnc
6000/tcp open X11
                           (access denied)
6667/tcp open irc
                           UnrealIRCd
8009/tcp open
                           Apache Jserv (Protocol v1.3)
              ajp13
8180/tcp open http
                          Apache Tomcat/Coyote JSP engine 1.1
MAC Address: 08:00:27:F0:DF:98 (Oracle VirtualBox virtual NIC)
Service Info: Hosts:  metasploitable.localdomain, irc.Metasploitable.LAN; OSs: Unix, Linux; CPE: cpe:/o:linux:l
inux_kernel
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 66.98 seconds
```

```
sudo nmap -0 192.168.50.102
Starting Nmap 7.94SVN ( https://nmap.org ) at 2024-06-26 11:13 CEST
Nmap scan report for 192.168.50.102
Host is up (0.0019s latency).
Not shown: 991 closed tcp ports (reset)
         STATE SERVICE
PORT
135/tcp
         open msrpc
open netbios-ssn
139/tcp
         open microsoft-ds
445/tcp
49152/tcp open unknown
49153/tcp open unknown
49154/tcp open unknown
49155/tcp open unknown
49156/tcp open unknown
49157/tcp open unknown
MAC Address: 08:00:27:70:E2:8F (Oracle VirtualBox virtual NIC)
Device type: general purpose
Running: Microsoft Windows 7 2008 8.1
OS CPE: cpe:/o:microsoft:windows_7::- cpe:/o:microsoft:windows_7::sp1 cpe:/o:microsoft:windows_server_2008::sp1
cpe:/o:microsoft:windows_server_2008:r2 cpe:/o:microsoft:windows_8 cpe:/o:microsoft:windows_8.1
OS details: Microsoft Windows 7 SP0 - SP1, Windows Server 2008 SP1, Windows Server 2008 R2, Windows 8, or Windo
ws 8.1 Update 1
Network Distance: 1 hop
OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 14.58 seconds
```