

1. Use Case Descriptions:

a. Use Case: Create Profile

Primary Actor: *Possible Activist*

Goal in context: *Allow visitors to create a profile for the website, and join the application's "activist" user base.*

Preconditions: *The email entered for registration, must not already be in the "user" table in the database.*

Trigger: *Possible Activist clicks on the "Register" button in the web application.*

Scenario:

- i. *Possible activists visit the Protestify website.*
- ii. *Possible activist clicks on the "Register" button.*
- iii. *Possible activist follows the registration process.*
- iv. *Possible activist is registered and has an account within the userbase.*

Exceptions:

- i. *If users enter an email already found within the user base, they will not be able to create an account.*

b. Use Case: View Rally

Primary Actor: *Any user.*

Goal in context: *Allow users to view details of rallies being promoted on the website.*

Preconditions: *Users must have the ability to view the website (Appropriate Client Device, Stable Connection).*

Trigger: *The user clicks on the "View Details" button associated with a rally post being promoted on the website.*

Scenario:

- i. *User visits the Protestify website.*
- ii. *User clicks on the "View Details" button of a certain rally.*
- iii. *User can view the details of the specific rally.*

Exceptions:

- i. *N/A*

c. Use Case: *Suggest Rally*

Primary Actor: *Activist.*

Goal in context: *Allow activists to suggest a rally to promote on the website.*

Preconditions: *N/A.*

Trigger: *The user clicks on the "Promote your Rally" button on the website.*

Scenario:

- i. *Activist visits the Protestify website.*
- ii. *Activist signs into account.*
- iii. *Activist clicks on the "Promote your Rally" button.*
- iv. *Activist enters necessary information about the rally.*
- v. *Suggested rally is sent to the admin queue for approval.*

Exceptions:

- i. *If the activist already has a rally waiting for approval, they are unable to suggest another rally until an admin makes a decision about the activist's initial rally.*

d. Use Case: *Mark attendance for a Rally*

Primary Actor: *Activist.*

Goal in context: *Allow activists to mark that are going to attend a rally being promoted on the website.*

Preconditions: *Must have a registered account to mark attendance.*

Trigger: *The activist checks on the "Attending Rally?" check box associated with the specific rally post.*

Scenario:

- i. *Activist visits the Protestify website.*
- ii. *Activist signs into account.*
- iii. *Activist clicks on the "View Details" button of a certain rally.*
- iv. *Activist checks the "Attending Rally?" check box.*

Exceptions:

- i. *N/A*

e. Use Case: *Edit Rally*

Primary Actor: *Activist.*

Goal in context: *Allow activists to edit details of their promoted rally.*

Preconditions: *The activist must be the organizer of the rally to be able to edit the rally.*

Trigger: *The activist checks on the "Edit Rally" button associated with a rally post being promoted on the website.*

Scenario:

- i. *Activist visits the Protestify website.*
- ii. *Activist signs into account.*
- iii. *Activist clicks on the "Edit Rally" button of a certain rally they are the organizer of.*
- iv. *Activist makes edits to their rally.*
- v. *Activist submits edits to rally; Edited rally is placed in admin queue.*

Exceptions:

- i. *N/A*

f. Use Case: *View Pending Rally*

Primary Actor: *Admin.*

Goal in context: *Allow admin to view details of a suggested rally.*

Preconditions: *There must be a pending suggested rally, to view the pending rally.*

Trigger: *The admin clicks on the "Pending Rallies" button.*

Scenario:

- i. *Admin visits the Protestify website.*
- ii. *Admin signs into account.*
- iii. *Admin clicks on the "Pending Rallies" button from the admin dashboard.*

Exceptions:

- i. *N/A*

g. Use Case: Approve/Deny Rally

Primary Actor: Admin.

Goal in context: Admins will be able to decide whether or not the suggested rally is appropriate to be hosted on the website.

Preconditions: There must be a pending suggested rally, to view and approve/deny the pending rally.

Trigger: The admin clicks on the "Pending Rallies" button.

Scenario:

- i. Admin visits the Protestify website.
- ii. Admin signs into account.
- iii. Admin clicks on the "Pending Rallies" button from the admin dashboard.
- iv. Admin selects a rally from the pending rallies queue.
- v. Admin approves/denies the rally.

Exceptions:

- i. N/A

h. Use Case: Delete Rally

Primary Actor: Admin.

Goal in context: Admins will be able to remove approved rallies from being promoted on the website.

Preconditions: There must be a rally promoted, for the admin to delete the rallies.

Trigger: The admin clicks on the "Promoted Rallies" button.

Scenario:

- i. Admin visits the Protestify website.
- ii. Admin signs into account.
- iii. Admin clicks on the "Promoted Rallies" button from the admin dashboard.
- iv. Admin selects a rally from the promoted rallies list.
- v. Admin removes the promoted rally.

Exceptions:

- i. N/A