Causes of variation in vaccine efficacy in a wild rodent population

Saudamini Venkatesan[1], Ewan Smith[2], Amy B. Pedersen[1,†], and Simon A. Babayan[2,†,*]

[1]Institute of Evolutionary Biology, University of Edinburgh, Scotland, UK, EH9 3JT
[2]Institute of Biodiversity, Animal Health and Comparative Medicine, University of Glasgow, Glasgow, G12 8QQ, Scotland, UK,
[†]These authors contributed equally to this work
[*]Corresponding authors: amy.pedersen@ed.ac.uk, simon.babayan@glasgow.ac.uk

TODO LIST

Fix author list & affiliations

Individuals vary broadly in their response to vaccination and subsequent challenge infection, with poor vaccine responders causing persistence of both infection and transmission in populations.

Keywords: Helminth; vaccine; immunoparasitology; machine learning; pathway analysis; ageing.

INTRODUCTION

Individuals vary widely in their responses to vaccination and little is known about the causes underlying low vaccine efficacy, nor how effective a vaccine will be "in the real world" against the pathogen for which it has been developed.[1]

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

RESULTS

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.



METHODS

Notebooks produced using Pluto.jl v.0.17.7[2]

ACKNOWLEDGEMENTS

COMPETING INTERESTS

The authors declare that there are no competing interests.

AUTHOR CONTRIBUTIONS

REFERENCES

1. Belkin, M. & Niyogi, P. *Using manifold stucture for partially labeled classification* in *Advances in neural information processing systems* (2002), 929–936.

2. Van der Plas, F. *et al. fonsp/Pluto.jl: v0.17.7* version v0.17.7. Jan. 2022. `https://doi.org/10.5281/zenodo.5889169`.

FIGURE LEGENDS

SUPPLEMENTARY INFORMATION

Supplementary Data 1

Supplementary Data 2

Supplementary Data 3

Supplementary Figures