PEER REVIEW v2 · BUILD-AGENT HANDOFF · 2026-09-16

agentic_fomprep — audit of prior review

Repo https://github.com/SimonBarnett/agentic_fomprep
Previous review commit: `e9516f416fd5458ab25b8732f9a3139b277707ae`
This review commit: `c1b2ebe177858baca4e78bafa27610970b2a54cb`
Action commit message: Fix P0-T4 / P0-V1 / P0-A1 / P0-I1 / P1-L1 / P1-R1 / P1-H1 / P1-W2 / P2-T2 / P2-N1; AT1 rewritten; no SQL-flip UPD.

Code review of the action commit is largely honest. P0-T4, V1, I1, A1 (code), L1, R1, H1, W2, T2, N1 are in tree. P0-W1 is not: selectors.json and formprep.mjs are byte-identical to e9516f4. AT1/AT4/AT7 are rewritten but this review did not execute them on DEV1. Do not treat "commit cites the finding ID" as "AT green on the estate."

0. Verdict

Prior review: REJECT as overnight MVP. This review: still REJECT as overnight MVP, but WP1 SQL/park work is no longer the blocker. The remaining ship gate is P0-W1 (pin web) plus a DEV1 log that AT4 and AT7 actually exited 0. CLI-after-park (AT1 -SkipWeb) is blocked until CredMan CE/Priority/Si exists — the action commit itself says CLI was skipped.

1. Scorecard against review v1

ID	v1 demand	v2 status	Evidence
P0-T4	AT4 must not require global Y==3	DONE in code	AT4 snapshots yBefore; expectedOpen=yBefore+5-zclaAlreadyY; cleanup expects yBefore
P0-T1	AT1 force Y, snapshot lastprep, no SQL-flip N	DONE in code; NOT proven live	AT1 updates Y, SkipWeb, throws if moved<1. Commit: CLI skipped no CredMan
P0-V1	bigint after>before, no DateTime	DONE	Test-LastPrepAdvanced + tests/unit-lastprep.ps1 in Test-Pack
P0-W1	Pin selectors on real UI	NOT DONE	selectors.json sha a659b46 and formprep.mjs sha a61efeb unchanged
P0-A1	Live probe before park	DONE in code	session-probe.mjs + Invoke-WebSessionProbe; AT7 no SkipWeb
P0-I1	int64 exec/pid	DONE	Get-FormExec [int64]; tests/unit-lock-execid.ps1
P1-C1	Password off argv	ACCEPTED residual	Invoke-CliFormPrep.ps1 unchanged; README documents P1-C1
P1-L1	Drop ICMP	DONE	Test-LockIsLive is PID!=0 AND LOCKEXPIRY>0 only
P1-R1	Restore LOCKEXPIRY	DONE in code	prev_lockexpiry in INSERT; AT4 asserts dummy expiry
P1-H1	Empty FORMKEYS dump	DONE	hooks/formkeys.psd1 three empty arrays
P1-W2	node missing before park	DONE in code	Probe returns node_missing as expired; Install-OnDev hardens npm
P1-S1	AT7 without SkipWeb	DONE in code	AT7 Prepare-Forms with no SkipWeb; park rowcount unchanged
P2-T2	AT3 off-DEV fixture	DONE	tests/AT3-index-dialog.ps1 + Test-Pack
P2-N1	Spell formprep in README	DONE	Title line includes both spellings
P2-G1	WhatIf ok=false exit 0	UNCHANGED (ok)	Still documented

2. What the action commit got right

- Finding IDs in the commit message match files that actually changed. This is how a build agent should work.
- AT4 expected-open formula is the one specified (Y_before + 5 – ZCLA already Y). Dummy force no longer assumes 8.
- LASTPREPDATE compare is int64 only. unit-lastprep is in Test-Pack.
- Did not SQL-flip UPD='N' when CLI could not compile (AT1 throws instead). That is the hard rule holding.
- Live probe is a separate 10s headed-off Playwright goto, not just cookie presence.

• Park DDL gained prev_lockexpiry. Install-OnDev already refused ALTER while OPEN rows exist — agent must run ApplyParkTable when OPEN=0 so the new column exists on DEV1.

3. Remaining P0 — do these next

P0-W1 Web selectors still unverified (unchanged blobs) **P0**

Files. src/web/selectors.json pinnedAt=unverified-packaged-2026-09-16-pin-on-DEV1; src/web/formprep.mjs

Problem. Identical to e9516f4. progressText is still the menu title “Form Preparation”. First button named OK is still first(). No frame locators. AT1 explicitly -SkipWeb because of this.

Why it matters. Without a pin, the default path (CLI miss → web) will click the wrong OK or mark completed in 8s and restore a queue that never compiled.

Fix. Headed run on DEV1. Replace selectors.json with locators that clicked Unprepared Forms for real. Set pinnedAt to that date. Wait on a progress control that is not the menu string. Commit screenshots under tests/fixtures/web-pin/ (no cookies).

Acceptance. selectors.json pinnedAt is an ISO date after 2026-09-16 and formprep.mjs sha != a61efeb. One run dir shows LASTPREPDATE int64 increased for at least one ZCLA name.

P0-DEV AT4 / AT7 / AT1 not evidenced as executed on DEV1 **P0**

Files. tests/AT4-abort-restores.ps1 ; AT7 ; AT1 ; no logs in repo

Problem. Scripts are rewritten. This review has no at4-hold.out.log, no Y-count before/after, no AT7 PASS line from CE-PRIORITY-DEV. README still says AT4 is skip off-DEV.

Why it matters. A rewritten test that never ran is how WP1 was “done” last time with Y==3 baked in.

Fix. Run on DEV1 after ApplyParkTable (prev_lockexpiry). Paste into the PR: AT4 Y-count before/after, expectedOpen, restoredCount; AT7 parkedCount=0; AT1 before/after lastPrep integers or the explicit CLI-skip throw.

Acceptance. Three log blocks in README or tests/last-dev-run.md dated today. No secrets.

P0-DDL DEV park table may still lack prev_lockexpiry **P0**

Files. sql/001_agent_formprep_park.sql ; tools/Install-OnDev.ps1 ; Restore-ParkSnapshot.ps1

Problem. Code INSERTs prev_lockexpiry. An existing AGENT_FORMPREP_PARK created yesterday will throw on park until ApplyParkTable drops/recreates (only when OPEN=0).

Why it matters. First AT4 after pull fails in INSERT, or restore writes expiry 0 and AT4 expiry assert throws.

Fix. On DEV1: SELECT name FROM sys.columns WHERE object_id=OBJECT_ID('dbo.AGENT_FORMPREP_PARK'). If prev_lockexpiry missing and OPEN=0, Install-OnDev.ps1 -ApplyParkTable. If OPEN>0, RepairOpenParks first.

Acceptance. Column exists; AT4 dummy LOCKEXPIRY assert passes.

4. Remaining P1 / nits

P1-C1 WINRUN password still on argv **P1**

Files. src/Private/Invoke-CliFormPrep.ps1 (sha 66f7ef0 unchanged)

Problem. Accepted in README as DEV-only residual. Still true.

Why it matters. Shared RDP box.

Fix. Leave unless winrun supports a response file. Do not spend the pin night on this.

Acceptance. cli-stdout.txt never contains the secret (already redacted).

P1-A1b Session probe is headless and only checks URL/title **P1**

Files. src/web/session-probe.mjs chromium.launch({ headless: true })

Problem. Priority may bounce a headless client to a generic title that is not login|logon. Probe then auth=ok on a dead session, and you park anyway.

Why it matters. Weaker than the headed Form Prep path.

Fix. Also require getByText('My Shortcuts') within 8s (same string as formprep.mjs). If missing → expired. Optionally headed if headless false-passes.

Acceptance. Corrupt cookies + valid file shape → probe exit 2, AT7-equivalent parkedCount=0.

P2-SQL README inspect query still joins dbo.EXEC **P2**

Files. README.md Inspect block

Problem. Pinned catalog is dbo.T$EXEC / T$EXEC. The sample SELECT will 404 on DEV1.

Why it matters. Operator runs the cheat-sheet and thinks recon is wrong.

Fix. Replace with the pinned names from config/dev.psd1.

Acceptance. README SQL runs as written on system.

5. Ordered work package (v2)

- **Step 0.** DEV1: OPEN park count; ApplyParkTable if prev_lockexpiry missing.
- **Step 1.** AT4. Paste Y-count before/after and expectedOpen.
- **Step 2.** AT7. Paste parkedCount=0 and park table rowcount.
- **Step 3.** Set-WinrunCredential if missing. AT1 -SkipWeb. If moved=0, that is a CLI fact — do not SQL-flip.
- **Step 4.** P0-W1 headed pin. Change selectors.json + formprep.mjs. Commit fixtures.
- **Step 5.** One named form with web enabled. LASTPREPDATE int64 increased. RestoreOk.
- **Step 6.** Tighten session-probe to require My Shortcuts (P1-A1b). Fix README SQL (P2-SQL).
- **Forbidden:** AllUnprepared, FORMKEYS INSERT, argv rewrite, repo rename.

6. Review metadata

Field	Value
Repo	https://github.com/SimonBarnett/agentic_fomprep
Prior review SHA	e9516f416fd5458ab25b8732f9a3139b277707ae
This SHA	c1b2ebe177858baca4e78bafa27610970b2a54cb
Actioned in code	P0-T4 T1 V1 A1 I1; P1-L1 R1 H1 W2 S1; P2-T2 N1
Not actioned	P0-W1 (same blobs); P1-C1 (accepted)
Not executed here	AT1 AT4 AT7 on CE-PRIORITY-DEV1; Playwright pin
Disposition	Code follow-through: PASS. Overnight MVP: still FAIL until P0-W1 + DEV1 AT logs.

Next PR: “pin P0-W1 selectors” plus tests/last-dev-run.md with AT4/AT7 output. Do not open a third executor.