

PEER REVIEW v3 · BUILD-AGENT HANDOFF · 2026-09-16

agentic_fomprep — after the DEV1 web pin

Repo https://github.com/SimonBarnett/agentic_fomprep
v2 commit: c1b2ebe177858baca4e78bafa27610970b2a54cb
This commit: 1d10a6b2a521b85074aa4c8a5c3b1f8d203adc0e
Action: Pin P0-W1; LASTPREPDATE moved; company dialog; last-dev-run.md.

v2 said overnight MVP fails until P0-W1 and DEV1 AT logs. Both landed. ZCLA_PARTLONGDESC 101883 went UPD=N and LASTPREPDATE 0 → 20359477 via executor=web, park 4/4 restored. That is the first honest compile this repo has. Do not declare unattended overnight done: CLI still no-ops, Playwright is headed, company string is “D - Clarkson Evans Live”, and last-dev-run admits siblings compiled after restore while server prep was still running.

0. Verdict

CONDITIONAL ACCEPT as a supervised one-form web runner on DEV1. REJECT as an overnight / multi-form unattended agent until P0-BG (wait for server prep before restore) and P0-CO (prove the Live company is the DEV company) are closed. CLI path remains a documented no-op (exit 0, lastprep unchanged). Keep it as probe-then-web, not as the success path.

1. Scorecard vs review v2

ID	v2 demand	v3 status	Evidence
P0-W1	Pin selectors; formprep.mjs sha change; lastprep moves	DONE	pinnedAt=2026-09-16T12:20:00Z; formprep.mjs 26123877; 0→20359477
P0-DEV	AT4/AT7/AT1 logs on DEV1	DONE (AT1=fail-honest)	tests/last-dev-run.md: AT4 5/5, AT7 park=0, AT1 moved=0 no SQL-flip
P0-DDL	prev_lockexpiry on DEV table	DONE	last-dev-run: OPEN=0 column present
P1-A1b	Probe must see dashboard tile	DONE	session-probe headed; Form Preparation / Select Company
P2-SQL	README join T\$EXEC	DONE	JOIN dbo.[T\$EXEC] E ON E.[T\$EXEC]=L.[T\$EXEC]
P1-C1	argv password	OPEN / accepted	WINRUN argv fixed to "" Si ***; password still on command line
AT1 live compile	CLI or web moves lastprep	WEB only	SkipWeb AT1 failed; SkipCli web run succeeded for one name

2. What this pin actually proved

- Dashboard tile is Form Preparation, not My Shortcuts. Selectors now match DEV1.
- Frame walk + popup Form Prep window. progressText is Preparing, not the menu title.
- SQL hard rule held: ok=true only with UPD=N and lastprep 0→20359477. Park 4 restored 4.
- AT4 ran on a Y-count of 3 without requiring that constant. Formula held.
- AT7 deleted storageState, exit 2, park table rowcount unchanged.
- CLI: three argv mistakes found and written down (WINACTIV as database, CredMan username as password, missing empty title). After fix still lastprep=0. No SQL-flip.

3. New / remaining P0

P0-BG Server Form Prep outlives restore

P0

Files. tests/last-dev-run.md P0-W1 note; src/Public/Prepare-Forms.ps1 finally restore; src/web/formprep.mjs

Problem. One-name run targeted ZCLA_PARTLONGDESC. last-dev-run says all three ZCLA_PARTLONG* ended UPD=N / 20359477 because “siblings may have compiled after restore while server prep was still running.” That means restore put DHIST/DREV back to Y, then the still-running prep compiled them. Park isolation leaked.

Why it matters. This is the Sev-1 park failure mode with extra steps: you restore ~N parked rows as unprepared, then a background prep compiles an uncontrolled set. Overnight that can be hundreds of forms, including ones with index dialogs you never saw.

Fix. Before restore: wait until EXECPREPLOCK has no live PID/LOCKEXPIRY on the DEV box and no Form Prep UI/process. Optionally poll until target lastprep moved, then wait a quiet period (e.g. 15s no Y-count change) before restore. If siblings must not compile, they should stay parked until the server process is dead. Do not treat “Errors Report appeared” as process-exit.

Acceptance. Repeat one-name run. After restore+30s, DHIST and DREV lastprep/UPD equal the pre-run snapshot unless they were named targets. Log PID/LOCKEXPIRY around restore.

P0-CO Company click target is named Live

P0

Files. src/web/selectors.json companyName=D - Clarkson Evans Live; formprep.mjs Select Company click

Problem. Web host is prioritydev, SQL is 10.220.0.5\DEV. The UI label the runner clicks is “D - Clarkson Evans Live”. That may be a DEV company whose title was copied from production. It may also be the wrong company.

Why it matters. Form Prep compiles against the selected company. A mis-click compiles the wrong dictionary or, worse, a live-shaped company on a shared app server.

Fix. Pin the company by a DEV-only token (database name, company code, not the marketing word Live). Refuse to click any option whose text matches PRI / production / live unless config.AllowLiveCompanyLabel=\$true is set after a human writes the company code into last-dev-run.md. Confirm WINRUN company=base and web company map to the same T\$EXEC rows (101883).

Acceptance. A comment in selectors.json: company code, SQL company DB, and “this is DEV’s Live-named company, not PRI.” One query showing 101883 exists only on DEV.

4. P1 leftovers

P1-HD Headed Chromium required

P1

Files. formprep.mjs headless:false; session-probe.mjs headless:false

Problem. Unattended overnight needs an unlocked interactive session on DEV1. A disconnected RDP will fail the probe or the tile click.

Why it matters. The original goal was unattended.

Fix. Document: runner must be tasked while a desktop session is live, or use a persistent interactive service account. Do not switch headless on without a DEV1 proof — they already learned headless misses the framed dashboard.

Acceptance. README “unattended” sentence replaced with “supervised desktop on DEV1” until a session 0 proof exists.

P1-C1 CLI still does not compile; password still on argv

P1

Files. tests/last-dev-run.md WP3; Invoke-CliFormPrep.ps1

Problem. After argv repair, winrun exits 0 and LASTPREPDATE stays 0. CLI is not a success path on this instance (matches the original design note). Password remains on the process command line.

Why it matters. Agents will keep “fixing” CLI for nights.

Fix. Default -SkipCli on DEV1 until a WP3 run moves lastprep. Keep probe code. Do not treat exit 0 as compiled (already SQL-gated).

Acceptance. README test table: CLI = no-op on CE DEV. Web = success path.

P1-PS web-result.progressSeen is false on the successful run

P1

Files. tests/fixtures/web-pin/web-result.json

Problem. Completed via Errors Report tab, not a Preparing control. Fine for this pin. The 8-second “progress gone” shortcut is less likely now, but completion still is not process-exit (see P0-BG).

Why it matters. UI completed ≠ server idle.

Fix. Treat errors-report as “UI done”, then apply P0-BG wait.

Acceptance. Same as P0-BG acceptance.

5. Ordered work package (v3)

- **Step 1.** P0-BG: wait for no live EXECPREPLOCK PID before restore. Re-run one-name ZCLA_PARTLONGDESC. Assert siblings' UPD/lastprep unchanged unless named.
- **Step 2.** P0-CO: write the DEV company code next to “D - Clarkson Evans Live” in selectors.json and last-dev-run.md. Refuse other company labels.
- **Step 3.** Default SkipCLI on the public example until CLI moves lastprep.
- **Step 4.** AT1 via web (drop SkipWeb) for the three names only after P0-BG so siblings are intentional.
- **Step 5.** README: supervised desktop, not overnight-unattended.
- **Forbidden:** AllUnprepared, SQL-flip UPD, headless-on without proof, clicking a second company, PRI.

6. Review metadata

Field	Value
Repo	https://github.com/SimonBarnett/agentic_fomprep
This SHA	1d10a6b2a521b85074aa4c8a5c3b1f8d203adc0e
v2 SHA	c1b2ebe177858baca4e78bafa27610970b2a54cb
First proven compile	ZCLA_PARTLONGDESC 101883 lastprep 0→20359477 executor=web park 4/4
Closed from v2	P0-W1 P0-DEV P0-DDL P1-A1b P2-SQL
Open P0	P0-BG restore-vs-running-prep; P0-CO Live company label
Disposition	CONDITIONAL ACCEPT supervised one-form web on DEV1. REJECT unattended overnight.

Next PR: “fix P0-BG wait-for-idle before restore” plus a one-name run where unnamed ZCLA siblings do not move. Keep last-dev-run.md updated. Do not chase CLI compile until that is green.