
users				logs	
id 🔑		int	_0	id 🔑	int
username	varchar(50)	NN		user_id 🔗	int
password_hash	varchar(255)	NN		action	varchar(50) NN
full_name	varchar(100)	NN		entity	varchar(50) NN
role	enum(admin,user)	NN		entity_id	int NN
created_at	timestamp	NN		details	text
				created_at	timestamp NN





users			logs	
id 🔑	int	01	id 🔑	ir
username	varchar(50) NN	*	user_id 🔗	ir
password_hash	varchar(255) NN		action	varchar(50) NI
full_name	varchar(100) NN		entity	varchar(50) Ni
role	enum(admin,user) NN		entity_id	int NI
created_at	timestamp NN		details	tex
			created_at	timestamp NI

companies				devices	
id 🔑	int	01		id 🔑	int
name	varchar(150) NN			device_name	varchar(100) NN
city	varchar(150)			device_type	enum(szerver,gép,laptop,monitor,nyomtató,telefon,switch,router) NN
address	varchar(255)			serial_number	varchar(100) NN
contact_person	varchar(150)		*	company_id 🔗	int
contact_email	varchar(150)			status	enum(kiadható,kiadva,szerelés alatt,selejtezett) NN
contact_phone	varchar(100)			is_invoiced	tinyint NN
created_at	timestamp NN			description	text
				created_at	timestamp NN
				updated_at	timestamp NN

