

1 Annexes

1.1 Complete Cursor Conversation — Opus NovaNest

The following annex reproduces all user messages from the Cursor agent conversation used to generate the Opus_NovaNest application (Claude 4.7 Opus, Astro / SolidJS stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named NovaNest that sells Sleek, smart home tech including app-controlled doorbell cameras and We will use a modern stack: [Astro, Tailwind CSS, SolidJS, Nanostores]. Initialize the b and set up a basic landing page.

Message 2

can we correct this ?

```
Error: The module '...\C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\
was compiled against a different Node.js version using
NODE_MODULE_VERSION 127. This version of Node.js requires
NODE_MODULE_VERSION 137. Please try re-compiling or re-installing
the module (for instance, using 'npm rebuild' or 'npm install').
    at Object..node (node:internal/modules/cjs/loader:1988:18)
    at Module.load (node:internal/modules/cjs/loader:1553:32)
    at Module._load (node:internal/modules/cjs/loader:1355:12)
    at wrapModuleLoad (node:internal/modules/cjs/loader:255:19)
    at Module.require (node:internal/modules/cjs/loader:1576:12)
    at require (node:internal/modules/helpers:153:16)
    at bindings (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_
    at new Database (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cy
    at getDb (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semes
    at eval (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20sement
    at index (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semes
    at callComponentAsTemplateResultOrResponse (file:///C:/Users/simon/Desktop/UQAC/Uqac
    at renderToAsyncIterable (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Pr
    at renderPage (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Spec
    at lastNext (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at async callMiddleware (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Pro
    at async RenderContext.render (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%2
    at async handleRoute (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet
    at async run (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Speci
    at async runWithErrorHandling (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%2
    at async handleRequest (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Proj
```

Message 3

Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.

6

3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 4

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 5

In the website implement at least five products, and edit our landing page to display the

Message 6

start the application

Message 7

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 8

even if i add stuff in my cart, he stays empty Your cart is empty.

Message 9

when i clicked to add stuff to my cart I have the animation but I don't have things in my

Message 10

In the landing page, create a product catalog page with search and filtering fields. Add a review system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local files

Message 11

Implement a display of the meteo in chicoutimi in our landing page

Message 12

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 13

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 14

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 15

I can't download the invoice the cart page go out to fast

Message 16

Add a feature in the admin panel that allows an admin to upload a csv file to create new

Message 17

If the available MCP tools do not fully support what the user asked you to do, complete

Message 18

Add a feature in the admin panel that allows an admin to upload a csv file to create new

Message 19

start the application

Message 20

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 21

kill the terminals and summarise the conversation

Message 22

can you launch the app ?

Message 23

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 24

start the application

Message 25

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 26

can you start the nova test website ?

1.2 Complete Cursor Conversation — Codex HydroFlasked

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Codex5.3_HydroFlasked` application (GPT-5.3 Codex, Next.js / Prisma / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named HydroFlasked that sells Premium stainless steel travel tumblers, custom glassware, and insulated wine project with a clean folder structure, a local database and set up a basic landing page.

Message 2

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 3

can you run the commands for me ?

Message 4

Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 5

le bouton register et sign in load to the infinite

Message 6

Create or modify the Admin Panel allowing administrators to view and modify user record create and update product details, and manually adjust user balances.

Message 7

when i click to save the edit in the administrator pannel it doesn't change anything

Message 8

Create or modify the Admin Panel allowing administrators to view and modify user record create and update product details, and manually adjust user balances.

Message 9

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 10

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 11

In the landing page, create a product catalog page with search and filtering fields. Add a system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local file

Message 12

Implement a display of something in link with our website using an open api

Message 13

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 14

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 15

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 16

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.3 Complete Cursor Conversation — Composer SproutSoil

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Composer2.5_SproutSoil` application (Composer 2.5, FastAPI / React / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named SproutSoil that sells Smart indoor herb garden kits, self-watering ceramic planters, and specialize

Message 2

can you run the commands for me ?

Message 3

can you restart the last prompt ?

Message 4

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 5

plement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 6

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 7

In the website implement at least five products, and edit our landing page to display the

Message 8

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 9

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 10

In the landing page, create a product catalog page with search and filtering fields. Add a system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local file

Message 11

Implement a display of something linked to our website using an API

Message 12

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page'

Message 13

Implement a post-purchase invoice feature. After a purchase simulation the user need to be able to download an invoice file in a pdf format.

Message 14

Briefly inform the user about the task result and perform any follow-up actions (if needed)

Message 15

I got a Failed to download invoice when I try to download my invoice

Message 16

If the available MCP tools do not fully support what the user asked you to do, complete the task

Message 17

I got a Failed to download invoice when I try to download my invoice

Message 18

Add a feature in the admin panel that allows an admin to upload a csv file to create new products

1.4 Complete Cursor Conversation — Composer AuraAsh

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Composer2.5_AuraAsh` application (Composer 2.5, Next.js / Prisma / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named AuraAsh that sells Hand-poured soy wax candles with wooden wicks, concrete incense holders, and

Message 2

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 3

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 4

launch it for me

Message 5

plement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 6

Create or modify the Admin Panel allowing administrators to view and modify user record create and update product details, and manually adjust user balances.

Message 7

A tree hydrated but some attributes of the server rendered HTML didn't match the client

- A server/client branch `'if (typeof window !== 'undefined')`.
- Variable input such as `'Date.now()'` or `'Math.random()'` which changes each time it's ca

- Date formatting in a user's locale which doesn't match the server.
- External changing data without sending a snapshot of it along with the HTML.
- Invalid HTML tag nesting.

It can also happen if the client has a browser extension installed which messes with the

See more info here: <https://nextjs.org/docs/messages/react-hydration-error>

+ Client- Server

```
...
<HotReload globalError={[[...]]} websocket={WebSocket} staticIndicatorState={{pathname
  <AppDevOverlayErrorBoundary globalError={[[...]]}>
    <ReplaySsrOnlyErrors>
    <DevRootHTTPAccessFallbackBoundary>
      <HTTPAccessFallbackBoundary notFound={<NotAllowedRootHTTPFallbackError>}>
        <HTTPAccessFallbackErrorBoundary pathname="/" notFound={<NotAllowedRootHTTPF
          <RedirectBoundary>
            <RedirectErrorBoundary router={{...}}>
              <Head>
                <__next_root_layout_boundary__>
                  <SegmentViewNode type="layout" pagePath="layout.tsx">
                    <SegmentTrieNode>
                      <link>
                      <script>
                      <script>
                      <script>
                    <RootLayout>
                      <html
                        lang="en"
                        className="cormorant_garamond_daadab97-module__8jWC7q__variabl
-                        data-darkreader-mode="dynamic"
-                        data-darkreader-scheme="dark"
                      >
                    ...
                    <div className="mx-auto fl...">
                      <LinkComponent>
                      <nav>
                      <div className="flex items...">
                        <div>
                          <button type="button" aria-label="Open cart" className="
                            <svg
                              xmlns="http://www.w3.org/2000/svg"
                              fill="none"
```

```

viewBox="0 0 24 24"
strokeWidth={1.5}
stroke="currentColor"
className="size-5"
- style={{--darkreader-inline-stroke:"currentColor"}}
- data-darkreader-inline-stroke=""
>
...

```

src\components\layout\Header.tsx (97:13) @ Header

```

95 |         className="relative rounded-full p-2 text-ash transition-colors hover:
96 |         >
> 97 |         <svg
    |         ^
98 |         xmlns="http://www.w3.org/2000/svg"
99 |         fill="none"
100 |         viewBox="0 0 24 24"

```

Call Stack 18

createConsoleError

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
handleConsoleError

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
error

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
emitPendingHydrationWarnings/<

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
runWithFiberInDEV

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
emitPendingHydrationWarnings

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
completeWork

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
runWithFiberInDEV

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
completeUnitOfWork

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
performUnitOfWork

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
workLoopConcurrentByScheduler

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
renderRootConcurrent

```

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
performWorkOnRoot
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
performWorkOnRootViaSchedulerTask
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
performWorkUntilDeadline
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
svg
unknown (0:0)
Header
src\components\layout\Header.tsx (97:13)
RootLayout
src\app\layout.tsx (36:9)

```

Message 8

```

i got this mistake :
Cannot read properties of undefined (reading 'toString')
src\lib\auth\session.ts (42:38) @ toSafeUser

```

```

40 |     bio: user.bio,
41 |     profilePicture: user.profilePicture,
> 42 |     balance: parseFloat(user.balance.toString()),
    |                                     ^
43 |     role: user.role,
44 |     createdAt: user.createdAt,
45 |     updatedAt: user.updatedAt,

```

Call Stack

8

```

toSafeUser
src\lib\auth\session.ts (42:38)
getCurrentUser
src\lib\auth\session.ts (102:10)
Header
src\components\layout\Header.tsx (15:16)
resolveErrorDev
file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_S
processFullStringRow
file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_S
processFullBinaryRow
file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_S
processBinaryChunk

```

file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_S
progress

file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_S

Message 9

can you restart the server ?

Message 10

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 11

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 12

In the website implement at least five products, and edit our landing page to display the

Message 13

If the available MCP tools do not fully support what the user asked you to do, complete

Message 14

Implement a shopping cart page and a checkout simulation feature. We need
to check if the user got enough money in his account to buy the products
in his cart, if he does not have enough money, display an error message
otherwise update the user balance.

Message 15

In the landing page, create a product catalog page with search and filtering fields. Add
system where authenticated users can submit reviews of the products, the users
need to be able to add an image to his review via a link or by upload one of
his local file

Message 16

Runtime TypeErrorServer

Cannot read properties of undefined (reading 'findMany')

src\lib\reviews.ts (5:39) @ getProductReviews

```

3 |
4 | export async function getProductReviews(productId: string): Promise<ReviewItem[]>
> 5 |   const reviews = await prisma.review.findMany({
    |                                     ^
6 |     where: { productId },
7 |     orderBy: { createdAt: "desc" },
8 |     include: {

```

Call Stack 7

getProductReviews

src\lib\reviews.ts (5:39)

ProductPage

src\app\shop\[slug]\page.tsx (38:22)

resolveErrorDev

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

processFullStringRow

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

processFullBinaryRow

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

processBinaryChunk

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

progress

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

Message 17

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 18

when i go to this page :

<http://localhost:3000/shop/arc-concrete-incense-holder>

i got this :

404

This page could not be found.

And same for other pages

Message 19

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 20

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 21

Implement a display of something link to our website using an api

Message 22

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 23

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 24

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.5 Complete Cursor Conversation — Composer LunaLuxe

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Composer2.5_LunaLuxe` application (Composer 2.5, Astro / SolidJS stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named LunaLuxe that sells Silk sleep masks, thermoregulating bamboo bed sheets, and lavender-infused we

Message 2

can you run the commands for me ?

Message 3

plement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users

and administrators.

3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 4

can you launch the command for me ?

Message 5

```
TypeError: Cannot read properties of undefined (reading 'role')
    at Object.default (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at new AstroComponentInstance (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at createAstroComponentInstance (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at renderAstroComponent (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at renderComponent (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at eval (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at profile (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at callComponentAsTemplateResultOrResponse (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at renderToAsyncIterable (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at renderPage (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at lastNext (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at process.processTicksAndRejections (node:internal/process/task_queues:105:5)
    at async callMiddleware (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at async RenderContext.render (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at async handleRoute (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at async run (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at async runWithErrorHandling (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
    at async handleRequest (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
```

Message 6

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 7

Implement a shopping cart page and a checkout simulation feature. We need to check if the user has enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 8

When I add the products I got the animation but after when I go to my cart I got nothing

Message 9

In the landing page, create a product catalog page with search and filtering fields. Add system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local file

Message 10

Implement a display of something linked to our website using an API

Message 11

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 12

run the migration for me please

Message 13

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 14

If the available MCP tools do not fully support what the user asked you to do, complete

Message 15

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 16

hummm :
http://localhost:4322/
Unable to connect

Firefox can't connect to the server at localhost:4322
What can you do about it?

The site could be temporarily unavailable or too busy. Try again in a few moments.
If you are unable to load any pages, check your computer's network connection.
If your computer or network is protected by a firewall or proxy, make sure that Fire

can you restart the application ?

Message 17

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.6 Complete Cursor Conversation — Opus RoastRitual

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Opus_RoastRitual` application (Claude 4.7 Opus, Next.js / Prisma / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named
RoastRitual that sells Specialty, ethically sourced whole-bean coffees and loose-leaf he
We will use a modern stack: [Next.js, Tailwind,Prisma, PostgreSQL] Initialize the base p
and set up a basic landing page.

Message 2

run all the command locally

Message 3

Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password creden-
tials, handling active user sessions, the user need to be able to have a profile picture
that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users
and administrators.

6

3. A client profile page where users can view, modify, and delete their own profile data
via input forms.

Message 4

- First create and check out a new informatively named branch for this work.
- Use the configured branch name prefix "cursor/" (for example, "cursor/short-description")

Stage the changes you worked on and create a commit for this branch.

- Current branch: main.
- Base branch: main.
- Stage the changes you worked on.
- If there are unrelated files or changes, exclude them.
- Write a concise commit message.
- Do not push.
- Do not include unrelated files in the commit.

Execute the selected diff-tab create-branch-and-commit action.

Message 5

i got this mistake when i tried to create an account :
Unable to create account

Message 6

start the application

Message 7

okay i have another application running on this port, could we use another one ?

Message 8

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 9

console Error

A tree hydrated but some attributes of the server rendered HTML didn't match the client

- A server/client branch 'if (typeof window !== 'undefined')'.
- Variable input such as 'Date.now()' or 'Math.random()' which changes each time it's called.
- Date formatting in a user's locale which doesn't match the server.
- External changing data without sending a snapshot of it along with the HTML.
- Invalid HTML tag nesting.

It can also happen if the client has a browser extension installed which messes with the

See more info here: <https://nextjs.org/docs/messages/react-hydration-error>

HotReload globalError={[]} websocket={WebSocket} staticIndicatorState={{pathname:null

```

<AppDevOverlayErrorBoundary globalError={[[...]]}>
  <ReplaySsrOnlyErrors>
    <DevRootHTTPAccessFallbackBoundary>
      <HTTPAccessFallbackBoundary notFound={<NotAllowedRootHTTPFallbackError>}>
        <HTTPAccessFallbackErrorBoundary pathname="/login" notFound={<NotAllowedRoot
          <RedirectBoundary>
            <RedirectErrorBoundary router={{...}}>
              <Head>
                <__next_root_layout_boundary__>
                  <SegmentViewNode type="layout" pagePath="layout.tsx">
                    <SegmentTrieNode>
                      <link>
                      <script>
                      <script>
                      <script>
                      <RootLayout>
                        <html
                          lang="en"
                          className="dm_sans_d89fb377-module__B_rulq__variable playfair_
-                          data-darkreader-mode="dynamic"
-                          data-darkreader-scheme="dark"
                        >
                      ...

```

src\app\layout.tsx (30:5) @ RootLayout

```

28 | }>) {
29 |   return (
> 30 |     <html
    |     ^
31 |       lang="en"
32 |       className={` ${dmSans.variable} ${playfair.variable} h-full scroll-smooth an
33 |     >

```

Call Stack 17

createConsoleError

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

handleConsoleError

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

error

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

emitPendingHydrationWarnings/<

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

```
runWithFiberInDEV
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
emitPendingHydrationWarnings
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
completeWork
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
runWithFiberInDEV
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
completeUnitOfWork
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
performUnitOfWork
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
workLoopConcurrentByScheduler
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
renderRootConcurrent
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
performWorkOnRoot
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
performWorkOnRootViaSchedulerTask
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
performWorkUntilDeadline
file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe
html
unknown (0:0)
RootLayout
src/app/layout.tsx (30:5)
```

Message 10

can we restart the application

Message 11

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 12

In the website implement at least five products, and edit our landing page to display the

Message 13

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message

otherwise update the user balance.

Message 14

I have a unable to complete checkout, Unable to complete checkout

Message 15

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 16

In the landing page, create a product catalog page with search and filtering fields. Add system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local file

Message 17

Implement a display of chicoutimi in the landing page

Message 18

start the applicatiionn

Message 19

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 20

Where do we display the meteo in chicoutimi in the landing page ?

Message 21

Yes I want to see the live chicoutimi weather displayed on the landing page

Message 22

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 23

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 24

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 25

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 26

when I tried to validate my cart and try to pay it says my cart is empty :
"Your cart is empty Browse our coffees and teas, then add items to your cart."

Message 27

Add a feature in the admin panel that allows an admin to upload a csv file to create new

Message 28

start the applicattion now

1.7 Complete Cursor Conversation — Opus PureRoots

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Opus_PureRoots` application (Claude 4.7 Opus, FastAPI / React / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named
PureRoots that sells Biodegradable bamboo toothbrushes, zero-waste shampoo bars, and ref
We will use a modern stack: [FastAPI (Python), React, Tailwind CSS, PostgreSQL, SQLAlche
and set up a basic landing page.

Message 2

can you make yourself the command ?

Message 3

this chat beugued can you try to retake the old message and make it work ?

Message 4

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 5

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 6

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 7

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 8

Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.

2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.

6

3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 9

when i try to register I got an eror "Not Found"

Message 10

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 11

the log out button don't work

Message 12

okay can you restart the backend and start the application

Message 13

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 14

the apply button doesn't work when I try to click on it in the admin panel when I try to

Message 15

can you restart the backend ?

Message 16

Briefly inform the user about the task result and perform any follow-up actions (if needed)

Message 17

In the website implement at least five products, and edit our landing page to display them

Message 18

Implement a shopping cart page and a checkout simulation feature. We need to check if the user has enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 19

when I try to go for the check out I have :
Checkout could not be completed

Not Found

Message 20

Briefly inform the user about the task result and perform any follow-up actions (if needed)

Message 21

In the landing page, create a product catalog page with search and filtering fields. Add a system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local files

Message 22

Implement a display of the meteo in chicoutimi

Message 23

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 24

If the available MCP tools do not fully support what the user asked you to do, complete

Message 25

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 26

Can we chagne this ?

Admin API not found - restart the backend server.

Message 27

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 28

can we do that ?

Cannot reach the admin API. Start the backend from the project folder: cd backend, then

Message 29

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 30

start the application

Message 31

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 32

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 33

Browser error to investigate:

URL: <http://127.0.0.1:5173/>

Local port: 5173

Category: Connection failure

Error: ERR_CONNECTION_REFUSED

Details: Error Code: -102

URL: <http://127.0.0.1:5173/>

Please help me figure out the most likely cause and the fastest next checks.

Message 34

Checkout could not be completed

Invoice download is unavailable. Restart the backend on port 8000 with the latest code.

Message 35

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 36

Add a feature in the admin panel that allows an admin to upload a csv file to create new

Message 37

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 38

when I try to upload a csv I got :

Method Not Allowed

Message 39

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 40

when I want to delete a product i got the Admin request failed

Message 41

can you do :
cd backend
.venv\Scripts\uvicorn app.main:app --host 127.0.0.1 --port 8000
for me

Message 42

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 43

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 44

Browser error to investigate:
URL: http://127.0.0.1:5173/
Local port: 5173
Category: Connection failure
Error: ERR_CONNECTION_REFUSED
Details: Error Code: -102
URL: http://127.0.0.1:5173/

Please help me figure out the most likely cause and the fastest next checks.

Message 45

kill the terminals

Message 46

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 47

Briefly inform the user about the task result and perform any follow-up actions (if need

1.8 Complete Cursor Conversation — Opus FloraFoam

The following annex reproduces all user messages from the Cursor agent conversation used to generate the Opus_FloraFoam application (Claude 4.7 Opus, Next.js / Prisma / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named FloraFoam that sells Plant-based, cruelty-free facial serums, exosome-infused night cream. We will use a modern stack: [Next.js, Tailwind, Prisma, PostgreSQL]. Initialize the base

Message 2

plement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.

6

3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 3

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 4

when i clicked on the admin page while connect as admin nothing happen

Message 5

In the website implement at least five products, and edit our landing page to display the

Message 6

start the application

Message 7

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products

in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 8

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 9

Can we start the application ?

Message 10

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 11

In the landing page, create a product catalog page with search and filtering fields. Add system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local file

Message 12

Is the application still running on the port 3001 ?

Message 13

when i open <http://localhost:3001> i got : Internal Server Error

Message 14

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 15

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 16

start the application

Message 17

Implement a display of the meteo in chicoutimi in the landing page

Message 18

I have this when i lauch go to `http://localhost:3000` Internal Server Error

Message 19

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 20

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 21

when i open `http://localhost:3000/` i got Internal Server Error

Message 22

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 23

okay can we now Implement a post-purchase invoice feature. After a purchase simulation t
to download an invoice file in a pdf format.

Message 24

i got the Internal Server Error again

Message 25

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 26

when i go to `http://localhost:3000/api/invoices/cmpvyg72d000agf2kl6wi28jk`, my invoice i
Looks like there's a problem with this site

The server at `localhost:3000` sent back an error: 500 Internal Server Error

What can you do about it?

Check to make sure you've typed the website address correctly.

The site could be temporarily unavailable or too busy. Try again in a few moments.

Message 27

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 28

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 29

Add a feature in the admin panel that allows an admin to upload a csv file to create new

Message 30

can you correct the Internal Server Error please

Message 31

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 32

Briefly inform the user about the task result and perform any follow-up actions (if need

1.9 Complete Cursor Conversation — GPT-5.5 AeroPure

The following annex reproduces all user messages from the Cursor agent conversation used to generate the GPT5.5_AeroPure application (GPT-5.5, Next.js / Prisma / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named AeroPure that sells Multi-device magnetic wireless charging stations, high-capacity solar power b project with a clean folder structure, a local database and set up a basic landing page.

Message 2

can you run all the command to start the application ?

Message 3

plement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 4

okay implement what we sayed in the last prompt

Message 5

can you run the command for me ?

Message 6

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 7

i got an Internal Server Error when i try to connect to the web page

Message 8

Briefly inform the user about the task result and perform any follow-up actions (if needed)

Message 9

In the website implement at least five products, and edit our landing page to display them

Message 10

Implement a shopping cart page and a checkout simulation feature. We need to check if the user has enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 11

when i try to add a product to my cart it just write "something went wrong"

Message 12

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 13

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 14

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 15

In the landing page, create a product catalog page with search and filtering fields. Add system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local file

Message 16

can you start the application ?

Message 17

Implement a display of the meteo in chicoutimi in the landing page

Message 18

I got an Internal Server Error that display when i try to lauch the page

Message 19

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 20

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 21

i got an Internal Server Error

Message 22

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 23

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 24

i got again an Internal Server Error

Message 25

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 26

Add a feature in the admin panel that allows an admin to upload a csv file to create new

Message 27

i got an Internal Server Error again

Message 28

If the available MCP tools do not fully support what the user asked you to do, complete

Message 29

i got an Internal Server Error again

Message 30

Briefly inform the user about the task result and perform any follow-up actions (if need

1.10 Complete Cursor Conversation — GPT-5.5 VoltStream

The following annex reproduces all user messages from the Cursor agent conversation used to generate the GPT5.5_VoltStream application (GPT-5.5, Astro / SolidJS / Nanostores stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

Clean the folder and We are going to build an e-commerce website named VoltStream that sells Ultra-quiet portable air purifiers, desktop humidifiers, and smart water bottle project with a clean folder structure, a local database and set up a basic landing page.

Message 2

can you run all the command ?

Message 3

implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 4

okay implement what we sayed in the last prompt

Message 5

can you run the command for me

Message 6

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 7

can you relaunch the application ?

Message 8

In the website implement at least five products, and edit our landing page to display the

Message 9

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 10

when i go to my cart my products are not it it

Message 11

can you restart the application ?

Message 12

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 13

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 14

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 15

can you start the application ?

Message 16

the button add to cart doesn't work, when we click on it it does nothing

Message 17

the products aren't displayed anymore on the landing page

Message 18

the in cart function in very very beugued can we try to repare it ?

Message 19

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 20

node/module-runner.js:1062:11

TypeError: product is not a function

```
    at children (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20se  
    at file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/  
    at simpleMap (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Speci  
    at For (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20C  
    at createComponent (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%2  
    at ProductCatalogClient (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQ  
    at createComponent (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%2  
    at get children (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%  
    at file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/  
    at catchError (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Spec  
    at get children (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Sp  
    at file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/  
    at file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/  
    at createMemo (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Spec  
    at children (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia  
    at file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/  
    at createMemo (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Spec  
    at provider (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia  
    at createComponent (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%2  
    at file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/  
    at runWithOwner (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Sp  
    at runSuspense (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Spe  
    at Suspense (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia  
    at createComponent (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%2  
    at renderFn (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20se  
    at file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/  
    at createRoot (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Spec  
    at renderToStream (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20  
    at renderToStringAsync (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Proj  
    at Object.renderToStaticMarkup (eval at runInlinedModule (file:///C:/Users/simon/Des  
    at renderFrameworkComponent (eval at runInlinedModule (file:///C:/Users/simon/Deskto  
    at process.processTicksAndRejections (node:internal/process/task_queues:105:5)
```

Message 21

the add to cart button doesn't work anymore

Message 22

can you do again all the function that work around the cart because it just don't work

Message 23

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 24

In the landing page, create a product catalog page with search and filtering fields. Add review system where authenticated users can submit reviews of the products, the users ne to be able to add an image to his review via a link or by upload one of his local file

Message 25

If the available MCP tools do not fully support what the user asked you to do, complete

Message 26

In the landing page, create a product catalog page with search and filtering fields. Add review system where authenticated users can submit reviews of the products, the users ne to be able to add an image to his review via a link or by upload one of his local file

Message 27

Implement a display of pokemons in the landing page using an api or something

Message 28

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 29

uild an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 30

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 31

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.11 Complete Cursor Conversation — GPT-5.5 GamerGrid

The following annex reproduces all user messages from the Cursor agent conversation used to generate the GPT5.5_GamerGrid application (GPT-5.5, FastAPI / React / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named GamerGrid that sells Ergonomic mechanical keyboards, precision gaming mice, and customizable RGB d

Message 2

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 3

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 4

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 5

can you execute the commands ?

Message 6

okay implement what we sayed in the last prompt

Message 7

can you run the command for me

Message 8

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 9

when i try to create an account I got a "Not Found"

Message 10

do we have created an admin account if not can we create one ?

Message 11

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 12

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 13

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 14

the users are Not Found

Message 15

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 16

In the website implement at least five products, and edit our landing page to display the

Message 17

Can we implement the checkout feature ?

Message 18

okay can we implement the checkout feature and start the application ?

Message 19

In the landing page, create a product catalog page with search and filtering fields. Add a review system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local files

Message 20

Implement a display of a quote that we will import from somewhere like an api or something

Message 21

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 22

can you restart the api ?

Message 23

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 24

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 25

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 26

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 27

when I try to download the pdf it says : Not Found

Message 28

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 29

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 30

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 31

Add a feature in the admin panel that allows an admin to upload a csv file to create new

Message 32

when i try to import our csv i got an CSV file

```
apiFetchForm is not defined
```

1.12 Complete Cursor Conversation — Sonnet ZestZing

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Sonnet_4.6_ZestZing` application (Claude Sonnet 4.6, FastAPI / React / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named ZestZing that sells Small-batch gourmet hot sauces, infused truffle oils, and artisanal spice blends.

Message 2

can you launch the application

Message 3

Briefly inform the user about the task result and perform any follow-up actions (if needed).

Message 4

Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user needs to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 5

run the command for me

Message 6

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 7

In the website implement at least five products, and edit our landing page to display the

Message 8

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 9

In the landing page, create a product catalog page with search and filtering fields. Add a review system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local files

Message 10

Implement a display of some quotes using an api or something like that

Message 11

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page needs to be accessible from the admin page

Message 12

Implement a post-purchase invoice feature. After a purchase simulation the user needs to download an invoice file in a pdf format.

Message 13

Briefly inform the user about the task result and perform any follow-up actions (if needed)

Message 14

Add a feature in the admin panel that allows an admin to upload a csv file to create new

Message 15

If the available MCP tools do not fully support what the user asked you to do, complete

Message 16

Add a feature in the admin panel that allows an admin to upload a csv file to create new

Message 17

when i try to import the sample csv i got this mistake : Import failed

Message 18

ca you restart the backend if needed ?

Message 19

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 20

Briefly inform the user about the task result and perform any follow-up actions (if need

1.13 Complete Cursor Conversation — Sonnet Solace Ground

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Sonnet_4.6_Solace_Ground` application (Claude Sonnet 4.6, Astro / SolidJS / Nanostores stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named Solace Ground that sells Premium, heavy-duty yoga mats and meditation cushions crafted from sustainabl

Message 2

restart the last prompt

Message 3

mplement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 4

can you launch it for me ?

Message 5

When i tried to identify on the website it don't work

Message 6

can you create me an admin account in the website

Message 7

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 8

In the website implement at least five products, and edit our landing page to display them

Message 9

Implement a shopping cart page and a checkout simulation feature. We need to check if the user has enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 10

In the landing page, create a product catalog page with search and filtering fields. Add a review system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local files

Message 11

Implement a display of yoga stuff using an api from somewhere you want

Message 12

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page needs to be accessible from the admin page

Message 13

If the available MCP tools do not fully support what the user asked you to do, complete

Message 14

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 15

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 16

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.14 Complete Cursor Conversation — Sonnet EverThread Co

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Sonnet_4.6_EverThreadCo` application (Claude Sonnet 4.6, Next.js / Prisma / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named EverThread Co that sells Timeless wardrobe basics made entirely from 100% certified organic Egyptian c

Message 2

can you lauch the application ?

Message 3

Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 4

I got this mistake when i try to create an account :
Unable to create account

Message 5

do we have an admin account ?

Message 6

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 7

can we correct this :

Runtime PrismaClientValidationErrorServer

Invalid '{imported module ./src/lib/prisma.ts}["prisma"].user.aggregate()' invocation in
C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Project\G

```
67 const [userCount, productCount, totalBalance] = await Promise.all([
68   {imported module ./src/lib/prisma.ts}["prisma"].user.count(),
69   {imported module ./src/lib/prisma.ts}["prisma"].product.count(),
→ 70   {imported module ./src/lib/prisma.ts}["prisma"].user.aggregate({
      select: {
        _sum: {
          ~~~~
          select: {
            balanceCents: true
          }
        },
        ? _count?: true,
        ? _min?: true,
        ? _max?: true
      }
    })
```

Unknown field '_sum' for select statement on model 'AggregateUser'. Available options are

src\app\admin\page.tsx (11:51) @ AdminDashboardPage

```
9 |
10 | export default async function AdminDashboardPage() {
```



```

> 11 |   const [userCount, productCount, totalBalance] = await Promise.all([
      |   ^
      |   prisma.user.count(),
      |   prisma.product.count(),
      |   prisma.user.aggregate({ _sum: { balanceCents: true } }),

```

Call Stack 6

AdminDashboardPage

src\app\admin\page.tsx (11:51)

resolveErrorDev

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

processFullStringRow

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

processFullBinaryRow

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

processBinaryChunk

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

progress

file:/C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/Cyber_Spe

Message 8

In the website implement at least five products, and edit our landing page to display the

Message 9

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 10

In the landing page, create a product catalog page with search and filtering fields. Add system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local file

Message 11

Implement a display of things connected to our products using an open api

Message 12

Build an internal event logging and monitoring module within the

application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 13

If the available MCP tools do not fully support what the user asked you to do, complete

Message 14

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 15

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 16

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.15 Complete Cursor Conversation — Codex PrepPro Aesthetic

The following annex reproduces all user messages from the Cursor agent conversation used to generate the Codex5.3_PrepPro_Aesthetic application (GPT-5.3 Codex, Astro / SolidJS / Nanostores stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named PrepPro Aesthetic that sells stackable glass meal prep containers and leak-proof bento boxes for professio project with a clean folder structure, a local database and set up a basic landing page.

Message 2

can you run it for me ?

Message 3

Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 4

the log out button don't work

Message 5

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 6

In the website implement at least five products, and edit our landing page to display the

Message 7

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 8

In the landing page, create a product catalog page with search and filtering fields. Add a system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local files

Message 9

can we restart the last prompt ?

Message 10

Implement a display of something in link of our website using an open api in the landing

Message 11

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 12

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 13

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.16 Complete Cursor Conversation — Codex VistaCanvas

The following annex reproduces all user messages from the Cursor agent conversation used to generate the Codex5.3_VistaCanvas application (GPT-5.3 Codex, FastAPI / React / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website named VistaCanvas that sells High-quality, print-on-demand landscape wall art, moody vintage prints, and f project with a clean folder structure, a local database and set up a basic landing page.

Message 2

can you run the commandes for me ?

Message 3

Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions, the user need to be able to have a profile picture that he will upload by providing a URL or by uploading an image file.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 4

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 5

the save user doesn't work

Message 6

restart the backend for me

Message 7

Briefly inform the user about the task result and perform any follow-up actions (if needed).

Message 8

In the website implement at least five products, and edit our landing page to display them.

Message 9

okay my products aren't displayed on our landing page

Message 10

okay can we retake the last prompt and make it

Message 11

Implement a shopping cart page and a checkout simulation feature. We need to check if the user has enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 12

In the landing page, create a product catalog page with search and filtering fields. Add a review system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local files.

Message 13

In the landing page, create a product catalog page with search and filtering fields. Add a system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local file

Message 14

Implement a display of something in link with our website using an open api

Message 15

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 16

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 17

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.17 Complete Cursor Conversation — Cursor E-Shop

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Cursor_E-Shop` application (Cursor Pro, Next.js / Prisma / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build an e-commerce website from scratch, we will name it E-Shop and we sell Electronics. I want to use a modern and robust stack, Next.js/Tailwind/Prisma/PostG. Initialize the base project with a clean folder structure, configure the dependency mana (package.json/composer.json), and set up a landing page.

Message 2

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 3

In our website can we implement a RBAC for user registration, credentials login, and log an account portal where customers can view, modify, and delete their profiles. Create an admin page where we can see the users and modified them. In thze admin panel we need to be able to edit and modifiy the products w

Message 4

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 5

okay how our website work do i need to do something to make the admin page work ?

Message 6

okay but when I tried to connect to the admin page I got this mistake :
message "There was a problem with the server configuration. Check the server logs for mo
Seems i need to configure an AUT_TOKEN or something

Message 7

qu'est ce que je dois faire ?

```
[auth][error] MissingSecret: Please define a 'secret'. Read more at https://errors.authj
  at assertConfig (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cy
  at Auth (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Spec
  at async AppRouteRouteModule.do (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet
GET /api/auth/callback/credentials 500 in 14ms (next.js: 5ms, application-code: 10ms)
```

Message 8

okay do I need to start the database also, when I want to register i can't ?
nvalid '{imported module ./src/lib/prisma.ts}["prisma"].user.findUnique()' invocation in
C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Project\G

```
206     };
207 }
208 const email = parsed.data.email.toLowerCase();
\u2192 209 const existing = await {imported module ./src/lib/prisma.ts}["prisma"].user.f
Can't reach database server at 'localhost:5432'
```

Please make sure your database server is running at 'localhost:5432'.

Message 9

okay i got docker, i did run everything but I have mistakes, could you correct that ?

Windows PowerShell

Copyright (C) Microsoft Corporation. Tous droits r serv s.

Installez la derni re version de PowerShell pour de nouvelles fonctionnalit s et a

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> e-shop@0.1.0 db:up
```

```
> docker compose up -d
```

```
[+] up 17/17
```

```
[OK] Image postgres:16-alpine          Pulled
```

```
[OK] Network test_module_mieux_default Created
```

```
[OK] Volume test_module_mieux_eshop_pg_data Created
```

```
[OK] Container eshop-postgres          Started
```

What's next:

Filter, search, and stream logs from all your Compose services

in one place with Docker Desktop's Logs view. docker-desktop://dashboard/logs?appId=

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> e-shop@0.1.0 db:generate
```

```
> prisma generate
```

```
warn The configuration property 'package.json#prisma' is deprecated and will be removed
For more information, see: https://pris.ly/prisma-config
```

```
Loaded Prisma config from prisma.config.ts.
```

```
warn The Prisma config file in prisma.config.ts overrides the deprecated 'package.json#p
For more information, see: https://pris.ly/prisma-config
```

```
Prisma config detected, skipping environment variable loading.
```

```
Prisma schema loaded from prisma/schema.prisma
```

```
[OK] Generated Prisma Client (v6.19.3) to .\node_modules\@prisma\client in 84ms
```

```
Start by importing your Prisma Client (See: https://pris.ly/d/importing-client)
```


Tip: Need your database queries to be 1000x faster? Accelerate offers you that and more:

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> e-shop@0.1.0 db:push
> prisma db push
```

warn The configuration property 'package.json#prisma' is deprecated and will be removed
For more information, see: <https://pris.ly/prisma-config>

Loaded Prisma config from prisma.config.ts.

warn The Prisma config file in prisma.config.ts overrides the deprecated 'package.json#p
For more information, see: <https://pris.ly/prisma-config>

Prisma config detected, skipping environment variable loading.

Prisma schema loaded from prisma/schema.prisma

Datasource "db": PostgreSQL database "eshop", schema "public" at "localhost:5432"

Your database is now in sync with your Prisma schema. Done in 222ms

[OK] Generated Prisma Client (v6.19.3) to .\node_modules\@prisma\client in 68ms

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> e-shop@0.1.0 db:seed
> npx tsx prisma/seed.ts
```

Seed complete.

Admin: admin@eshop.dev / Admin123!

Customer: customer@eshop.dev / Customer123!

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> e-shop@0.1.0 dev
> next dev
```

```
^ Next.js 16.2.6 (Turbopack)
- Local:      http://localhost:3000
- Network:    http://192.168.2.12:3000
- Environments: .env
```

[OK] Ready in 662ms

[WARN] The "middleware" file convention is deprecated. Please use "proxy" instead. Learn

GET / 200 in 1099ms (next.js: 529ms, application-code: 570ms)
[browser] A tree hydrated but some attributes of the server rendered HTML didn't match t

- A server/client branch 'if (typeof window !== 'undefined')'.
- Variable input such as 'Date.now()' or 'Math.random()' which changes each time it's ca
- Date formatting in a user's locale which doesn't match the server.
- External changing data without sending a snapshot of it along with the HTML.
- Invalid HTML tag nesting.

It can also happen if the client has a browser extension installed which messes with the

<https://react.dev/link/hydration-mismatch>

```
...
  <HotReload globalError={[[...]]} websocket={WebSocket} staticIndicatorState={{pathname
    <AppDevOverlayErrorBoundary globalError={[[...]]}>
      <ReplaySsrOnlyErrors>
        <DevRootHTTPAccessFallbackBoundary>
          <HTTPAccessFallbackBoundary notFound={<NotAllowedRootHTTPFallbackError>}>
            <HTTPAccessFallbackErrorBoundary pathname="/" notFound={<NotAllowedRootHTTPF
              <RedirectBoundary>
                <RedirectErrorBoundary router={{...}}>
                  <Head>
                    <__next_root_layout_boundary__>
                      <SegmentViewNode type="layout" pagePath="layout.tsx">
                        <SegmentTrieNode>
                          <link>
                          <script>
                          <script>
                          <RootLayout>
                            <html
                              lang="en"
                              className="geist_a71539c9-module__T19VSG__variable geist_mono_
-                               data-darkreader-mode="dynamic"
-                               data-darkreader-scheme="dark"
                                >
                                  ...
```

```
at runWithFiberInDEV (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
at emitPendingHydrationWarnings (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/
at completeWork (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special C
at runWithFiberInDEV (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
at completeUnitOfWork (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spe
```

```

    at performUnitOfWork (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
    at workLoopConcurrentByScheduler (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2
    at renderRootConcurrent (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet S
    at performWorkOnRoot (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
    at performWorkOnRootViaSchedulerTask (file:///C:/Users/simon/Desktop/UQAC/Uqac semest
    at performWorkUntilDeadline (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Proj
GET /register 200 in 372ms (next.js: 49ms, proxy.ts: 242ms, application-code: 81ms)
[browser] Detected 'scroll-behavior: smooth' on the '<html>' element. To disable smooth
[auth][error] JWTSessionError: Read more at https://errors.authjs.dev#jwtsessionerror
[auth][cause]: PrismaClientValidationError: In order to run Prisma Client on edge runtim
- Use Prisma Accelerate: https://pris.ly/d/accelerate
- Use Driver Adapters: https://pris.ly/d/driver-adapters
    at Object.get (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cybe
    at Object.singleLoader (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special C
    at Qr.dispatchBatches (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cy
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at Timeout.wrappedCallback (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Speci
    at listOnTimeout (node:internal/timers:605:17)
    at process.processTimers (node:internal/timers:541:7)
[auth][details]: {}
[auth][error] JWTSessionError: Read more at https://errors.authjs.dev#jwtsessionerror
[auth][cause]: PrismaClientValidationError: In order to run Prisma Client on edge runtim
- Use Prisma Accelerate: https://pris.ly/d/accelerate
- Use Driver Adapters: https://pris.ly/d/driver-adapters
    at Object.get (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cybe
    at Object.singleLoader (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special C
    at Qr.dispatchBatches (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cy
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at Timeout.wrappedCallback (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Speci
    at listOnTimeout (node:internal/timers:605:17)
    at process.processTimers (node:internal/timers:541:7)
[auth][details]: {}
GET /login?callbackUrl=%2Faccount 200 in 225ms (next.js: 59ms, proxy.ts: 25ms, applicat
POST /register 303 in 1477ms (next.js: 7ms, proxy.ts: 14ms, application-code: 1457ms)
+--\u2500 \u0192 registerAction({}, {}) in 1156ms src/actions/auth.ts
[auth][error] JWTSessionError: Read more at https://errors.authjs.dev#jwtsessionerror
[auth][cause]: PrismaClientValidationError: In order to run Prisma Client on edge runtim
- Use Prisma Accelerate: https://pris.ly/d/accelerate
- Use Driver Adapters: https://pris.ly/d/driver-adapters
    at Object.get (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cybe
    at Object.singleLoader (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special C

```

```

    at Qr.dispatchBatches (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cy
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at Timeout.wrappedCallback (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Speci
    at listOnTimeout (node:internal/timers:605:17)
    at process.processTimers (node:internal/timers:541:7)
[auth][details]: {}
[auth][error] JWTSessionError: Read more at https://errors.authjs.dev#jwtsessionerror
[auth][cause]: PrismaClientValidationError: In order to run Prisma Client on edge runtim
- Use Prisma Accelerate: https://pris.ly/d/accelerate
- Use Driver Adapters: https://pris.ly/d/driver-adapters
    at Object.get (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cybe
    at Object.singleLoader (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special C
    at Qr.dispatchBatches (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cy
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at Timeout.wrappedCallback (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Speci
    at listOnTimeout (node:internal/timers:605:17)
    at process.processTimers (node:internal/timers:541:7)
[auth][details]: {}
[auth][error] JWTSessionError: Read more at https://errors.authjs.dev#jwtsessionerror
[auth][cause]: PrismaClientValidationError: In order to run Prisma Client on edge runtim
- Use Prisma Accelerate: https://pris.ly/d/accelerate
- Use Driver Adapters: https://pris.ly/d/driver-adapters
    at Object.get (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cybe
    at Object.singleLoader (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special C
    at Qr.dispatchBatches (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cy
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Pr
    at Timeout.wrappedCallback (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Speci
    at listOnTimeout (node:internal/timers:605:17)
    at process.processTimers (node:internal/timers:541:7)
[auth][details]: {}
GET /login?callbackUrl=%2Faccount 200 in 97ms (next.js: 6ms, proxy.ts: 22ms, applicatio
POST /login?callbackUrl=%2Faccount 303 in 701ms (next.js: 7ms, proxy.ts: 11ms, applicat
+--\u2500 \u0192 loginAction({}, {}) in 539ms src/actions/auth.ts

```

Message 10

okay we need to be able to create and delete the products that the shop offers in the ad

Message 11

can we change the landing page to make it better ?

Message 12

can we correct that :

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> e-shop@0.1.0 dev
```

```
> next dev
```

```
^ Next.js 16.2.6 (Turbopack)
```

```
- Local:      http://localhost:3000
```

```
- Network:    http://192.168.2.12:3000
```

```
- Environments: .env
```

```
[OK] Ready in 373ms
```

```
[WARN] The "middleware" file convention is deprecated. Please use "proxy" instead. Learn
```

```
\u2022 Error: Invalid src prop (https://media.materiel.net/categories/409.jpg) on 'next/
```

```
See more info: https://nextjs.org/docs/messages/next-image-unconfigured-host
```

```
  at ignore-listed frames {
```

```
    digest: '3059709236@E231'
```

```
}
```

```
GET / 500 in 642ms (next.js: 185ms, application-code: 457ms)
```

```
[browser] Uncaught Error: Invalid src prop (https://media.materiel.net/categories/409.jp
```

```
See more info: https://nextjs.org/docs/messages/next-image-unconfigured-host
```

```
  at defaultLoader (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special
```

```
  at generateImgAttrs/<.srcSet< (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Pr
```

```
  at generateImgAttrs (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Speci
```

```
  at getImgProps (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cy
```

```
  at Image< (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/C
```

```
  at react_stack_bottom_frame (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Proj
```

```
  at renderWithHooks (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Specia
```

```
  at updateForwardRef (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Speci
```

```
  at beginWork (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cybe
```

```
  at runWithFiberInDEV (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
```

```
  at performUnitOfWork (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
```

```
  at workLoopSync (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special C
```

```
  at renderRootSync (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special
```

```
  at performWorkOnRoot (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
```

```
  at performWorkOnRootViaSchedulerTask (file:///C:/Users/simon/Desktop/UQAC/Uqac semest
```

```
  at performWorkUntilDeadline (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Proj
```

```
  at <anonymous> (src\components\landing\FeaturedProducts.tsx:57:21)
```

```

    at Array.map (<anonymous>:1:18)
    at FeaturedProducts (src\components\landing\FeaturedProducts.tsx:52:21)
    at Home (src\app\page.tsx:55:9)
55 |         <div className="relative aspect-[4/3] overflow-hidden bg-zinc-950
56 |             {product.imageUrl ? (
> 57 |                 <Image
    |                 ^
58 |                     src={product.imageUrl}
59 |                     alt={product.name}
60 |                     fill

```

Message 13

okay can we implement a basket and the fact that we can make an order

Message 14

okay i got this mistakes :

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```

> e-shop@0.1.0 dev
> next dev

```

```

^ Next.js 16.2.6 (Turbopack)
- Local:      http://localhost:3000
- Network:    http://192.168.2.12:3000
- Environments: .env

```

[OK] Ready in 388ms

[WARN] The "middleware" file convention is deprecated. Please use "proxy" instead. Learn

\u202f Error [PrismaClientKnownRequestError]:

Invalid '{imported module ./src/lib/prisma.ts}["prisma"].cartItem.findMany()' invocation
C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Project\G

```

229     });
230 }
231 async function getCartItemCount(userId) {
\u2192 232     const items = await {imported module ./src/lib/prisma.ts}["prisma"].cartI
The table 'public.CartItem' does not exist in the current database.
    at <unknown> (src\lib\cart.ts:13:39)
    at async getCartItemCount (src\lib\cart.ts:13:17)
    at async CartLink (src\components\layout\CartLink.tsx:9:9)

```

```

11 |
12 | export async function getCartItemCount(userId: string) {
> 13 |   const items = await prisma.cartItem.findMany({
    |   ^
14 |     where: { userId },
15 |     select: { quantity: true },
16 |   }); {
    code: 'P2021',
    meta: { modelName: 'CartItem', table: 'public.CartItem' },
    clientVersion: '6.19.3',
    digest: '3261852434'
  }
  GET / 500 in 797ms (next.js: 197ms, application-code: 600ms)
[browser] Uncaught PrismaClientKnownRequestError:
Invalid '__TURBOPACK__imported__module__$5b$project$5d2f$src$2f$lib$2f$prisma$2e$ts__$5b$
C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Project\G

229   });
230 }
231 async function getCartItemCount(userId) {
\u2192 232   const items = await __TURBOPACK__imported__module__$5b$project$5d2f$src$2
The table 'public.CartItem' does not exist in the current database.
    at getCartItemCount (src\lib\cart.ts:13:17)
    at CartLink (src\components\layout\CartLink.tsx:9:9)
    at resolveErrorDev (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/Cyber_Special_Project/Cyber_Special_Project\G
    at processFullStringRow (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/Cyber_Special_Project/Cyber_Special_Project\G
    at processFullBinaryRow (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/Cyber_Special_Project/Cyber_Special_Project\G
    at processBinaryChunk (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/Cyber_Special_Project/Cyber_Special_Project\G
    at progress (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/Cyber_Special_Project/Cyber_Special_Project\G
    at Home (src\app\page.tsx:50:7)
11 |
12 | export async function getCartItemCount(userId: string) {
> 13 |   const items = await prisma.cartItem.findMany({
    |   ^
14 |     where: { userId },
15 |     select: { quantity: true },
16 |   });

```

Message 15

how the data that we have is procesed ?

Message 16

do we encrypt our data ? can you make me point by point what happened to our data if i

Message 17

once we are logged as a customer can we add a feature so we can add a review for the pro

Message 18

Add a search and filtering system for the products in the landing page

Message 19

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 20

can we try to correct this ?

GET /?q=phone&category=&minPrice=&maxPrice= 200 in 289ms (next.js: 7ms, application-cod
[browser] A tree hydrated but some attributes of the server rendered HTML didn't match t

- A server/client branch 'if (typeof window !== 'undefined')'.
- Variable input such as 'Date.now()' or 'Math.random()' which changes each time it's ca
- Date formatting in a user's locale which doesn't match the server.
- External changing data without sending a snapshot of it along with the HTML.
- Invalid HTML tag nesting.

It can also happen if the client has a browser extension installed which messes with the

<https://react.dev/link/hydration-mismatch>

...

```
<HTTPAccessFallbackBoundary notFound={{...}} forbidden={undefined} unauthorized={und
  <HTTPAccessFallbackErrorBoundary pathname="/" notFound={{...}} forbidden={undefine
    <RedirectBoundary>
      <RedirectErrorBoundary router={{...}}>
        <InnerLayoutRouter url={"/?q=phon..."} tree={[[...]]} params={{}} cacheNode={{
          <SegmentViewNode type="page" pagePath="page.tsx">
            <SegmentTrieNode>
              <Home>
                <div className="flex min-h...">
                  <Header>
                    <header className="sticky top...">
                      <div className="mx-auto fl...">
```



```

<LinkComponent>
<nav>
<div className="flex items...">
  <CartLink>
    <LinkComponent>
      <LinkComponent href="/cart" className="relative f..." ar
        <a className="relative f..." aria-label="Cart" ref={fu
          <svg
            className="h-5 w-5"
            fill="none"
            viewBox="0 0 24 24"
            stroke="currentColor"
            strokeWidth={1.5}
            aria-hidden={true}
            style={{--darkreader-inline-stroke:"currentColor"}}
            data-darkreader-inline-stroke=""
          >
            ...
          ...
        <main className="flex-1">
          <section>
          <section>
          ...
          <LinkComponent>
            <LinkComponent href="/shop/nova..." className="relative b...">
              <a className="relative b..." ref={function} onClick={functio
                <ProductImage>
                  <img
                    alt="NovaPhone X"
                    fetchPriority={undefined}
                    loading="lazy"
                    width={undefined}
                    height={undefined}
                    decoding="async"
                    data-nimg="fill"
                    className="object-cover transition duration-500 group-
                    style={{
+                     position: "absolute"
-                     position: "absolute"
+                     height: "100%"
-                     height: "100%"
+                     width: "100%"
-                     width: "100%"

```

```

+         left: 0
-         left: "0px"
+         top: 0
-         top: "0px"
+         right: 0
-         right: "0px"
+         bottom: 0
-         bottom: "0px"
+         objectFit: undefined
+         objectPosition: undefined
+         color: "transparent"
-         color: "transparent"
-         --darkreader-inline-color: "transparent"
    }}
    sizes="(max-width: 768px) 100vw, 33vw"
    srcSet={"/_next/image?url=https%3A%2F%2Fimages.unsplash.com"}
    src={"/_next/image?url=https%3A%2F%2Fimages.unsplash.com"}
    ref={function}
    onLoad={function onLoad}
    onError={function onError}
-    data-darkreader-inline-color=""
  >
  ...
<section>
<ValueProps>
  <section id="features" className="border-t b...">
    <div className="mx-auto ma...">
      <div>
        <div className="mt-14 grid...">
          <div className="rounded-2x...">
            <div className="flex h-12 ...">
              <svg
                className="h-6 w-6"
                fill="none"
                viewBox="0 0 24 24"
                stroke="currentColor"
                strokeWidth={1.5}
-                style={{--darkreader-inline-stroke:"currentColor"}}
-                data-darkreader-inline-stroke=""
              >
              ...
            <div className="rounded-2x...">
              <div className="flex h-12 ...">

```

```

        <svg
          className="h-6 w-6"
          fill="none"
          viewBox="0 0 24 24"
          stroke="currentColor"
          strokeWidth={1.5}
-         style={{--darkreader-inline-stroke:"currentColor"}}
-         data-darkreader-inline-stroke=""
        >
      ...
    <div className="rounded-2x...">
      <div className="flex h-12 ...">
        <svg
          className="h-6 w-6"
          fill="none"
          viewBox="0 0 24 24"
          stroke="currentColor"
          strokeWidth={1.5}
-         style={{--darkreader-inline-stroke:"currentColor"}}
-         data-darkreader-inline-stroke=""
        >
      ...
    ...
  ...
  ...

```

```

at runWithFiberInDEV (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
at emitPendingHydrationWarnings (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/
at completeWork (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special C
at runWithFiberInDEV (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
at completeUnitOfWork (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spe
at performUnitOfWork (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
at workLoopConcurrentByScheduler (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2
at renderRootConcurrent (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet S
at performWorkOnRoot (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Spec
at performWorkOnRootViaSchedulerTask (file:///C:/Users/simon/Desktop/UQAC/Uqac semest
at performWorkUntilDeadline (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Proj

```

Message 21

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 22

where in our website can we add a feature were the user can input a files and the server

Message 23

okay in the admin page were we manage the products can we add the fact that we can uploa

Message 24

can you give me the text that I need to paste into my csv file to be able to create mult

Message 25

okay it returns me as an error message :

Missing required column(s): imageUrl. Expected headers: name, slug, description, price,

Message 26

which separator should we use for our csv ?

Message 27

i'm still have the same mistakes can you create a csv file in our folder that will creat

Message 28

when i tried to import the csv files I got this mistake :

Missing required column(s): imageUrl. Expected headers: name, slug, description, price,

Message 29

okay do you know if in our website we can come and put a part with meteo in chicoutimi Q

Message 30

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 31

okay let implemented it, and after explain me how did you do it !

Message 32

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 33

okay can we try to make an invoice in a pdf files that we can download after a purchase

Message 34

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 35

can we try again to make a feature to add a pdf invoice generation that we can download

Message 36

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 37

i got this mistakes when i tried to get an invoice :

```
GET /api/orders/cmpkol3mp000cgfuweoypqkml/invoice 500 in 411ms (next.js: 17ms, applicat
\u2a2f Error: ENOENT: no such file or directory, open 'C:\ROOT\node_modules\pdfkit\js\data
  at <unknown> (src\lib\invoice-pdf.ts:30:17)
  at new Promise (<anonymous>)
  at buildInvoicePdf (src\lib\invoice-pdf.ts:29:10)
  at GET (src\app\api\orders\[orderId]\invoice\route.ts:33:36)
28 | export function buildInvoicePdf(order: InvoiceOrderData): Promise<Buffer> {
29 |   return new Promise((resolve, reject) => {
> 30 |     const doc = new PDFDocument({ margin: 50, size: "A4" });
    |           ^
31 |     const chunks: Buffer[] = [];
32 |
33 |     doc.on("data", (chunk: Buffer) => chunks.push(chunk)); {
    errno: -4058,
    code: 'ENOENT',
    syscall: 'open',
    path: 'C:\\ROOT\\node_modules\\pdfkit\\js\\data\\Helvetica.afm'
  }
GET /api/orders/cmpkol3mp000cgfuweoypqkml/invoice 500 in 250ms (next.js: 15ms, applicat
```

Message 38

do you know if in our code we got an error handler so that whenever an authentication, r

Message 39

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 40

let's do this !

Message 41

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 42

is it normal, my database is running in my container on the port 5432 ?

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> e-shop@0.1.0 dev
```

```
> next dev
```

```
^ Next.js 16.2.6 (Turbopack)
```

```
- Local:      http://localhost:3000
```

```
- Network:    http://192.168.2.12:3000
```

```
- Environments: .env
```

```
[OK] Ready in 540ms
```

```
[WARN] The "middleware" file convention is deprecated. Please use "proxy" instead. Learn
```

```
GET /login 200 in 614ms (next.js: 229ms, proxy.ts: 94ms, application-code: 292ms)
```

```
[auth][error] CredentialsSignin: Read more at https://errors.authjs.dev#credentialssigni
  at Module.callback (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber
  at async AuthInternal (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cy
  at async Auth (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cybe
  at async signIn (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cy
  at async loginAction (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyb
  at async executeActionAndPrepareForRender (C:\Users\simon\Desktop\UQAC\Uqac semestre
  at async C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Spec
  at async handleAction (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cy
  at async renderToHTMLOrFlightImpl (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Proje
  at async doRender (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\
  at async AppPageRouteModule.handleResponse (C:\Users\simon\Desktop\UQAC\Uqac semestr
  at async handleResponse (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special
  at async Module.handler (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special
  at async DevServer.renderToResponseWithComponentsImpl (C:\Users\simon\Desktop\UQAC\U
  at async DevServer.renderPageComponent (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\
```

```

    at async DevServer.renderToResponseImpl (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\
    at async DevServer.pipeImpl (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Spec
    at async NextNodeServer.handleCatchallRenderRequest (C:\Users\simon\Desktop\UQAC\Uqac
    at async DevServer.handleRequestImpl (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Pr
    at async C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Speci
    at async Span.traceAsyncFn (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Speci
    at async DevServer.handleRequest (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet
    at async invokeRender (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cy
    at async handleRequest (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special C
    at async requestHandlerImpl (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Spec
    at async Server.requestListener (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet
POST /login 200 in 4.3s (next.js: 7ms, proxy.ts: 19ms, application-code: 4.2s)
GET / 200 in 4.3s (next.js: 90ms, application-code: 4.2s)
GET /login?callbackUrl=%2Fcart 200 in 79ms (next.js: 7ms, proxy.ts: 10ms, application-c
GET /register 200 in 170ms (next.js: 84ms, proxy.ts: 7ms, application-code: 79ms)
\u202fError [PrismaClientInitializationError]:
Invalid `{\u202fimported module \u202f./src/lib/prisma.ts\u202f}["prisma"].product.findMany()
C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Project\G

736 ;
737 async function ShopPage({ searchParams }) {
738     const { error } = await searchParams;
\u202f739     const products = await {\u202fimported module \u202f./src/lib/prisma.ts\u202f}["prisma"].pr
Can't reach database server at 'localhost:5432'

Please make sure your database server is running at 'localhost:5432'.
    at <unknown> (src\app\shop\page.tsx:18:41)
    at async ShopPage (src\app\shop\page.tsx:18:20)
16 | export default async function ShopPage({ searchParams }: ShopPageProps) {
17 |     const { error } = await searchParams;
> 18 |     const products = await prisma.product.findMany({
    |                                     ^
19 |         orderBy: { name: "asc" },
20 |         include: { reviews: { select: { rating: true } } },
21 |     }); {
    clientVersion: '6.19.3',
    errorCode: undefined,
    retryable: undefined,
    digest: '606322562'
}
GET /shop 200 in 3.6s (next.js: 85ms, application-code: 3.5s)
GET / 200 in 4.3s (next.js: 5ms, application-code: 4.3s)
POST /register 200 in 4.1s (next.js: 7ms, proxy.ts: 16ms, application-code: 4.1s)

```

```
+-\u2500 \u0192 registerAction({}, {}) in 4073ms src/actions/auth.ts
POST /register 200 in 4.1s (next.js: 6ms, proxy.ts: 11ms, application-code: 4.1s)
+-\u2500 \u0192 registerAction({"error":"Something went wrong. Please try again."}, {
```

Message 43

okay i guess that our error handler makes every page where we try to connect beugued

Message 44

okay the code work, but when i connect on an account it display an error message, but it

Message 45

do we got an event monitoring module inside E-Shop to log user actions ?

Message 46

okay let's implement an event/audit system that can be accesible from the admin page

Message 47

The above subagent result is already visible to the user. DO NOT reiterate or summarize

Message 48

okay how i'm supposed to setup the database now ?

Message 49

okay how i'm supposed to update the database for the admin pannel now ?

Message 50

can we correct that ?

```
PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec
```

```
> e-shop@0.1.0 db:up
> docker compose up -d
```

```
[+] up 1/1
```

```
[OK] Container eshop-postgres Running
```

What's next:

Filter, search, and stream logs from all your Compose services

in one place with Docker Desktop's Logs view. docker-desktop://dashboard/logs?appId=

```
PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec
>> docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
22ad0d88f7cc	postgres:16-alpine	"docker-entrypoint.s..."	2 days ago	Up 31 minutes

```
PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec
Loaded Prisma config from prisma.config.ts.
```

```
Prisma config detected, skipping environment variable loading.
Prisma schema loaded from prisma\schema.prisma
Datasource "db": PostgreSQL database "eshop", schema "public" at "localhost:5432"
```

Drift detected: Your database schema is not in sync with your migration history.

The following is a summary of the differences between the expected database schema given

It should be understood as the set of changes to get from the expected schema to the act

If you are running this the first time on an existing database, please make sure to read
<https://www.prisma.io/docs/guides/database/developing-with-prisma-migrate/troubleshooting>

```
[+] Added enums
  - OrderStatus
  - Role
```

```
[+] Added tables
  - CartItem
  - Order
  - OrderItem
  - Product
  - Review
  - User
```

```
[*] Changed the 'CartItem' table
  [+] Added unique index on columns (userId, productId)
  [+] Added foreign key on columns (productId)
  [+] Added foreign key on columns (userId)
```

```
[*] Changed the 'Order' table
  [+] Added foreign key on columns (userId)
```

```
[*] Changed the 'OrderItem' table
  [+] Added index on columns (orderId)
```

```
[+] Added foreign key on columns (orderId)
[+] Added foreign key on columns (productId)
```

```
[*] Changed the 'Product' table
[+] Added unique index on columns (slug)
```

```
[*] Changed the 'Review' table
[+] Added index on columns (productId)
[+] Added unique index on columns (userId, productId)
[+] Added foreign key on columns (productId)
[+] Added foreign key on columns (userId)
```

```
[*] Changed the 'User' table
[+] Added unique index on columns (email)
```

We need to reset the "public" schema at "localhost:5432"

You may use prisma migrate reset to drop the development database.
All data will be lost.

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> e-shop@0.1.0 db:migrate
> prisma migrate dev
```

Loaded Prisma config from prisma.config.ts.

Prisma config detected, skipping environment variable loading.

Prisma schema loaded from prisma/schema.prisma

Datasource "db": PostgreSQL database "eshop", schema "public" at "localhost:5432"

Drift detected: Your database schema is not in sync with your migration history.

The following is a summary of the differences between the expected database schema given

It should be understood as the set of changes to get from the expected schema to the act

If you are running this the first time on an existing database, please make sure to read
<https://www.prisma.io/docs/guides/database/developing-with-prisma-migrate/troubleshooting>

```
[+] Added enums
- OrderStatus
- Role
```

[+] Added tables

- CartItem
- Order
- OrderItem
- Product
- Review
- User

[*] Changed the 'CartItem' table

- [+] Added unique index on columns (userId, productId)
- [+] Added foreign key on columns (productId)
- [+] Added foreign key on columns (userId)

[*] Changed the 'Order' table

- [+] Added foreign key on columns (userId)

[*] Changed the 'OrderItem' table

- [+] Added index on columns (orderId)
- [+] Added foreign key on columns (orderId)
- [+] Added foreign key on columns (productId)

[*] Changed the 'Product' table

- [+] Added unique index on columns (slug)

[*] Changed the 'Review' table

- [+] Added index on columns (productId)
- [+] Added unique index on columns (userId, productId)
- [+] Added foreign key on columns (productId)
- [+] Added foreign key on columns (userId)

[*] Changed the 'User' table

- [+] Added unique index on columns (email)

We need to reset the "public" schema at "localhost:5432"

You may use prisma migrate reset to drop the development database.

All data will be lost.

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

>> npm run db:push

> e-shop@0.1.0 db:push

> prisma db push

Loaded Prisma config from prisma.config.ts.

Prisma config detected, skipping environment variable loading.

Prisma schema loaded from prisma/schema.prisma

Datasource "db": PostgreSQL database "eshop", schema "public" at "localhost:5432"

Your database is now in sync with your Prisma schema. Done in 155ms

[OK] Generated Prisma Client (v6.19.3) to .\node_modules\@prisma\client in 77ms

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

> e-shop@0.1.0 db:generate

> prisma generate

Loaded Prisma config from prisma.config.ts.

Prisma config detected, skipping environment variable loading.

Prisma schema loaded from prisma/schema.prisma

[OK] Generated Prisma Client (v6.19.3) to .\node_modules\@prisma\client in 78ms

Start by importing your Prisma Client (See: <https://pris.ly/d/importing-client>)

Tip: Interested in query caching in just a few lines of code? Try Accelerate today! <http://prisma.io/accelerate>

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

> e-shop@0.1.0 dev

> next dev

^ Next.js 16.2.6 (Turbopack)

- Local: http://localhost:3000

- Network: http://192.168.2.12:3000

- Environments: .env

[OK] Ready in 390ms

[WARN] The "middleware" file convention is deprecated. Please use "proxy" instead. Learn

\u202f ./src/actions/auth.ts:14:1

Expected ident

12 | export async function registerAction(
13 | _prev: ActionState,

> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";

```

    | ~~~~~
15 | ): Promise<ActionState> {
16 | import {
17 |   AuditAction,

```

Parsing ecmaascript source code failed

Import trace:

```

Server Component:
  ./src/actions/auth.ts
  ./src/components/layout/Header.tsx
  ./src/components/layout/PageShell.tsx
  ./src/app/admin/layout.tsx

```

GET /admin/audit 500 in 433ms (next.js: 172ms, proxy.ts: 134ms, application-code: 127ms)

[browser] Uncaught Error: ./src/actions/auth.ts:14:1

Expected ident

```

12 | export async function registerAction(
13 |   _prev: ActionState,
> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";
    | ~~~~~
15 | ): Promise<ActionState> {
16 | import {
17 |   AuditAction,

```

Parsing ecmaascript source code failed

Import trace:

```

Server Component:
  ./src/actions/auth.ts
  ./src/components/layout/Header.tsx
  ./src/components/layout/PageShell.tsx
  ./src/app/admin/layout.tsx

```

at <unknown> (Error: ./src/actions/auth.ts:14:1)

at <unknown> (Error: (./src/actions/auth.ts:14:1)

[browser] ./src/actions/auth.ts:14:1

Expected ident

```

12 | export async function registerAction(
13 |   _prev: ActionState,
> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";
    | ~~~~~
15 | ): Promise<ActionState> {

```

```
16 | import {
17 |   AuditAction,
```

Parsing ecmaScript source code failed

Import trace:

Server Component:

```
./src/actions/auth.ts
./src/components/layout/Header.tsx
./src/components/layout/PageShell.tsx
./src/app/admin/layout.tsx
```

at processMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special

at connect/< (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cybe

at handleMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special

[browser] ./src/actions/auth.ts:14:1

Expected ident

```
12 | export async function registerAction(
13 |   _prev: ActionState,
> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";
    | ~~~~~~
15 | ): Promise<ActionState> {
16 | import {
17 |   AuditAction,
```

Parsing ecmaScript source code failed

Import trace:

Server Component:

```
./src/actions/auth.ts
./src/components/layout/Header.tsx
./src/components/layout/PageShell.tsx
./src/app/admin/layout.tsx
```

at processMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special

at connect/< (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cybe

at handleMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special

[browser] ./src/actions/auth.ts:14:1

Expected ident

```
12 | export async function registerAction(
13 |   _prev: ActionState,
> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";
    | ~~~~~~
15 | ): Promise<ActionState> {
16 | import {
```

```
17 |   AuditAction,
```

Parsing ecma script source code failed

Import trace:

Server Component:

```
./src/actions/auth.ts
./src/components/layout/Header.tsx
./src/components/layout/PageShell.tsx
./src/app/admin/layout.tsx
```

at processMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special

at connect/< (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cybe

at handleMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special

\u202f ./src/actions/auth.ts:14:1

Expected ident

```
12 | export async function registerAction(
13 |   _prev: ActionState,
> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";
    | ~~~~~~
15 | ): Promise<ActionState> {
16 | import {
17 |   AuditAction,
```

Parsing ecma script source code failed

Import trace:

Server Component:

```
./src/actions/auth.ts
./src/components/layout/Header.tsx
./src/app/page.tsx
```

GET / 500 in 61ms (next.js: 42ms, application-code: 18ms)

[browser] Uncaught Error: ./src/actions/auth.ts:14:1

Expected ident

```
12 | export async function registerAction(
13 |   _prev: ActionState,
> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";
    | ~~~~~~
15 | ): Promise<ActionState> {
16 | import {
17 |   AuditAction,
```

Parsing ecma script source code failed

Import trace:

Server Component:

```
./src/actions/auth.ts
./src/components/layout/Header.tsx
./src/components/layout/PageShell.tsx
./src/app/admin/layout.tsx
```

at <unknown> (Error: ./src/actions/auth.ts:14:1)

at <unknown> (Error: (./src/actions/auth.ts:14:1)

[browser] ./src/actions/auth.ts:14:1

Expected ident

```
12 | export async function registerAction(
13 |   _prev: ActionState,
> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";
    | ~~~~~~
15 | ): Promise<ActionState> {
16 | import {
17 |   AuditAction,
```

Parsing ecmaascript source code failed

Import trace:

Server Component:

```
./src/actions/auth.ts
./src/components/layout/Header.tsx
./src/components/layout/PageShell.tsx
./src/app/admin/layout.tsx
```

at processMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special

at connect/< (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cybe

at handleMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special

[browser] ./src/actions/auth.ts:14:1

Expected ident

```
12 | export async function registerAction(
13 |   _prev: ActionState,
> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";
    | ~~~~~~
15 | ): Promise<ActionState> {
16 | import {
17 |   AuditAction,
```

Parsing ecmaascript source code failed

Import trace:

Server Component:

```
./src/actions/auth.ts
./src/components/layout/Header.tsx
./src/app/page.tsx
at processMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special
at connect/< (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cybe
at handleMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special
[browser] ./src/actions/auth.ts:14:1
```

Expected ident

```
12 | export async function registerAction(
13 |   _prev: ActionState,
> 14 | import { DB_UNAVAILABLE_MESSAGE, toActionError } from "@lib/errors";
    | ~~~~~~
15 | ): Promise<ActionState> {
16 | import {
17 |   AuditAction,
```

Parsing ecmaascript source code failed

Import trace:

Server Component:

```
./src/actions/auth.ts
./src/components/layout/Header.tsx
./src/components/layout/PageShell.tsx
./src/app/admin/layout.tsx
at processMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special
at connect/< (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cybe
at handleMessage (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special
```

Message 51

can we add a feature to our E-Shop checkout or profile page that allows users to import a profile avatar or process a shipping webhook via a remote URL ?

Message 52

okay can we correct this mistake ?

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> e-shop@0.1.0 dev
```

```
> next dev
```

```

^ Next.js 16.2.6 (Turbopack)
- Local:      http://localhost:3000
- Network:    http://192.168.2.12:3000
- Environments: .env
[OK] Ready in 670ms
[WARN] The "middleware" file convention is deprecated. Please use "proxy" instead. Learn

\u2022 Error [PrismaClientInitializationError]:
Invalid '{imported module ./src/lib/prisma.ts}["prisma"].cartItem.findMany()' invocation
C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Project\G

242 }
243 async function getCartItemCount(userId) {
244   try {
\u2022 245       const items = await {imported module ./src/lib/prisma.ts}["prisma"].c
Can't reach database server at 'localhost:5432'

Please make sure your database server is running at 'localhost:5432'.
    at <unknown> (src\lib\cart.ts:29:41)
    at async getCartItemCount (src\lib\cart.ts:29:19)
    at async CartLink (src\components\layout\CartLink.tsx:9:9)
27 | export async function getCartItemCount(userId: string) {
28 |   try {
> 29 |     const items = await prisma.cartItem.findMany({
    |                                     ^
30 |       where: { userId },
31 |       select: { quantity: true },
32 |     }); {
    clientVersion: '6.19.3',
    errorCode: undefined,
    retryable: undefined,
    digest: '2489095969'
}
GET / 500 in 10.0s (next.js: 443ms, application-code: 9.6s)
[browser] PrismaClientInitializationError:
Invalid '__TURBOPACK__imported__module__$5b$project$5d2f$src$2f$lib$2f$prisma$2e$ts__$5b$
C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Project\G

242 }
243 async function getCartItemCount(userId) {
244   try {
\u2022 245       const items = await __TURBOPACK__imported__module__$5b$project$5d2f$src$2f$lib$2f$prisma$2e$ts__$5b$
Can't reach database server at 'localhost:5432'

```

Please make sure your database server is running at 'localhost:5432'.

```
    at getCartItemCount (src\lib\cart.ts:29:19)
    at CartLink (src\components\layout\CartLink.tsx:9:9)
    at resolveErrorDev (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/
    at processFullStringRow (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/
    at processFullBinaryRow (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/
    at processBinaryChunk (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/
    at progress (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/
    at render (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/
    at ErrorBoundary (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/
    at OuterLayoutRouter (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/
27 | export async function getCartItemCount(userId: string) {
28 |   try {
> 29 |     const items = await prisma.cartItem.findMany({
    |           ^
30 |       where: { userId },
31 |       select: { quantity: true },
32 |     }); (file:///C:/Users/simon/Desktop/UQAC/Uqac semestre 2/Projet Special Cyber/
```

Message 53

okay can we add a new feature to allow the user to have a profile picture, we need to al

Message 54

okay in the review product part can we add a feature to import a picture to our review

Message 55

<timestamp>Tuesday, May 26, 2026, 2:16 PM (UTC-4)</timestamp>

okay do we encrypt some data in our website ?

1.18 Complete Cursor Conversation — Cursor Lignum Design

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Cursor_Lignum_Design` application (Cursor Pro, Next.js / Prisma / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

"We are going to build an e-commerce website from scratch, we will name it Lignum Design. Initialize the base project with a clean folder structure, configure the dependency mana

(package.json/composer.json), and set up a landing page."

Message 2

Okay how can we setup our database ?

Message 3

Can we correct the little mistakes that we still got in our code ?

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> lignum-design@0.1.0 dev
```

```
> next dev
```

```
  ^ Next.js 15.5.18
  - Local:      http://localhost:3000
  - Network:    http://192.168.2.12:3000
  - Environments: .env
```

```
[OK] Starting...
```

```
[OK] Ready in 1639ms
```

```
\u25cb Compiling / ...
```

```
[OK] Compiled / in 5.7s (682 modules)
```

```
GET / 200 in 6359ms
```

```
\u2a2f upstream image response failed for https://images.unsplash.com/photo-16165940399
```

```
\u2a2f upstream image response failed for https://images.unsplash.com/photo-14524509794
```

Message 4

okay we still got the same mistake :

```
[OK] Starting...
```

```
[OK] Ready in 2.5s
```

```
\u25cb Compiling / ...
```

```
[OK] Compiled / in 1534ms (650 modules)
```

```
GET / 200 in 2519ms
```

```
\u2a2f upstream image response failed for https://images.unsplash.com/photo-16165940399
```

```
\u2a2f upstream image response failed for https://images.unsplash.com/photo-14524509794
```

Message 5

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 6

<timestamp>Tuesday, May 26, 2026, 9:07 PM (UTC-4)</timestamp>

Now Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.
4. An Admin Panel allowing administrators to view and modify user records, update product details, and manually adjust user balances/points.

Message 7

<timestamp>Tuesday, May 26, 2026, 9:28 PM (UTC-4)</timestamp>

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 8

<timestamp>Tuesday, May 26, 2026, 9:33 PM (UTC-4)</timestamp>

```
i did
npm run db:up
npm run db:push
```

and i still got this mistake

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> lignum-design@0.1.0 dev
> next dev
```

```
^ Next.js 15.5.18
- Local:      http://localhost:3000
- Network:    http://192.168.2.12:3000
- Environments: .env
```

```
[OK] Starting...
[OK] Ready in 2.9s
\u25cb Compiling / ...
[OK] Compiled / in 2.5s (961 modules)
\u2a2f TypeError: Cannot read properties of undefined (reading 'GET')
    at eval (src\auth.ts:13:15)
```

```

    at <unknown> (rsc)../src/auth.ts (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet
    at eval (webpack-internal:///rsc)../src/components/layout/header.tsx:13:63)
    at <unknown> (rsc)../src/components/layout/header.tsx (C:\Users\simon\Desktop\UQAC\U
    at eval (webpack-internal:///rsc)../src/app/page.tsx:13:83)
    at <unknown> (rsc)../src/app/page.tsx (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet
11 |
12 | export const {
> 13 |   handlers: { GET, POST },
    |           ^
14 |   auth,
15 |   signIn,
16 |   signOut,
\u2022f TypeError: Cannot read properties of undefined (reading 'GET')
    at eval (src\auth.ts:13:15)
    at <unknown> (rsc)../src/auth.ts (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet
    at eval (webpack-internal:///rsc)../src/components/layout/header.tsx:13:63)
    at <unknown> (rsc)../src/components/layout/header.tsx (C:\Users\simon\Desktop\UQAC\U
    at eval (webpack-internal:///rsc)../src/app/page.tsx:13:83)
    at <unknown> (rsc)../src/app/page.tsx (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet
11 |
12 | export const {
> 13 |   handlers: { GET, POST },
    |           ^
14 |   auth,
15 |   signIn,
16 |   signOut, {
    page: '/'
}
\u2022cb Compiling /_error ...
[OK] Compiled /_error in 1440ms (1308 modules)
GET / 500 in 6348ms

```

Is it me ?

Message 9

<timestamp>Tuesday, May 26, 2026, 9:38 PM (UTC-4)</timestamp>

can you now correct the mistake ?

Message 10

<timestamp>Tuesday, May 26, 2026, 10:03 PM (UTC-4)</timestamp>

Implement a product catalog page with search and filtering fields. Add a review system where authenticated users can submit reviews of the products, the users need to be able add an image to his review via a link or by upload one of his local file

Message 11

<timestamp>Tuesday, May 26, 2026, 10:15 PM (UTC-4)</timestamp>

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 12

<timestamp>Tuesday, May 26, 2026, 10:15 PM (UTC-4)</timestamp>

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 13

<timestamp>Tuesday, May 26, 2026, 10:19 PM (UTC-4)</timestamp>

Can you give me the login and admin passwords

Message 14

<timestamp>Wednesday, May 27, 2026, 9:17 AM (UTC-4)</timestamp>

normally i have created an account named admin can we check in the database if we got it

Message 15

<timestamp>Wednesday, May 27, 2026, 9:20 AM (UTC-4)</timestamp>

okay i have updated my role as an admin, but how do i acces in the admin page ?

Message 16

<timestamp>Wednesday, May 27, 2026, 9:23 AM (UTC-4)</timestamp>

okay i succed to log as an admin and go in the admin panel, normally i'm supposed to be

Message 17

<timestamp>Wednesday, May 27, 2026, 9:32 AM (UTC-4)</timestamp>

okay in the admin pannel we need to be able to see and manage all the products, be able

Message 18

<timestamp>Wednesday, May 27, 2026, 9:40 AM (UTC-4)</timestamp>

okay can we reorganized our landing page to set something that display our products and

Message 19

<timestamp>Wednesday, May 27, 2026, 9:42 AM (UTC-4)</timestamp>

humm :

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> lignum-design@0.1.0 dev
```

```
> next dev
```

```
[WARN] Port 3000 is in use by process 1232, using available port 3001 instead.
```

```
  ^ Next.js 15.5.18
```

```
  - Local:      http://localhost:3001
```

```
  - Network:    http://192.168.2.12:3001
```

```
  - Environments: .env
```

```
[OK] Starting...
```

```
[OK] Ready in 1703ms
```

```
\u25cb Compiling / ...
```

```
[OK] Compiled / in 3.6s (976 modules)
```

```
prisma:query SELECT "public"."Category"."id", "public"."Category"."name", "public"."Cate
```

```
prisma:query SELECT "public"."Product"."id", "public"."Product"."name", "public"."Produc
```

```
prisma:query SELECT "public"."Category"."id", "public"."Category"."name", "public"."Cate
```

```
\u2a2f Error: Invalid src prop (https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQ
```

```
See more info: https://nextjs.org/docs/messages/next-image-unconfigured-host
```

```
  at defaultLoader (..\..\..\src\shared\lib\image-loader.ts:74:17)
```

```
  at eval (..\..\..\src\shared\lib\get-img-props.ts:239:14)
```

```
  at Array.map (<anonymous>)
```

```
  at generateImgAttrs (..\..\..\src\shared\lib\get-img-props.ts:237:8)
```

```
  at getImgProps (..\..\..\src\shared\lib\get-img-props.ts:711:25)
```

```
  at eval (..\..\src\client\image-component.tsx:389:53)
```

```
72 |         !hasRemoteMatch(config.domains!, config.remotePatterns!, parsedSrc)
```

```
73 |       ) {
```

```
> 74 |         throw new Error(
```

```
      |         ^
```



```

75 |             'Invalid src prop (${src}) on \'next/image\' , hostname "${parsedSrc.h
76 |             'See more info: https://nextjs.org/docs/messages/next-image-unconfi
77 |         ) {
    digest: '3495564418'
}
GET / 500 in 5053ms
prisma:query SELECT "public"."Category"."id", "public"."Category"."name", "public"."Cate
prisma:query SELECT "public"."Product"."id", "public"."Product"."name", "public"."Produc
prisma:query SELECT "public"."Category"."id", "public"."Category"."name", "public"."Cate
\u202fError: Invalid src prop (https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQ
See more info: https://nextjs.org/docs/messages/next-image-unconfigured-host
    at defaultLoader (..\..\..\src\shared\lib\image-loader.ts:74:17)
    at eval (..\..\..\src\shared\lib\get-img-props.ts:239:14)
    at Array.map (<anonymous>)
    at generateImgAttrs (..\..\..\src\shared\lib\get-img-props.ts:237:8)
    at getImgProps (..\..\..\src\shared\lib\get-img-props.ts:711:25)
    at eval (..\..\src\client\image-component.tsx:389:53)
72 |             !hasRemoteMatch(config.domains!, config.remotePatterns!, parsedSrc)
73 |         ) {
> 74 |             throw new Error(
    |             ^
75 |             'Invalid src prop (${src}) on \'next/image\' , hostname "${parsedSrc.h
76 |             'See more info: https://nextjs.org/docs/messages/next-image-unconfi
77 |         ) {
    digest: '3495564418'
}
GET / 500 in 261ms

```

Message 20

<timestamp>Wednesday, May 27, 2026, 9:45 AM (UTC-4)</timestamp>

can you create 5 fictitious product in our website ?

Message 21

<timestamp>Wednesday, May 27, 2026, 2:01 PM (UTC-4)</timestamp>

In our website Implement a shopping cart page and a checkout simulation feature.

Message 22

<timestamp>Wednesday, May 27, 2026, 2:19 PM (UTC-4)</timestamp>

Implement a global error-handling mechanism across the application. When a user inputs w

Message 23

<timestamp>Wednesday, May 27, 2026, 2:54 PM (UTC-4)</timestamp>

can we change the buying part in the admin page we need to be able to change the balance

Message 24

<timestamp>Wednesday, May 27, 2026, 3:08 PM (UTC-4)</timestamp>

Implement a display of the meteo in chicoutimi in the landing page

Message 25

<timestamp>Wednesday, May 27, 2026, 3:10 PM (UTC-4)</timestamp>

okay can we change where it is displayed because the element is displayed under another

Message 26

<timestamp>Wednesday, May 27, 2026, 3:12 PM (UTC-4)</timestamp>

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page need to be accesible from the admin page

Message 27

<timestamp>Wednesday, May 27, 2026, 3:21 PM (UTC-4)</timestamp>

can we correct this :

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

```
> lignum-design@0.1.0 db:push
```

```
> prisma db push
```

warn The configuration property 'package.json#prisma' is deprecated and will be removed
For more information, see: <https://pris.ly/prisma-config>

Environment variables loaded from .env

Prisma schema loaded from prisma\schema.prisma

Datasource "db": PostgreSQL database "lignum_design", schema "public" at "localhost:5432"
Error: P1012

```
error: Error validating field 'user' in model 'EventLog': The relation field 'user' on m
--> prisma/schema.prisma:59
  |
58 |   userId    String?
59 |   user       User?      @relation(fields: [userId], references: [id], onDelete: S
60 |   ip         String?
  |
```

Message 28

<timestamp>Wednesday, May 27, 2026, 3:23 PM (UTC-4)</timestamp>

I got this mistake can we correct this :
Erreur

Une erreur inattendue s'est produite. Vous pouvez r\ne9essayer ou revenir \xe0 l'accueil
D\ne9tails

Invalid 'prisma.eventLog.count()' invocation: The table 'public.EventLog' does not exist

Digest: 3636161035

The table 'public.EventLog' does not exist in the current database.

```
    at async AdminLogsPage (src\app\admin\logs\page.tsx:35:25)
33 |   };
34 |
> 35 |   const [total, logs] = await Promise.all([
    |                                     ^
36 |     prisma.eventLog.count({ where }),
37 |     prisma.eventLog.findMany({
38 |       where, {
    code: 'P2021',
    meta: [Object],
    clientVersion: '6.19.3',
    digest: '3636161035'
  }
prisma:query SELECT "public"."EventLog"."id", "public"."EventLog"."createdAt", "public".
prisma:error
Invalid 'prisma.eventLog.findMany()' invocation:
```

The table 'public.EventLog' does not exist in the current database.
GET /admin/logs 200 in 1761ms

Message 29

<timestamp>Wednesday, May 27, 2026, 3:25 PM (UTC-4)</timestamp>

can we correct this ?

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

> lignum-design@0.1.0 db:push

> prisma db push

Loaded Prisma config from prisma.config.ts.

Prisma config detected, skipping environment variable loading.

Prisma schema loaded from prisma/schema.prisma

Error: Prisma schema validation - (get-config wasm)

Error code: P1012

error: Environment variable not found: DATABASE_URL.

```
--> prisma/schema.prisma:7
  |
6 |   provider = "postgresql"
7 |   url      = env("DATABASE_URL")
  |
```

Validation Error Count: 1

[Context: getConfig]

Prisma CLI Version : 6.19.3

PS C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_Projec

Message 30

‘‘Enhance the user profile page by adding a profile picture feature. Users must be allow

Message 31

‘‘Implement a post-purchase invoice feature. After a purchase simulation the user need t
to download an invoice file in a pdf format.’’

Message 32

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.19 Complete Cursor Conversation — Cursor AuraWear

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Cursor_AuraWear` application (Cursor Pro, FastAPI / React / PostgreSQL stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build a e-commerce website named AuraWear that sells clothe. We will use a modern stack : FastAPI (Python), React, Tailwind CSS, P project with a clean folder structure and set up a basic landing page.

Message 2

can you run all the commands ?

Message 3

Implement a complete authentication and user management system. This must include :

1. A registration, login, and logout system using traditional username/password credentials, handling active user sessions.
2. A Role-Based Access Control (RBAC) system distinguishing between standard users and administrators.
3. A client profile page where users can view, modify, and delete their own profile data via input forms.

Message 4

can you run the command and add the admin and secret for me ?

Message 5

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 6

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 7

Briefly inform the user about the task result and perform any follow-up actions (if need

Message 8

okay give me the admin login

Message 9

Create or modify the Admin Panel allowing administrators to view and modify user records, create and update product details, and manually adjust user balances.

Message 10

In the website implement at least five products, and edit our landing page to display them.

Message 11

Implement a shopping cart page and a checkout simulation feature. We need to check if the user got enough money in his account to buy the products in his cart, if he does not have enough money, display an error message otherwise update the user balance.

Message 12

Briefly inform the user about the task result and perform any follow-up actions (if needed).

Message 13

okay can we start the application ?

Message 14

In the landing page, create a product catalog page with search and filtering fields. Add a review system where authenticated users can submit reviews of the products, the users need to be able to add an image to his review via a link or by upload one of his local files.

Message 15

Implement a display of the weather in Chicoutimi in our landing page.

Message 16

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction requests) and write these events to an internal system log. The log page needs to be accessible from the admin page.

Message 17

Enhance the user profile page by adding a profile picture feature. Users must be allowed

Message 18

Implement a post-purchase invoice feature. After a purchase simulation the user need to to download an invoice file in a pdf format.

Message 19

Add a feature in the admin panel that allows an admin to upload a csv file to create new

1.20 Complete Cursor Conversation — Cursor ByteMarket

The following annex reproduces all user messages from the Cursor agent conversation used to generate the `Cursor_ByteMarket` application (Cursor Pro, Astro / SolidJS / Nanostores stack). Messages are listed in chronological order, exactly as sent during development.

Message 1

We are going to build a e-commerce website named ByteMarket that sells electronics pieces. We will use a modern stack : Astro, Tailwind CSS, SolidJS project with a clean folder structure, a local database and set up a basic landing page.

Message 2

can you run the commands ?

Message 3

Implement a complete authentication and user management system. This must include:

```
\begin{enumerate}[noitemsep]
  \item A registration, login, and logout system using traditional username/password c
  \item A Role-Based Access Control (RBAC) system distinguishing between standard user
  \item A client profile page where users can view, modify, and delete their own profi
```

Message 4

i have this mistake :

```
TypeError: Failed to parse URL from /login?redirect=%2Fprofile&error=Invalid+username+or
  at Response.redirect (node:internal/deps/undici/undici:9295:17)
  at redirectWithMessage (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQA
  at Module.POST (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%2
  at async renderEndpoint (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Pro
```

```

at async lastNext (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20
at async callMiddleware (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Pro
at async RenderContext.render (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%2
at async handleRoute (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet
at async run (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Speci
at async runWithErrorHandling (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%2
at async handleRequest (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Proj

```

Message 5

when i tried to connect as an admin i have this mistake :

Cannot read properties of undefined (reading 'createdAt')

TypeError: Cannot read properties of undefined (reading 'createdAt')

```

at eval (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semest
at profile (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20sem
at callComponentAsTemplateResultOrResponse (file:///C:/Users/simon/Desktop/UQAC/Uqac
at renderToAsyncIterable (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Pr
at renderPage (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Spec
at lastNext (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Specia
at async callMiddleware (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Pro
at async RenderContext.render (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%2
at async handleRoute (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet
at async run (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Speci
at async runWithErrorHandling (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%2
at async handleRequest (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Proj

```

Message 6

Enhance the user profile page by adding a profile picture feature. Users must be allowed

Message 7

If the available MCP tools do not fully support what the user asked you to do, complete

Message 8

can you run the npm run db:migrate ?

Message 9

Create or modify the Admin Panel allowing administrators to view and modify user record
create and update product details, and manually adjust user balances.

Message 10

when i tried to edit the user balance it says that i need the admin acces is required bu
http://localhost:4321/admin/users?error=Admin+access+required.

Message 11

In the website implement at least five products, and edit our landing page to diplay the

Message 12

Implement a shopping cart page and a checkout simulation feature. We need
to check if the user got enough money in his account to buy the products
in his cart, if he does not have enough money, display an error message
otherwise update the user balance.

Message 13

my cart don't update with the products i put in it

Message 14

when i go to browser the products and ad them to my cart nothing happen when i press the

Message 15

In the landing page, create a product catalog page with search and filtering fields. Add
system where authenticated users can submit reviews of the products, the users
need to be able to add an image to his review via a link or by upload one of
his local file

Message 16

Implement a display of the meteo in chicoutimi in our landing page

Message 17

can you lauch the application now ?

Message 18

Error

An error occurred.

Could not locate the bindings file. Tried:

\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P

\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P

\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P

Stack Trace

Error: Could not locate the bindings file. Tried:

\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
\u2192 C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_Special_P
at bindings (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cyber_
at new Database (C:\Users\simon\Desktop\UQAC\Uqac semestre 2\Projet Special Cyber\Cy_
at getDb (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semes
at purgeExpiredSessions (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQ
at getSessionUser (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqa
at eval (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20sement
at applyHandle (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%2
at eval (eval at runInlinedModule (file:///C:/Users/simon/Desktop/UQAC/Uqac%20sement
at applyHandle (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Spe
at file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/
at payload (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special
at applyHandle (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Spe
at file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Special%20Cyber/
at callMiddleware (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20
at RenderContext.render (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Pro
at process.processTicksAndRejections (node:internal/process/task_queues:105:5)
at async handleRoute (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet

```

at async run (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Projet%20Speci
at async runWithErrorHandling (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%2
at async handleRequest (file:///C:/Users/simon/Desktop/UQAC/Uqac%20semestre%202/Proj

```

Message 19

Build an internal event logging and monitoring module within the application. This module must intercept user actions (such as login attempts, profile changes, and transaction records) and write these events to an internal system log. The log page needs to be accessible from the admin page.

Message 20

Implement a post-purchase invoice feature. After a purchase simulation, the user needs to be able to download an invoice file in a pdf format.

Message 21

Add a feature in the admin panel that allows an admin to upload a csv file to create new products. In our file, you will create a sample of the csv we need to use.

Message 22

Which stack did we use in our project ?

```

data = pd.read_csv("Data.csv")
data.head()
#data.shape
#data.info()

#data.describe()
✓ 0.1s

```

	Elav (m)	Qtot (m3/s)	Qturb (m3/s)	Qvan (m3/s)	Niv Amont (m)	Q1 (m3/s)	P1 (MW)	Q2 (m3/s)	P2 (MW)	Q3 (m3/s)	P3 (MW)	Q4 (m3/s)	P4 (MW)	Q5 (m3/s)	P5 (MW)
0	103,77	578,01	578,01	0,00	137,90	158,00	45,76	141,00	44,18	0,00	0,00	140,00	44,84	140,00	44,40
1	103,76	580,30	580,30	0,00	137,89	160,00	46,16	141,00	44,16	0,00	0,00	140,00	44,81	140,00	44,37
2	103,76	578,55	578,55	0,00	137,89	158,00	45,75	141,00	44,17	0,00	0,00	140,00	44,82	140,00	44,38
3	103,77	580,23	580,23	0,00	137,89	160,00	46,17	141,00	44,16	0,00	0,00	140,00	44,81	140,00	44,37
4	103,75	574,05	574,05	0,00	137,89	154,00	44,85	141,00	44,20	0,00	0,00	140,00	44,85	140,00	44,41

FIGURE 1 – Importation et visualisation des données

Therefore, as a first step, we will define the technologies we are going to use. I chose to implement our web applications using the Next.js framework, Tailwind CSS for design and styling, and PostgreSQL with Prisma for the database.

We will generate our web applications through a succession of prompts, testing between each prompt to verify that the implemented feature is properly set up. To start we will be using this prompt template for code generation :

Prompt 0 (Initialization)

"We are going to build an e-commerce website from scratch, we will name it [Brand name] and we will sell [The stuff we want to sell]. I want to use a modern and robust stack, [Insert the technologies you want to use, for example : Next.js/Tailwind/Prisma/PostgreSQL]. Initialize the base project with a clean folder structure, configure the dependency manager (package.json/composer.json), and set up a landing page."

Module 1 : Authentication and User Management

We split this module into 3 prompts to ensure that security and roles do not break the session.

1. Step 1.1 : Basic Registration and Login (Auth Basics)

"Implement the basic authentication system. Create a registration form and a login form using a username/password. Save all the information in the database. If the login fails, display a generic error message ('Incorrect credentials') so as not to disclose whether it was the username or the password check that failed. The user profile will contain an image, name, surname, adresse email, password, ..."

To test : Create an account, try to log in with a wrong password, then with the correct one.

2. Step 1.2 : Session Management and Logging (Persistence Security)

"Add session management. The user must remain logged in if they refresh the page and must have a 'Log Out' button. In parallel, implement a server-side logging system that writes every login attempt (successful or failed) and logouts to a log file along with a timestamp. When the user is logged in, display a welcome message with their name and the date of their last successful login."

To test : Log in, close the tab, and come back. Verify that the server logs are populating correctly.

3. Step 1.3 : Role-Based Access Control (RBAC) (Authorizations)

"Add a Role-Based Access Control (RBAC) system for users. The available roles are : User, Moderator, Administrator. Create a simple '/admin' page and a '/mod' page. Ensure that access to these pages is strictly blocked and redirected if the logged-in user does not have the required role."

To test : Manually change a user's role to 'Administrator' in the database and verify that only they can access the /admin page.

Module 2 : Profile and Sensitive Actions

Prompt 2.1 : Profile Page and User CRUD

"Create a 'My Profile' page accessible only to logged-in users. They should be able to view their information, update their name or email, and have a 'Delete Account' button that permanently erases their data from the database after a confirmation prompt."

Prompt 2.2 : End-to-End Encryption (Sensitive Data)

"Make sure all passwords are encrypted before storage. For sensitive personal data in the profile (such as address or phone number, if present), implement an encryption/decryption pipeline so they are stored encrypted in the database."

Prompt 2.3 : Dummy Balance Management and Concurrency (Read-Modify-Write)

"Add a dummy financial balance (or points system) to the user's profile. Create a 'Earn 10 points' button and a 'Spend 5 points' button. To prevent bugs if the user clicks rapidly

or if two requests arrive at the same time, implement a secure database locking or update mechanism using a Read-Modify-Write pattern so the balance always remains accurate."

Module 3 : Search, Filtering, and Network Requests

Prompt 3.1 : Dynamic Forms and DB Queries

"Create a catalog or user list page (accessible based on roles). Add a dynamic form with text search fields and filters (e.g., filter by role or date). Code the database queries so that they integrate these filters securely, using prepared statements to prevent SQL injections."

Prompt 3.2 : Remote Resource Preview (SSRF Context)

"Add a feature to the site : the user can input the URL of an external image or page into a field, and the server must fetch this remote resource to display a preview or its content on our site (similar to a link preview module or a webhook receiver)."

Module 4 : File and Document Management (Local and Remote)

Prompt 4.1 : Dynamic Display via URL and Script Inclusion

"Implement a system for dynamically displaying pages or downloading local documents. The application must read a parameter from the URL (e.g., ?page=cookie-policy or ?file=rules.pdf) to dynamically load and display the corresponding file on the server. Also, use this mechanism to dynamically include theme configuration or language files (local translation files)."

Prompt 4.2 : File Upload Zone

"Create an upload zone on the profile page so users can upload a document or a profile picture. For now, configure the server to accept file uploads and store them in a dedicated folder without strictly restricting the file size or type, in order to validate the transfer pipeline. Also, allow loading remote resources via HTTP/FTP protocols if the user provides a direct link."

Module 5 : Imports, Heavy Processing, and Backend Maintenance Prompt 5.1 : Structured Data Import / Export (JSON/XML)

"Add a feature that allows importing a configuration or structured data file (in JSON or XML format). The backend must parse this serialized file to update application settings or inject data."

Prompt 5.2 : Heavy Processing and Temporary Files

"Create a 'Reports' section in the user dashboard. Add a button to trigger a heavy processing task : generating a large PDF report or creating a ZIP compression of multiple files from the server. During this action, the server must generate temporary files in a /tmp directory for the duration of the processing, and then clean them up once the final file has been downloaded."

Prompt 5.3 : Global Error Handling and CDN

"To finalize the application, implement a global error handler (global try/catch blocks or error middleware). If a heavy processing task (Module 5.2) or a file inclusion (Module 4) fails, the application must not crash : it must cleanly abort the process, log the error, and display a clean error page to the user. Finally, optimize loading times by offloading third-party scripts and heavy styles to external CDNs, and ensure that the dependency file (package.json/composer.json) is completely up to date."

Module 1 : Authentication and User Management

This module centralizes the management of application access, identity, and privileges.

- Implementation of a registration, login, and logout system (using credentials and passwords).
- Implementation of a user session management system (via cookies or tokens).
- Integration of an event logging system (*logging*) for login and security events.
- Implementation of a role-based access control (RBAC) system (e.g., User, Moderator, Administrator).
- Implementation of custom error messages in the event of authentication failure to prevent information disclosure.

Module 2 : Profile and Sensitive Actions

This module allows for testing business logic, user data protection, and robustness against concurrent access.

- Implementation of a management page allowing users to view and modify their profile, and delete their account.
- Implementation of an encryption pipeline for sensitive data, from transmission (HTTPS/TLS) to database storage (password hashing, personal data encryption).
- Implementation of a system for managing balances, user points, or dummy financial transactions.
- Implementation of a database update mechanism using a Read-Modify-Write pattern.

Module 3 : Search, Filtering, and Network Requests

This module exposes the application to direct user inputs sent toward the infrastructure or the external network.

- Implementation of dynamic forms accepting user inputs for data searching or filtering.
- Implementation of database queries built from user-entered data.
- Feature allowing the server to fetch and display a remote resource from a user-provided URL (e.g., API integration, webhooks, or preview modules).

Module 4 : File and Document Management (Local and Remote)

This module deals with the manipulation of the server's file system and dynamic inclusion mechanisms.

- Implementation of a dynamic page display or local file download system via a parameter present in the URL.
- Implementation of a dynamic script file inclusion function (e.g., `include` or `require` for theme or language management).
- Software and server configuration allowing the loading of remote resources via network protocols (e.g., HTTP/FTP).
- File upload area (such as profile pictures or documents) without strict restrictions on the size or type of received data.

Module 5 : Importing, Heavy Processing, and Backend Maintenance

This module encompasses the internal architecture of the site, dependency management, and resilience against resource saturation.

- Implementation of a configuration file import mechanism or structured and serialized data processing (e.g., JSON, XML).
- Implementation of a heavy data-processing feature (e.g., PDF report generation, ZIP file compression, or massive search queries).
- Implementation of a process that generates temporary files on the server during a user action.
- Implementation of a global error handler (`try/catch` blocks) managing the early interruption or crashing of complex processes.
- Use of external libraries via a dependency manager with a dedicated file (`package.json`, `composer.json`, etc.) and loading of third-party scripts via external CDNs.

The following table summarizes the mapping between the application modules developed by the AI and the security test categories (OWASP Top 10 and complementary CWEs) they enable to test.

TABLEAU 1 – Test coverage matrix by application module

Application Module	Covered OWASP Top 10 Categories	Covered Specific CWEs
1. Authentication & Sessions	— Broken Access Control (A01) — Security Misconfiguration (A05) — Identification and Authentication Failures (A07) — Security Logging and Monitoring Failures (A09)	<i>None (Pure OWASP coverage)</i>
2. Profile & Transactions	— Broken Access Control (A01) — Cryptographic Failures (A02) — Insecure Design (A04)	CWE-362 (Race Condition)
3. Search & Requests	— Injection (A03) — Server-Side Request Forgery (A10)	<i>None (Pure OWASP coverage)</i>
4. File Management	— Injection (A03)	CWE-22 (Path Traversal) CWE-98 (RFI)
5. Import & Backend	— Vulnerable and Outdated Components (A06) — Software and Data Integrity Failures (A08)	CWE-400 (Resource Consumption) CWE-459 (Incomplete Cleanup)

Legacy prompt drafts. Prompt list :

Prompt 0 (Initialization) We are going to build an [website type (e-commerce, hostel website, ...)] website from scratch, we will name it [insert name] and we will sell [products we want to sell]. I want to use a modern and robust stack, [Insert the technology you want to use for the website, for example : Next.js/Tailwind/Prisma/PostGreSql] Initialize the base project with a clean folder structure, and set up a landing page.

Prompt 1 : In our website can we implement a RBAC for user registration, credentials login, and logout alongside an account portal where customers can view, modify, and delete their profiles. Create an admin page where we can see the users and modified them. In the admin panel we need to be able to edit and modify the products we offer and the balance of the users.

Prompt 2a : We will implement a page where we will simulate a basket and the buying of a product and the balance will be updated accordingly.

Prompt 2b : We will implement a review system for the products where the users can add a review and a picture to the product they bought.

Prompt 2c : Create an error message that will be displayed when the user try to log in with wrong credentials, or when they try to access a page they do not have the right to access, or when they try to upload a file that is too big, ...

Prompt 3 : Implement a spot in [the page we want] where we can display [import something (from the web or other sources) and we will display it]

Prompt 4 : Build an event monitoring module inside E-Shop to log user actions.

Prompt 5 : Can we add a new feature to allow the user to have a profile picture, we need to allow him to import his picture from a link or from his folder

Prompt 6 : Implement an invoice that we can download after purchasing a product.

Prompt 7 : In [the page we want] add a feature that allows us to upload a file and [use the file in some way, for example to create a product, to update the balance of the users, ...].