Refereed first-author publications

20. The discovery of lambda Bootis stars - the Southern Survey II Murphy, Simon J. et al. (2020) MNRAS 499, 2701. Cited: 1 19. On the first δ Sct-roAp hybrid pulsator and the stability of p and g modes in chemically peculiar A/F stars Murphy, Simon J. et al. (2020) MNRAS 498, 4272. 18. The pulsation properties of λ bootis stars I. the southern TESS sample Murphy, S. J. et al. (2020) MNRAS 495, 1888. Cited: 2 17. Finding binaries from phase modulation of pulsating stars with Kepler - VI. Orbits for 10 new binaries with mischaracterized primaries Murphy, Simon J. et al. (2020) MNRAS 493, 5382. 16. Gaia-derived luminosities of Kepler A/F stars and the pulsator fraction across the δ Scuti instability strip Murphy, Simon J. et al. (2019) MNRAS 485, 2380. Cited: 37 15. Finding binaries from phase modulation of pulsating stars with Kepler: V. Orbital parameters, with eccentricity and mass-ratio distributions of 341 new binaries Murphy, Simon J. et al. (2018) MNRAS 474, 4322. Cited: 51 14. Gaia's view of the λ Boo star puzzle Murphy, Simon J. & Paunzen, Ernst (2017) MNRAS 466, 546. Cited: 22 13. Finding binaries from phase modulation of pulsating stars with Kepler - IV. Detection limits and radial velocity verification Murphy, Simon J. et al. (2016) MNRAS 461, 4215. Cited: 20 12. A Planet in an 840 Day Orbit around a Kepler Main-sequence A Star Found from Phase Modulation of Its Pulsations Murphy, Simon J. et al. (2016) ApJ 827, L17. Cited: 29 11. Near-uniform internal rotation of the main-sequence γ Doradus pulsator KIC 7661054 Murphy, Simon J. et al. (2016) MNRAS 459, 1201. Cited: 56 10. The potential for super-Nyquist asteroseismology with TESS Murphy, Simon J. (2015) MNRAS 453, 2569. Cited: 8 9. An Evaluation of the Membership Probability of 212 λ Boo Stars. I. A Catalogue Murphy, Simon J. et al. (2015) PASA 32, e036. Cited: 27 8. Deriving the orbital properties of pulsators in binary systems through their light arrival time delays Murphy, Simon J. & Shibahashi, Hiromoto (2015) MNRAS 450, 4475. Cited: 31 7. A search for non-pulsating, chemically normal stars in the δ Scuti instability strip using Kepler data Murphy, Simon J. et al. (2015) MNRAS 447, 3948. Cited: 23 6. Finding binaries among Kepler pulsating stars from phase modulation of their pulsations Cited: 62 Murphy, Simon J. et al. (2014) MNRAS 441, 2515. **5**. Asteroseismology of KIC 11754974: a high-amplitude SX Phe pulsator in a 343-d binary system Murphy, S. J. et al. (2013) MNRAS 432, 2284. Cited: 30 4. Super-Nyquist asteroseismology with the Kepler Space Telescope Murphy, Simon J. et al. (2013) MNRAS 430, 2986. Cited: 83 3. Pulsational amplitude growth of the star KIC 3429637 (HD 178875) in the context of Am and ρ Pup Murphy, Simon J. et al. (2012) MNRAS 427, 1418. Cited: 21 2. Kepler Fourier concepts: The performance of the Kepler data pipeline Murphy, Simon J. (2012) AN 333, 1057. Cited: 3 1. An examination of some characteristics of Kepler short- and long-cadence data

Murphy, Simon J. (2012) MNRAS 422, 665.

Cited: 44

Refereed co-authored publications

54. Tango of celestial dancers: A sample of detached eclipsing binary systems containing g-mode pulsating components. A case study of KIC9850387 Sekaran, S. et al. (2020) A&A 643, A162. 53. The effect of tides on near-core rotation: analysis of 35 Kepler γ Doradus stars in eclipsing and spectroscopic binaries Cited: 3 Li, Gang et al. (2020) MNRAS 497, 4363. **52**. Maelstrom: A Python package for identifying companions to pulsating stars from their light travel time variations Hey, Daniel et al. (2020) JOSS 5, 2125. Cited: 1 51. TESS first look at evolved compact pulsators. Known ZZ Ceti stars of the southern ecliptic hemisphere as seen by TESS Bognár, Zs. et al. (2020) A&A 638, A82. Cited: 4 50. Forward Modeling the Orbits of Companions to Pulsating Stars from Their Light Travel Time Variations Hey, Daniel R. et al. (2020) AJ 159, 202. Cited: 4 49. Very regular high-frequency pulsation modes in young intermediate-mass stars Bedding, Timothy R. et al. (2020) Natur 581, 147. Cited: 10 48. Tidally trapped pulsations in a close binary star system discovered by TESS Handler, G. et al. (2020) NatAs 4, 684. Cited: 9 47. Gravity-mode period spacings and near-core rotation rates of 611 γ Doradus stars with Kepler Li, Gang et al. (2020) MNRAS 491, 3586. 46. TESS first look at evolved compact pulsators. Discovery and asteroseismic probing of the g-mode hot B subdwarf pulsator EC 21494-7018 Charpinet, S. et al. (2019) A&A 632, A90. Cited: 5 **45**. The first view of δ Scuti and γ Doradus stars with the TESS mission Antoci, V. et al. (2019) MNRAS 490, 4040. Cited: 21 44. KIC 4142768: An Evolved Gamma Doradus/Delta Scuti Hybrid Pulsating Eclipsing Binary with Tidally Excited Oscillations Guo, Zhao et al. (2019) ApJ 885, 46. Cited: 11 43. Six new rapidly oscillating Ap stars in the Kepler long-cadence data using super-Nyquist asteroseismology Cited: 6 Hey, Daniel R. et al. (2019) MNRAS 488, 18. 42. The Kepler Smear Campaign: Light Curves for 102 Very Bright Stars Pope, Benjamin J. S. et al. (2019) ApJS 244, 18. Cited: 4 41. The period-luminosity relation of red supergiants with Gaia DR2 Chatys, Filip W. et al. (2019) MNRAS 487, 4832. Cited: 10 **40**. The period-luminosity relation for δ Scuti stars using Gaia DR2 parallaxes Ziaali, Elham et al. (2019) MNRAS 486, 4348. Cited: 18 **39**. Period spacings of γ Doradus pulsators in the Kepler field: Rossby and gravity modes in 82 stars Cited: 22 Li, Gang et al. (2019) MNRAS 487, 782. 38. Spectroscopic confirmation of the binary nature of the hybrid pulsator KIC 5709664 found with the frequency modulation method Derekas, A. et al. (2019) MNRAS 486, 2129. Cited: 2 37. Period spacings of γ Doradus pulsators in the Kepler field: detection methods and application to 22 slow rotators Li, Gang et al. (2019) MNRAS 482, 1757. Cited: 23

36. A window into δ Sct stellar interiors: understanding the eclipsing binary system TT Hor

35. An astrophysical interpretation of the remarkable g-mode frequency groups of the rapidly rotating γ

Cited: 4

Streamer, Margaret et al. (2018) MNRAS 480, 1372.

Dor star, KIC 5608334	
Saio, Hideyuki et al. (2018) MNRAS 477, 2183.	Cited: 24
34 . Asteroseismology of 16,000 Kepler Red Giants: Global Oscillation Parameters, Masses, and Yu, Jie et al. (2018) ApJS 236, 42.	l Radii Cited: 76
33 . Asteroseismology of KIC 7107778: a binary comprising almost identical subgiants Li, Yaguang et al. (2018) MNRAS 476, 470.	Cited: 8
32. Modelling Kepler red giants in eclipsing binaries: calibrating the mixing-length parameter v	vith aster-
oseismology	o
Li, Tanda et al. (2018) MNRAS 475, 981.	Cited: 28
31 . KIC 8164262: a heartbeat star showing tidally induced pulsations with resonant locking Hambleton, K. et al. (2018) MNRAS 473, 5165.	Cited: 23
30 . A spectroscopic and photometric investigation of the mercury-manganese star KIC 6128830 Hümmerich, Stefan et al. (2018) MNRAS 474, 2467.	0 Cited: 11
29. Theory and evidence of global Rossby waves in upper main-sequence stars: r-mode oscillatory Kepler stars	llations in
Saio, Hideyuki et al. (2018) MNRAS 474, 2774.	Cited: 58
28. Large amplitude change in spot-induced rotational modulation of the Kepler Ap star KIC Drury, Jason A. et al. (2017) MNRAS 471, 3193.	2569073 Cited: 5
27. Beyond the Kepler/K2 bright limit: variability in the seven brightest members of the Pleia White, T. R. et al. (2017) MNRAS 471, 2882.	des Cited: 31
26. Spectroscopic and asteroseismic analysis of the remarkable main-sequence A star KIC 1114	5123
Takada-Hidai, Masahide et al. (2017) MNRAS 470, 4908.	Cited: 7
25 . Spectroscopic survey of Kepler stars - II. FIES/NOT observations of A- and F-type stars Niemczura, E. et al. (2017) MNRAS 470, 2870.	Cited: 13
24 . The Discovery of λ Bootis Stars: The Southern Survey I	
Gray, R. O. et al. (2017) AJ 154, 31.	Cited: 16
23. Metal-rich SX Phe stars in the Kepler field Nemec, James M. et al. (2017) MNRAS 466, 1290.	Cited: 18
22 . Pulsation versus metallicism in Am stars as revealed by LAMOST and WASP Smalley, B. et al. (2017) MNRAS 465, 2662.	Cited: 27
21 . A new asteroseismic diagnostic for internal rotation in γ Doradus stars Ouazzani, Rhita-Maria et al. (2017) MNRAS 465, 2294.	Cited: 64
20. Asteroseismology of 1523 misclassified red giants using Kepler data	
Yu, Jie et al. (2016) MNRAS 463, 1297.	Cited: 19
19. KIC 3749404: a heartbeat star with rapid apsidal advance indicative of a tertiary compone Hambleton, K. et al. (2016) MNRAS 463, 1199.	ent Cited: 29
18. The ANU WiFeS SuperNovA Programme (AWSNAP) Childress, Michael J. et al. (2016) PASA 33, e055.	Cited: 27
17. Detection of Solar-like Oscillations, Observational Constraints, and Stellar Models for θ	Cyg, the
Brightest Star Observed By the Kepler Mission Guzik, J. A. et al. (2016) ApJ 831, 17.	Cited: 11
16. HD 24355 observed by the Kepler K2 mission: a rapidly oscillating Ap star pulsating in a	distorted
quadrupole mode Holdsworth, Daniel L. et al. (2016) MNRAS 462, 876.	Cited: 14
15. Binary star detectability in Kepler data from phase modulation of different types of oscilla Compton, D. L. et al. (2016) MNRAS 461, 1943.	tions Cited: 9
14. Amplitude modulation in δ Sct stars: statistics from an ensemble study of Kepler targets Bowman, Dominic M. et al. (2016) MNRAS 460, 1970.	Cited: 60
13. Photometry of very bright stars with Kepler and K2 smear data Pope, B. J. S. et al. (2016) MNRAS 455, L36.	Cited: 14

- 12. KIC 10080943: a binary star with two γ Doradus/ δ Scuti hybrid pulsators. Analysis of the g modes Keen, M. A. et al. (2015) MNRAS 454, 1792. Cited: 40
- 11. KIC 10080943: An eccentric binary system containing two pressure- and gravity-mode hybrid pulsators

Schmid, V. S. et al. (2015) A&A 584, A35.

Cited: 42

10. KIC 4768731: a bright long-period roAp star in the Kepler field

Smalley, B. et al. (2015) MNRAS 452, 3334.

Cited: 29

9. FM stars II: a Fourier view of pulsating binary stars - determining binary orbital parameters photometrically for highly eccentric cases

Shibahashi, Hiromoto et al. (2015) MNRAS 450, 3999.

Cited: 19

8. Spectroscopic survey of Kepler stars. I. HERMES/Mercator observations of A- and F-type stars Niemczura, E. et al. (2015) MNRAS 450, 2764. Cited: 64

7. A unifying explanation of complex frequency spectra of γ Dor, SPB and Be stars: combination frequencies and highly non-sinusoidal light curves

Kurtz, Donald W. et al. (2015) MNRAS 450, 3015.

Cited: 72

 ${f 6}$. Asteroseismic measurement of slow, nearly uniform surface-to-core rotation in the main-sequence F star KIC 9244992

Saio, Hideyuki et al. (2015) MNRAS 447, 3264.

Cited: 100

5. Validation of the frequency modulation technique applied to the pulsating δ Sct- γ Dor eclipsing binary star KIC 8569819

Kurtz, Donald W. et al. (2015) MNRAS 446, 1223.

Cited: 25

4. The Role of Turbulent Pressure as a Coherent Pulsational Driving Mechanism: The Case of the δ Scuti Star HD 187547

Antoci, V. et al. (2014) ApJ 796, 118.

Cited: 46

3. Asteroseismic measurement of surface-to-core rotation in a main-sequence A star, KIC 11145123 Kurtz, Donald W. et al. (2014) MNRAS 444, 102. Cited: 135

2. Unusual high-frequency oscillations in the Kepler δ Scuti star KIC 4840675

Balona, L. A. et al. (2012) MNRAS 424, 1187.

Cited: 10

1. The Kepler characterization of the variability among A- and F-type stars. I. General overview Uytterhoeven, K. et al. (2011) A&A 534, A125.