Position Group Tables for NFL Player Performance Models

2025 - 03 - 23

Table 1: Offense Grades Model Results - Position Groups

| | | Starter Models | | | On-Field Models | | | Attempt Models | |
|----------------------|------------------|-------------------|-------------------|----------------|-----------------|-----------------|------------------|-----------------|-----------------|
| Variable | Starter LPM | Starter Probit | Starter Logit | On-Field LPM | On-Field Probit | On-Field Logit | Attempt LPM | Attempt Probit | Attempt Logit |
| Quarterbacks | 0.92 [4,4015] | 1.18 [4,4015] | 1.29 [4,4015] | 2.57* [3,4016] | 3.21** [3,4016] | 3.27** [3,4016] | 2.42** [4,25604] | 1.65 [4,25604] | 1.75 [4,25604] |
| Running Backs | 1.11 [6,4013] | 1.30 [6,4013] | 1.23 [6,4013] | 0.41 [6,4013] | 0.40 [6,4013] | 0.38 [6,4013] | 2.06* [6,25602] | 1.75 [6,25602] | 1.67 [6,25602] |
| Wide Receivers | 0.76 [15,4004] | 0.84 [15,4004] | 0.88 [15,4004] | 0.28 [15,4004] | 0.39 [15,4004] | 0.35 [15,4004] | 1.12 [15,25593] | 0.88 [15,25593] | 0.96 [15,25593] |
| Tight Ends | 2.00* [6,4013] | 2.10* [6,4013] | 2.20** [6,4013] | 1.53 [6,4013] | 1.92* [6,4013] | 1.91* [6,4013] | 0.28 [6,25602] | 0.29 [6,25602] | 0.25 [6,25602] |
| Offensive Line | 2.19** [10,4009] | 2.42*** [10,4009] | 2.43*** [10,4009] | 0.84 [10,4009] | 0.93 [10,4009] | 0.99 [10,4009] | 0.49 [10,25598] | 0.68 [10,25598] | 0.64 [10,25598] |
| Control Variables | | | | | | | | | |
| Game Situation | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Coach Variables | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Team Stats | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Season/Team FE | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Coach FE | No | No | No | No | No | No | Yes | Yes | Yes |
| GIMR | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Player Presence | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Control Def. Players | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Control Off. Players | No | No | No | No | No | No | No | No | No |

F-statistics reported with degrees of freedom [df1,df2] and significance levels. * * p < 0.10, ** p < 0.05, *** p < 0.01

Table 2: Offense Yards Model Results - Position Groups

| | | Starter Models | | | On-Field Models | | | Attempt Models | |
|----------------------|------------------|------------------|------------------|----------------|-----------------|----------------|------------------|-------------------|------------------|
| Variable | Starter LPM | Starter Probit | Starter Logit | On-Field LPM | On-Field Probit | On-Field Logit | Attempt LPM | Attempt Probit | Attempt Logit |
| Quarterbacks | 3.62*** [4,4015] | 4.55*** [4,4015] | 4.49*** [4,4015] | 1.44 [3,4016] | 1.57 [3,4016] | 1.49 [3,4016] | 1.74 [4,25604] | 1.22 [4,25604] | 1.10 [4,25604] |
| Running Backs | 1.31 [6,4013] | 1.50 [6,4013] | 1.49 [6,4013] | 1.52 [6,4013] | 1.58 [6,4013] | 1.52 [6,4013] | 2.34** [6,25602] | 2.99*** [6,25602] | 2.60** [6,25602] |
| Wide Receivers | 1.44 [15,4004] | 1.63* [15,4004] | 1.66* [15,4004] | 0.56 [15,4004] | 0.57 [15,4004] | 0.60 [15,4004] | 0.52 [15,25593] | 0.60 [15,25593] | 0.58 [15,25593] |
| Tight Ends | 1.97* [6,4013] | 2.30** [6,4013] | 2.26** [6,4013] | 0.97 [6,4013] | 1.27 [6,4013] | 1.25 [6,4013] | 0.23 [6,25602] | 0.37 [6,25602] | 0.36 [6,25602] |
| Offensive Line | 1.51 [10,4009] | 1.67* [10,4009] | 1.71* [10,4009] | 0.84 [10,4009] | 0.91 [10,4009] | 0.96 [10,4009] | 0.52 [10,25598] | 0.74 [10,25598] | 0.73 [10,25598] |
| Control Variables | | | | | | | | | |
| Game Situation | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Coach Variables | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Team Stats | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Season/Team FE | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Coach FE | No | No | No | No | No | No | Yes | Yes | Yes |
| GIMR | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Player Presence | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Control Def. Players | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Control Off. Players | No | No | No | No | No | No | No | No | No |

Note: F-statistics reported with degrees of freedom [df1,df2] and significance levels. * * p < 0.10, ** p < 0.05, *** p < 0.01

Table 3: Offense Completions Model Results - Position Groups

| | | Starter Models | | | On-Field Models | | | Attempt Models | |
|----------------------|-----------------|------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Variable | Starter LPM | Starter Probit | Starter Logit | On-Field LPM | On-Field Probit | On-Field Logit | Attempt LPM | Attempt Probit | Attempt Logit |
| Quarterbacks | 3.02** [4,4015] | 3.69*** [4,4015] | 3.59*** [4,4015] | 3.08** [3,4016] | 3.32** [3,4016] | 3.09** [3,4016] | 1.59 [4,25604] | 1.06 [4,25604] | 0.87 [4,25604] |
| Running Backs | 0.91 [6,4013] | 1.02 [6,4013] | 1.02 [6,4013] | 1.57 [6,4013] | 1.64 [6,4013] | 1.59 [6,4013] | 1.49 [6,25602] | 1.95* [6,25602] | 1.75 [6,25602] |
| Wide Receivers | 1.14 [15,4004] | 1.30 [15,4004] | 1.31 [15,4004] | 0.48 [15,4004] | 0.51 [15,4004] | 0.53 [15,4004] | 0.41 [15,25593] | 0.45 [15,25593] | 0.38 [15,25593] |
| Tight Ends | 2.14** [6,4013] | 2.46** [6,4013] | 2.45** [6,4013] | 1.26 [6,4013] | 1.59 [6,4013] | 1.57 [6,4013] | 0.49 [6,25602] | 0.55 [6,25602] | 0.51 [6,25602] |
| Offensive Line | 1.65* [10,4009] | 1.83* [10,4009] | 1.88** [10,4009] | 0.80 [10,4009] | 0.87 [10,4009] | 0.92 [10,4009] | 0.52 [10,25598] | 0.72 [10,25598] | 0.71 [10,25598] |
| Control Variables | | | | | | | | | |
| Game Situation | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Coach Variables | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Team Stats | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Season/Team FE | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Coach FE | No | No | No | No | No | No | Yes | Yes | Yes |
| GIMR | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Player Presence | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Control Def. Players | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Control Off. Players | No | No | No | No | No | No | No | No | No |

F-statistics reported with degrees of freedom [df1,df2] and significance levels. * * p < 0.10, *** p < 0.05, *** p < 0.01

Table 4: Defense Stops Model Results - Position Groups

| | | Starter Models | | | On-Field Models | | | Attempt Models | |
|----------------------|-------------------|-------------------|-------------------|----------------|-----------------|-----------------|-----------------|------------------|-----------------|
| Variable | Starter LPM | Starter Probit | Starter Logit | On-Field LPM | On-Field Probit | On-Field Logit | Attempt LPM | Attempt Probit | Attempt Logit |
| Defensive Line | 1.32 [8,4011] | 1.39 [8,4011] | 1.44 [8,4011] | 1.50 [8,4011] | 1.59 [8,4011] | 1.58 [8,4011] | 1.08 [8,25600] | 0.89 [8,25600] | 0.81 [8,25600] |
| Linebackers | 0.84 [16,4003] | 0.89 [16,4003] | 0.91 [16,4003] | 0.56 [16,4003] | 0.58 [16,4003] | 0.62 [16,4003] | 0.78 [16,25592] | 0.73 [16,25592] | 0.84 [16,25592] |
| Cornerbacks | 2.37*** [12,4007] | 2.66*** [12,4007] | 2.70*** [12,4007] | 1.46 [12,4007] | 1.67* [12,4007] | 1.75* [12,4007] | 0.91 [12,25596] | 0.83 [12,25596] | 0.85 [12,25596] |
| Safeties | 0.69 [11,4008] | 0.70 [11,4008] | 0.71 [11,4008] | 0.63 [11,4008] | 0.71 [11,4008] | 0.75 [11,4008] | 1.45 [11,25597] | 1.58* [11,25597] | 1.54 [11,25597] |
| Control Variables | | | | | | | | | |
| Game Situation | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Coach Variables | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Team Stats | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Season/Team FE | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Coach FE | No | No | No | No | No | No | Yes | Yes | Yes |
| GIMR | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Player Presence | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Control Off. Players | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Control Def. Players | No | No | No | No | No | No | No | No | No |

Note: F-statistics reported with degrees of freedom [df1,df2] and significance levels. * * p < 0.10, ** p < 0.05, *** p < 0.01

Table 5: Defense Grades Model Results - Position Groups

| | | Starter Models | | | On-Field Models | | | Attempt Models | |
|----------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-----------------|-----------------|-----------------|
| Variable | Starter LPM | Starter Probit | Starter Logit | On-Field LPM | On-Field Probit | On-Field Logit | Attempt LPM | Attempt Probit | Attempt Logit |
| Defensive Line | 1.52 [8,4011] | 1.75* [8,4011] | 1.75* [8,4011] | 0.45 [8,4011] | 0.56 [8,4011] | 0.53 [8,4011] | 0.44 [8,25600] | 0.47 [8,25600] | 0.47 [8,25600] |
| Linebackers | 0.93 [16,4003] | 1.08 [16,4003] | 1.07 [16,4003] | 0.71 [16,4003] | 0.86 [16,4003] | 0.82 [16,4003] | 1.32 [16,25592] | 1.40 [16,25592] | 1.38 [16,25592] |
| Cornerbacks | 3.38*** [12,4007] | 3.59*** [12,4007] | 3.62*** [12,4007] | 1.76** [12,4007] | 2.61*** [12,4007] | 2.79*** [12,4007] | 0.55 [12,25596] | 0.59 [12,25596] | 0.61 [12,25596] |
| Safeties | 1.33 [11,4008] | 1.46 [11,4008] | 1.39 [11,4008] | 0.23 [11,4008] | 0.29 [11,4008] | 0.26 [11,4008] | 0.61 [11,25597] | 0.84 [11,25597] | 0.88 [11,25597] |
| Control Variables | | | | | | | | | |
| Game Situation | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Coach Variables | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Team Stats | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Season/Team FE | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Coach FE | No | No | No | No | No | No | Yes | Yes | Yes |
| GIMR | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Player Presence | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Control Off. Players | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Control Def. Players | No | No | No | No | No | No | No | No | No |

F-statistics reported with degrees of freedom [df1,df2] and significance levels. * * p < 0.10, ** p < 0.05, *** p < 0.01

Table 6: Defense Tackles Model Results - Position Groups

| | | Starter Models | | | On-Field Models | | | Attempt Models | |
|----------------------|----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|-----------------|-----------------|
| Variable | Starter LPM | Starter Probit | Starter Logit | On-Field LPM | On-Field Probit | On-Field Logit | Attempt LPM | Attempt Probit | Attempt Logit |
| Defensive Line | 1.38 [8,4011] | 1.45 [8,4011] | 1.44 [8,4011] | 1.35 [8,4011] | 1.41 [8,4011] | 1.37 [8,4011] | 2.16** [8,25600] | 1.69* [8,25600] | 1.81* [8,25600] |
| Linebackers | 0.38 [16,4003] | 0.35 [16,4003] | 0.38 [16,4003] | 0.83 [16,4003] | 0.96 [16,4003] | 0.92 [16,4003] | 0.53 [16,25592] | 0.51 [16,25592] | 0.61 [16,25592] |
| Cornerbacks | 1.45 [12,4007] | 1.66* [12,4007] | 1.68* [12,4007] | 1.76** [12,4007] | 2.13** [12,4007] | 2.18** [12,4007] | 0.42 [12,25596] | 0.41 [12,25596] | 0.44 [12,25596] |
| Safeties | 0.30 [11,4008] | 0.36 [11,4008] | 0.36 [11,4008] | 0.35 [11,4008] | 0.42 [11,4008] | 0.44 [11,4008] | 1.22 [11,25597] | 1.47 [11,25597] | 1.31 [11,25597] |
| Control Variables | | | | | | | | | |
| Game Situation | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Coach Variables | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Team Stats | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Season/Team FE | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Coach FE | No | No | No | No | No | No | Yes | Yes | Yes |
| GIMR | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Player Presence | Yes | Yes | Yes | Yes | Yes | Yes | No | No | No |
| Control Off. Players | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Control Def. Players | No | No | No | No | No | No | No | No | No |

F-statistics reported with degrees of freedom [df1,df2] and significance levels. * * p < 0.10, ** p < 0.05, *** p < 0.01

Table 7: Offense Grades F-Statistic Comparisons - Starter vs On-Field Models

| Position | LPM | | Probit | | Logit | |
|----------------|-----------------|----------------------|-----------------|----------------------|-----------------|----------------------|
| Quarterbacks | 2.79*** [0.000] | (On-Field > Starter) | 2.72*** [0.000] | (On-Field > Starter) | 2.53*** [0.000] | (On-Field > Starter) |
| Running Backs | 2.71*** [0.000] | (Starter > On-Field) | 3.25*** [0.000] | (Starter > On-Field) | 3.24*** [0.000] | (Starter > On-Field) |
| Wide Receivers | 2.71*** [0.000] | (Starter > On-Field) | 2.15*** [0.000] | (Starter > On-Field) | 2.51****[0.000] | (Starter > On-Field) |
| Tight Ends | 1.31*** [0.000] | (Starter > On-Field) | 1.09*** [0.002] | (Starter > On-Field) | 1.15*** [0.000] | (Starter > On-Field) |
| Offensive Line | 2.61*** [0.000] | (Starter > On-Field) | 2.60*** [0.000] | (Starter > On-Field) | 2.45*** [0.000] | (Starter > On-Field) |

F-ratio tests comparing the joint significance of position variables between models. * p < 0.10, ** p < 0.05, *** p < 0.01 * * p < 0.10, ** p < 0.05, *** p < 0.01

Table 8: Offense Yards F-Statistic Comparisons - Starter vs On-Field Models

| Position | LPM | | Probit | | Logit | |
|----------------|-----------------|----------------------|-----------------|----------------------|-----------------|----------------------|
| Quarterbacks | 2.51*** [0.000] | (Starter > On-Field) | 2.90*** [0.000] | (Starter > On-Field) | 3.01*** [0.000] | (Starter > On-Field) |
| Running Backs | 1.16*** [0.000] | (On-Field > Starter) | 1.05** [0.050] | (On-Field > Starter) | 1.02 [0.264] | (On-Field > Starter) |
| Wide Receivers | 2.57*** [0.000] | (Starter > On-Field) | 2.86*** [0.000] | (Starter > On-Field) | 2.77*** [0.000] | (Starter > On-Field) |
| Tight Ends | 2.03*** [0.000] | (Starter > On-Field) | 1.81*** [0.000] | (Starter > On-Field) | 1.81*** [0.000] | (Starter > On-Field) |
| Offensive Line | 1.80*** [0.000] | (Starter > On-Field) | 1.84*** [0.000] | (Starter > On-Field) | 1.78*** [0.000] | (Starter > On-Field) |

Note:

F-ratio tests comparing the joint significance of position variables between models. * p < 0.10, ** p < 0.05, *** p < 0.01

Table 9: Offense Completions F-Statistic Comparisons - Starter vs On-Field Models

| Position | LPM | | Probit | | Logit | |
|----------------|-----------------|----------------------|-----------------|----------------------|-----------------|----------------------|
| Quarterbacks | 1.02 [0.267] | (On-Field > Starter) | 1.11*** [0.000] | (Starter > On-Field) | 1.16*** [0.000] | (Starter > On-Field) |
| Running Backs | 1.73*** [0.000] | (On-Field > Starter) | 1.61*** [0.000] | (On-Field > Starter) | 1.56*** [0.000] | (On-Field > Starter) |
| Wide Receivers | 2.38*** [0.000] | (Starter > On-Field) | 2.55*** [0.000] | (Starter > On-Field) | 2.47*** [0.000] | (Starter > On-Field) |
| Tight Ends | 1.70*** [0.000] | (Starter > On-Field) | 1.55*** [0.000] | (Starter > On-Field) | 1.56*** [0.000] | (Starter > On-Field) |
| Offensive Line | 2.06*** [0.000] | (Starter > On-Field) | 2.10*** [0.000] | (Starter > On-Field) | 2.04*** [0.000] | (Starter > On-Field) |

Note:

F-ratio tests comparing the joint significance of position variables between models. * p < 0.10, ** p < 0.05, *** p < 0.01

Table 10: Defense Stops F-Statistic Comparisons - Starter vs On-Field Models

| Position | LPM | | Probit | | Logit | |
|----------------|-----------------|----------------------|-----------------|----------------------|-----------------|----------------------|
| Defensive Line | 1.14*** [0.000] | (On-Field > Starter) | 1.14*** [0.000] | (On-Field > Starter) | 1.10*** [0.002] | (On-Field > Starter) |
| Linebackers | 1.50*** [0.000] | (Starter > On-Field) | 1.53*** [0.000] | (Starter > On-Field) | 1.47*** [0.000] | (Starter > On-Field) |
| Cornerbacks | 1.62*** [0.000] | (Starter > On-Field) | 1.59*** [0.000] | (Starter > On-Field) | 1.54*** [0.000] | (Starter > On-Field) |
| Safeties | 1.10*** [0.002] | (Starter > On-Field) | 1.01 [0.327] | (On-Field > Starter) | 1.06** [0.041] | (On-Field > Starter) |

Note:

F-ratio tests comparing the joint significance of position variables between models. * p < 0.10, ** p < 0.05, *** p < 0.01

Table 11: Defense Grades F-Statistic Comparisons - Starter vs On-Field Models

| Position | LPM | | Probit | | Logit | |
|----------------|-----------------|----------------------|-----------------|----------------------|-----------------|----------------------|
| Defensive Line | 3.38*** [0.000] | (Starter > On-Field) | 3.12*** [0.000] | (Starter > On-Field) | 3.30*** [0.000] | (Starter > On-Field) |
| Linebackers | 1.31*** [0.000] | (Starter > On-Field) | 1.26*** [0.000] | (Starter > On-Field) | 1.30*** [0.000] | (Starter > On-Field) |
| Cornerbacks | 1.92*** [0.000] | (Starter > On-Field) | 1.38*** [0.000] | (Starter > On-Field) | 1.30*** [0.000] | (Starter > On-Field) |
| Safeties | 5.78*** [0.000] | (Starter > On-Field) | 5.03*** [0.000] | (Starter > On-Field) | 5.35*** [0.000] | (Starter > On-Field) |

Note:

F-ratio tests comparing the joint significance of position variables between models. * p < 0.10, *** p < 0.05, **** p < 0.01

Table 12: Defense Tackles F-Statistic Comparisons - Starter vs On-Field Models

| Position | LPM | | Probit | | Logit | |
|----------------|-----------------|----------------------|-----------------|----------------------|-----------------|----------------------|
| Defensive Line | 1.02 [0.243] | (Starter > On-Field) | 1.03 [0.188] | (Starter > On-Field) | 1.05* [0.057] | (Starter > On-Field) |
| Linebackers | 2.18*** [0.000] | (On-Field > Starter) | 2.74*** [0.000] | (On-Field > Starter) | 2.42*** [0.000] | (On-Field > Starter) |
| Cornerbacks | 1.21*** [0.000] | (On-Field > Starter) | 1.28*** [0.000] | (On-Field > Starter) | 1.30*** [0.000] | (On-Field > Starter) |
| Safeties | 1.17*** [0.000] | (On-Field > Starter) | 1.17*** [0.000] | (On-Field > Starter) | 1.22*** [0.000] | (On-Field > Starter) |

Note:

F-ratio tests comparing the joint significance of position variables between models. * p < 0.10, *** p < 0.05, *** p < 0.01

^{* *} p < 0.10, ** p < 0.05, *** p < 0.01

^{* *} p < 0.10, ** p < 0.05, *** p < 0.01

^{* *} p < 0.10, ** p < 0.05, *** p < 0.01

^{* *} p < 0.10, ** p < 0.05, *** p < 0.01

^{* *} p < 0.10, ** p < 0.05, *** p < 0.01