

### I. Notiuni teoretice

• Ce e reprezintă cerințele de business, la ce ne folosesc și cine le creează?

Cerintele de business reprezinta un set de specificatii care se bazeaza pe nevoile clientului. Ele ajuta la stabilirea asteptarilor privind proiectul in dezvoltare, definesc importanta si beneficiile acestuia.

• Test Condition vs Test Case

Test Condition – defineste o conditie ce trebuie verificata în timpul testării pentru a verifica funcționalitatea sau/si comportamentul unui sistem sau a unei anumite functionlitati. •

Test Case –este un set detaliat de instrucțiuni ce trebuie facute pentru a verifica daca anumite conditii de testare sunt îndeplinite sau nu.

• Retestare vs Testare de Regresie

Retestarea verifică dacă defectele gasite in sistem au fost remediate.

Testarea de regresie verifica daca prin rezolvarea defectelor descoperite anterior, nu s-au produs alte defecte in intreg sistemul.

### Etapele procesului de testare

#### Design Inchidere Planificare Implementare | Analiza <u>Ex</u>ecutie Pe parcursul • In aceasta Aceasta este In aceasta • In etapa de acestei etape, etapa se etapa se executie se ultima etapa • In aceasta etapa se se analizeaza creaza designcatalogheaza executa cazurile si presupune evalueaza criteriile cerintele de ul mediului de testele in evaluarea de testare, iar de intrare, se business, se testare. functie de rezultatele sunt criteriilor de decide care parti prioritatea de corecteaza precum si raportate. In iesire. din aplicatie vor fi cazurile de business si in atunci cand cazul in care predarea si testate, se aloca functie de arhivarea exista greseli testare. exista bug-uri, rolurile riscul materialelor acestea se sau persoanelor ambiguitati, si de testare si descoperirii fixeaza si se face implicate in se genereaza de bug-uri. identificarea retestarea project. Se creeaza conditiile de riscurilor de acestora. planul de testare. testare. Testarea de produs. regresie se face Acestea din pentru a ne urma se asigura ca raporteaza schimbarile catre client impreuna cu produse ale raportul de codului nu au provocat alte inchidere al probleme. testarii.

#### Monitorizare si control

Aceasta etapa monitorizeaza progresul actual si il compara cu planul initial de testare, incepe o data cu prima etapa si se termina cu ultima. Se iau masuri de control atunci cand exista devieri de la plan sau se observa riscul de a nu indeplini cerintele.

### Functional Testing vs Non-functional Testing

#### Functional Testing

• Testarea functionala este un tip de testare black-box. Testele functionale sunt teste create pe baza specificatiilor, functionalitatile pot fi testate fara a sti partea interna a produsului.

#### Non-functional Testing

• Testarea non-functionala verifica performanta, eficienta, mentenabilitatea sistemului si se concentreaza pe cum trebuie sa se comporte produsul software.

### Black-box Testing vs White-box Testing

#### Black-box Testing

• Testarea Black-box este o metoda de testare bazata pe specificatii, ea examineaza functionalitatile aplicatiei, fara a cunoaste structura codului sursa pe baza caruia actioneaza programul.

#### White-box Testing

 Testarea White-box denumita si testare structural, este o metoda de testare care se concentreaza pe verificarea codului, design-ului, precum si a structurii interne a unei aplicatii software.

### Verificare vs validare

### Testare pozitiva vs testare negativa

### Verificare

Verificarea este procesul prin care ne asiguram ca produsul este construit conform documentatiei.

### Validare

Validarea este procesul prin care ne asiguram ca produsul finit se comporta conform asteptarilor utilizatorului.

# Testare pozitiva

Testarea pozitiva implica testarea unui system prin introducerea unor date valide si corecte, pentru a ne asigura ca acesta functioneaaza conform asteptarilor.

### Testare negativa

Testarea negativa este modalitatea de testare a unui system prin introducerea unor date incorecte, neasteptate, pentru a ne asigura ca acestea sunt respinse si ca nu cauzeaza defecte ale sistemului.

### Whitebox

- Statement coverage
- Decision coverage

#### Blackbox

- Boundary Value Analysis
- Equivalence Partitioning
- StateTransitioning
- Decisional Table

Tehnicile de testare

- Experience testing
- Ad-hoc Testing
- Exploratory Testing
- Error guessing

#### Nivelurile de testare

Testarea unitaraconsta in testarea individuala a unitatilor separate din sistemul software

Testarea de integrare-consta in testarea interactiunii dintre componente si/sau sisteme

Testarea de sistemevalueaza intreaga functionalitate si performanta a intregului sistem

Testarea de acceptanta-verifica indeplinirea nevoilor utilizatorului

Testarea de componente-presupune verificarea fiecarui component in parte

Testarea de integrare a sistemuluipresupune testarea componentelor individuale combine`

### CERINTE DE BUSSINESS



#### As an existing user of the site elefant.ro I want to be able to add a product to my cart



#### Description

Description: This user story describes the process of adding a product in the cart, when already registered with a customer
account on the website www.elefant.ro. The user should be able to add a product in the cart, using 'Adauga in cos' button found
on the right side of the product.

#### Bussiness Requirements:

The "Adauga in cos" button should be available on the right side of the product,

Clicking the "Adauga in cos" button should successfully add the selected product to the user's cart.

After adding an item to the cart, the user should see a summary that displays the total number of items currently in their cart.

The user should have the option to continue shopping and add more items to their cart, or proceed to checkout directly from the cart summary.

#### Preconditions:

The user must have an existing account on the site.

The user must be logged in to their account.

The user must go to 'Categorii', then select a 'Subcategorie', press any 'Colectie' button and then select the product,

#### Acceptance Criteria:

When browsing a product, I should see an "Adauga in cos" button.

Clicking the button should add the product to my cart


The cart summary should display the total number of items added.

I can continue shopping or proceed to checkout from the cart.

#### Attachments (1)



As a user, I want an option to stay logged in, so that I don't have to enter my credentials every time.



#### Description

- Description: This user story describes the process of staying logged in as a user, when already registered with a customer account on the
  website www.elefant.ro. The user should be able to stay logged in, by selecting 'Tine-ma minte' button when logging in.
- Bussiness requirements:

The user must be able to remain logged in for a specified period of time,

The user must be able to log out of the platform at any time and be able to log in back.

.The user must be able to reset their password if they forget it.

The user must be able to view and manage their login sessions.

The user must be able to revoke access to their account from other devices.

#### Preconditions

The user must have an account on the platform.

The user must have the option to log in to and log out of the platform.

The user must have the option to remain logged in after closing the application or browser.

The user must have the option to reset their password if they forget it.

#### Acceptance Criteria:

When I log in successfully, there should be an option to keep my session active across multiple visits or browser sessions.

During login, I should see a "Tine-ma minte" checkbox. If I check it, my login session remains active even after closing the browser or app.

When I return to the website or app, I should be automatically logged in without having to re-enter my credentials.

Despite staying logged in, I should have the ability to log out manually if needed.

The "Tine-ma minte" feature should not compromise security, it should use secure tokens or cookies to maintain the session,



### CONDITIILE DE TESTARE

Conditiile de testare de mai jos sunt create in Zephyr Squad. Se testeaza functionalitatile de logare, precum si functionalitatile de adaugare, stergere sau sortare a produselor aflate in cosul user-ului deja logat.

IssueKey	Summary	Issue Type	Status
SCTT-19	Verify if the user is automatically logged out when the session expires due to inactivity.	Test	Done
SCTT-18	Verify that the "Stay Logged In" functionality works consistently across different browsers (Chrome, Firefox, Edge, etc.)	Test	Done
SCTT-17	After successful login, verify that the user remains logged in even after closing the application or browser.	Test	Done
SCTT-16	Verify that incorrect credentials (invalid username or password) result in a failed login.	Test	Done
SCTT-15	Verify that a user can log in successfully using valid credentials (username and password).	Test	Done
SCTT-14	Verify that clicking the "-" button multiple times does not allow the user to proceed to a negative quantity (e.g., -1, -2, -3, etc.).	Test	Done
SCTT-13	Verify whether the user can increase the quantity of the product in the cart.	Test	Done
SCTT-12	Verify that the cart displays as empty when the user removes all items.	Test	Done
SCTT-11	Verify that the quantity of the product increases by one when adding an item to the cart.	Test	Done
SCTT-10	Verify that clicking the "Add to Cart" button successfully adds the selected product to the cart.	Test	Done

### CAZURILE DE TESTARE

SCTT-15

Created at 27/Feb/24 2:03 PM by IT Factory with Better PDF Exporter for Jira Cloud

High

IT Factory

27/Feb/24 1:54 PM

Unassigned



#### [SCTT-15] Verify that a user can log in successfully using valid credentials (username and password).

Priority:

Created: 26/Feb/24 10:29 PM - Updated: 27/Feb/24 1:52 PM - Resolved: 27/Feb/24 1:13 PM

Status: Done

Project: Simona Catrinoiu TM-TA10

Done

Component/s: None Fix Version/s: None

Type: Test Reporter: IT Factory Resolution:

Assignee: Votes:

Labels: None

**Original Estimate:** Not Specified Remaining Estimate: Not Specified Time Spent: Not Specified

#### Description

The user is able to log in successfully using a valid username and a valid password.

PASS

#### Preconditions:

· The user must had previously signed up.

Ad hoc


Valid URL

Unscheduled

· Valid credentials

Test Step		Test Data		Expected Resi	ult
Navigate to www.elefant.ro		www.elefa	www.elefant.ro		s the website
2. Go to 'Sig of the scr	gn-up' page, on the right een	t side		User can acces	s 'Sign-up' page
Enter valid username and password and press 'Sign in'		ord Valid user	Valid username and valid password		enter a valid username and is able to log in
Version	Test Cycle	Status	Defects	Executed By	Executed On

Created at 28/Feb/24 10:09 AM by IT Factory with Better PDF Exporter for Jira Cloud



SCTT-13] Verify whether the user can increase the quantity of the product in the

Created: 26/Feb/24 10:24 PM - Updated: 28/Feb/24 9:52 AM - Resolved: 27/Feb/24 1:13 PM

Status: Done

Simona Catrinoiu TM-TA10 Project:

Component/s: None Fix Version/s: None

Medium Type: Test Priority: Reporter: IT Factory Assignee: Unassigned Votes:

Resolution: Done Labels: None Original Estimate: Not Specified Remaining Estimate: Not Specified Time Spent: Not Specified

The user is able to add a product to cart and then increase the quantity of the product by pressing '+' sign

#### Preconditions:

- . The user must have internet connection and go to website www.elefant.ro
- . The user must be logged in with a valid username and password
- . The user must already have at least a product in the cart

Test Step	Test Data	Expected Result
Navigate to www.elefant.ro	www.elefant.ro	User is able to access the website
<ol><li>Go to Log in page and log in using valid credentials</li></ol>	Valid username and password	User is able to log in
<ol> <li>On the new page, from the dropdown 'Categories', choose 'Books', scroll down and add a book to your cart</li> </ol>		User is able to add a product to cart
<ol> <li>On the new page, on the right side of the screen, select 'cart' dropdown and then press 'see your cart' in order to access the cart</li> </ol>		User is able to access the cart
<ol> <li>On the new page, below the product, press '+' button in order to increase the quantity of the product</li> </ol>		User is able to increase the quantity of the product


Version	Test Cycle	Status	Defects	Executed By	Executed On
Unscheduled	Ad hoc	PASS		IT Factory	28/Feb/24 10:06 AM

### MATRICEA DE TRASABILITATE

		and the second	The state of the s
Requirements	Tests	Executions	Defects
			SCTT-22 - The products do not stay in the
	SCTT-23 - Verify that the products stay in the cart after logging in	TestCycle1 - FAIL	cart after logging in
SCTT-9 - As a user, I want an option to	SCTT-15 - Verify that a user can log in successfully using valid credentials		
stay logged in, so that I don't have to	(username and password).		
enter my credentials every time.		Ad hoc - PASS	None
	SCTT-16 - Verify that incorrect credentials (invalid username or password) result		
		Ad hoc - PASS	None
	SCTT-17 - After successful login, verify that the user remains logged in even after		
		Ad hoc - PASS	None
	SCTT-18 - Verify that the "Stay Logged In" functionality works consistently across	Ad Hoc TASS	None
		Ad hoc - PASS	None
	SCTT-19 - Verify if the user is automatically logged out when the session expires	Au Hoc - FA33	None
		Adhea DACC	None
	due to inactivity.	Ad hoc - PASS	
			SCTT-21 - When logging in, the 'remember
			me' checkbox is automatically selected
			and the username and password are filled
	SCTT-20 - Verify if when unselected, the 'remember me' option does not work	Ad hoc - FAIL	in
SCTT-8 - As an existing user of the site	SCTT-10 - Verify that clicking the "Add to Cart" button successfully adds the		
elefant.ro I want to be able to add a	selected product to the cart.		
product to my cart		Ad hoc - PASS	None
	SCTT-11 - Verify that the quantity of the product increases by one when adding		
	an item to the cart.	Ad hoc - PASS	None
	SCTT-12 - Verify that the cart displays as empty when the user removes all items.	Ad hoc - PASS	None
	SCTT-13 - Verify whether the user can increase the quantity of the product in the	Ad hoc - PASS	None
	SCTT-14 - Verify that clicking the "-" button multiple times does not allow the		
	user to proceed to a negative quantity (e.g., -1, -2, -3, etc.).	Ad hoc - PASS	None
Forward Traceability			- 4
rorward Traceability	<u>+</u>		

Matricea de trasabilitate a fost generata din aplicatia Jira si contine doua dintre cerintele de business, doisprezece teste executate, precum si rezultatul acestora si defectele gasite. Au fost descoperite doua bug-uri, care urmeaza a fi fixate, ca mai apoi sa se faca retestarea si testarea de regresie.

# RAPORTUL GENERAT DIN APLICATIA JIRA DIN SECTIUNEA DASHBOARD



Raportul alaturat face un rezumat al activitatilor de testare, al rezultatelor testelor executate si ne arata calitatea produsului software testat. El captureaza defectele identificate si ajuta echipa sa ia decizii cu privire la data probabila a lansarii aplicatiei.


### ANALIZA DE RISC-MATRICE SAU GRAFIC PRISMA


ID Risc	Risc	Probabilitate	Impact	Nivel de risc=Impact x Probabilitate
	Riscuri de proiect		20.	
R1	Probleme cu cerintele neclare de de bussiness sau care se schimba frecvent	3	4	12
R2	Calitatea scazuta a codului	2	4	8
R3	Lipsa competentei echipei	3	4	12
R4	Dedline restrans	3	3	9
R5	Probleme cu instrumentele de testare	3	3	9
R6	Intarzieri in inceperea procesului de testare	4	4	16

	Insignificant	Minor	Moderate	Major	Catastrophic
Probabilitate	1	2	3	4	5
Almost Certain					
Likely	ľ			R6	
Possible			R4,R5,R8,R12	R1,R3,R7,R9	
Unlikely				R2,R10,R11	
Rarely					

ID Risc	Risc	Probabilitate	Impact	Nivel de risc=Impact x Probabilitate
	Riscuri de produs			
R7	Performanta scazuta a produsului software	3	4	12
R8	Aplicatia nu este usor de utilizat	3	3	9
R9	Pierderea clientilor din cauza erorilor aplicatiei	3	4	12
R10	Compatibilitate scazuta a software-ului cu alte extensii	2	4	8
R11	Cerere scazuta a pietei	2	4	8
R12	Aplicatia nu poate fi utilizata si de catre persoanele vulnerabile	3	3	9

### Raport de defect (Bug Ticket)





### CONCLUZII GENERALE

- In cadrul acestui proiect au fost scrise si acoperite 2 story-uri si testate 13 test case-uri planificate pentru executie.
- Dupa executia tuturor testelor, au fost descoperite 2 bug-uri, ale caror prioritsti sunt:
- Dupa fixarea defectelor raportate, urmeaza efectuarea retestarii si a testarii de regresie.
- Accesarea proiectului final adaugat in GitHub se poate face prin intermediul urmatorului link: https://github.com/SimonaCatrinoiu6

## VA MULTUMESC!