


The 1000 Most Vulnerable days

Preventing childhood deaths by making
informed decisions

The 1000 Most Vulnerable Days



Hypertension, HIV Test Rate,
Syphilis test Rate, Anaemia Rate,
Tetanus Toxoid 2+, Iron / folate,
IPT rate, LLITN distribution


Partograph Use, Skilled
Attendance, Emergency care,
LBW rate, Breast Feeding <1 hr,
BCG Coverage, Weighing, HIV
Exposed infants

Immunisation
Polio coverage, DPT / Penta,
Fully Immunized
Nutrition
Underweight for age rate,
Complementary feeding

Diseases
Diarrhoea, Malaria, Pneumonia,
Death Rates
Malnutrition
Stunting, Wasting, Admissions
Preventive
Water and sanitation


PMTCT - Prevention of mother-to-child transmission of HIV
BCG - Bacillus Calmette–Guérin Vaccine
DPT - Diphtheria, Pertussis, Tetanus vaccine
LLITN - Long-Lasting Insecticide-Treated Net (malaria prevention)

The 1000 Most Vulnerable days



The 1000 MVDs: Programs

Pregnancy Antenatal Care PMTCT	Delivery Postnatal F.P.	Immunization Growth Monitoring	Illnesses
--------------------------------------	-------------------------------	--------------------------------------	-----------



Care

Tests

Preventive

Interventions

Tests

Preventive

Immunization

Weighing

Nutrition

Diseases

Malnutrition

Preventive

The 1000 MVDs: Services

Pregnancy Antenatal Care PMTCT	Delivery Postnatal F.P.	Immunization Growth Monitoring	Illnesses
--------------------------------------	-------------------------------	--------------------------------------	-----------



Care

- BP, Weight
- Diseases

Tests / Treatment

- Urine protein
- HIV
- Syphilis
- Haemoglobin

Preventive

- Tetanus Toxoid
- Iron / folate
- Malaria,
- Education

Interventions

- Partograph
- Normal delivery
- Emergency care
- Weighing
- Breast Feeding
- Immunisation

Tests

- HIV

Preventive

- Family Planning

Immunization

- BCG
- Polio
- DPT / Penta
- Fully Immunized

Nutrition

- Growth Chart
- Weighing
- Breast Feeding

Diseases

- Diarrhoea
- Malaria
- Pneumonia

Malnutrition

- Stunting, Wasting

Preventive

- WASH

The 1000 MVD Indicators in TrainingLand

Pregnancy Antenatal Care PMTCT	Delivery Postnatal F.P.	Immunization Growth Monitoring	Illnesses
--------------------------------------	-------------------------------	--------------------------------------	-----------



Antenatal Care

- Hypertension Inc.
- HIV Test Rate / Inc.
- Syphilis test Rate / Inc.
- Anaemia Rate
- Tetanus Toxoid 2+
- Iron / folate
- Malaria Prevention
- IPT rate
- LLITN distribution
- Abortion incidence

Delivery

- Partograph Use
- Skilled Attendance
- Emergency care
- LowBirthWeight rate
- Breast Feeding <1 hr
- HIV Exposed infants

Post Natal Care

- <2 day rate
- Family Planning
- BCG Coverage

Immunisation

- Polio cov.
 - DPT / Penta
 - Fully Imm
- Preventive**
- Water access
 - Sanitation access

- **Maternal Mortality**
- **Stillbirth rate**
- **Perinatal Mortality**


Diseases

- Diarrhoea inc.
- Malaria inc.
- Pneumonia inc.
- Case Fatality Rates

Malnutrition

- Weighing Rate
- Stunting, Wasting
- Underweight for age
- Admissions

The 1000 Most Vulnerable Days



Hypertension, HIV Test Rate,
 Syphilis test Rate, Anaemia Rate,
 Tetanus Toxoid 2+, Iron / folate,
 IPT rate, LLITN distribution

Partograph Use, Skilled
 Attendance, Emergency care,
 LBW rate, Breast Feeding <1 hr,
 BCG Coverage, Weighing, HIV
 Exposed infants

Immunisation
 Polio coverage, DPT / Penta,
 Fully Immunized
Nutrition
 Underweight for age rate,
 Complementary feeding

Diseases
 Diarrhoea, Malaria, Pneumonia,
 Death Rates
Malnutrition
 Stunting, Wasting, Admissions
Preventive
 Water and sanitation

PMTCT - Prevention of mother-to-child transmission of HIV
BCG - Bacillus Calmette–Guérin Vaccine
DPT - Diphtheria, Pertussis, Tetanus vaccine
LLITN - Long-Lasting Insecticide-Treated Net (malaria prevention)