

myTaxiService

-

**Requirements Analysis and Specification
Document**

Davide Cremona, Simone Deola

October 27, 2015

Contents

1	Introduction	2
1.1	Purpose	2
1.2	Actual System	2
1.3	Scope	2
1.4	Actors	3
1.5	Goals	3
1.6	Definitions, Acronyms, Abbreviations	4
1.6.1	Definitions	4
1.6.2	Actonyms	4
1.6.3	Abbreviations	4
1.7	Reference documents	4
1.8	Document overview.	4
2	Overall Description	5
2.1	Product perspective	5
2.2	User Characteristics	5
2.3	Constrains	5
2.3.1	Regulatory Policies	5
2.3.2	Hardware Limitations	5
2.3.3	Software Limitations	6
2.3.4	Interfaces to other applications	6
2.3.5	Parallel Operations	6
2.3.6	Documents Related	6
2.4	Assumptions	6
2.5	Future possible Implementations	7

Chapter 1

Introduction

1.1 Purpose

This document is the R.A.S.D. (Requirement Analysis and Specification Document). The purpose of this document is the description of the "myTaxiService" system. At first, it will provide functional and non-functional requirements, a complete overview of the constraints of the system and its limits. Then it will explain in detail the dynamics of the system using real-life use cases. Finally this document will provide a base for the developers that concretely have to implement the system.

1.2 Actual System

The functionality that the new system will provide is now not supported. So the entire system must be developed without using or modifying existing system.

1.3 Scope

The objective of myTaxiService is to provide an interface between customers and taxi drivers to optimize their interaction and provide a fair management of taxi queues. The users, once registered through the mobile application or the web application, can request a taxi for their travel or reserve one, specifying the origin and the destination. The reservation can be done at least two hour before the ride; if the reservation can take place, the system will allocate a taxi 10 minutes before the meeting time. On the other side, taxi drivers can inform the system that they are waiting for a client and accept or decline a ride request. If the request has been accepted, a notification will be sent to the requesting customer with the identification number of the incoming taxi and the time he has to wait. Otherwise, if the request has been rejected it will be forwarded to the next taxi in the queue. The system has to optimize the management of customers requests giving the rides

to the taxi with the highest priority that has to be evaluated in function of availability and the nearness of the taxi driver.

1.4 Actors

- **Guest User:** guest users are unlogged or unregistered users. They can visit the login page or the registration forms.
- **Registered User:** this kind of user identify either a Guest User or a Taxi Driver.
- **Customer:** this kind of user is the end-user of the service. He can perform request for taxis or reserve a ride. In his personal page he can view his requests and the system responses.
- **Taxi Driver:** this kind of user is composed by the actual taxi drivers that can only see customers requests that has been forwarded by the system. He can accept or decline these requests. Also, he's considered a special kind of user because one can register as a "Taxi Driver" only if he provide a valid Taxi licence.

1.5 Goals

- [G1] Allow guest user to become a customer or a taxi driver.
- [G2] Allow registered user to log in.
- [G3] Allow customers to require a taxi.
- [G4] Allow customers to reserve a ride.
- [G5] Allow customers to delete a previous reservations.
- [G6] Allow taxi drivers to accept or decline a ride request.
- [G7] Allow taxi drivers signal a customer if it made a bad use of the system.
- [G8] Allow taxi drivers to notify their availability.
- [G9] After login, the system will notify the customer that his request has been accepted.
- [G10] After login, the system will notify the [hyperref\[sec:tdriver\]](#) taxi driver about the incoming requests.

1.6 Definitions, Acronyms, Abbreviations

1.6.1 Definitions

1.6.2 Actonyms

1.6.3 Abbreviations

- RASD: Requirement Analysis and Specification Documents.
- DD: Design Document.

1.7 Reference documents

//TODO

1.8 Document overview.

Until now, we have given a general explanation about the software functionalities and a brief description about this document. Now we will describe what the rest of this RASD contains.

In Section 2 we will focus more about system constraints and assumptions.

In Section 3 we will describe requirements, typical scenarios and use-cases. In this section there is also a collection of UML diagrams that describes in particular the functionalities of the system.

//TODO SECTION 4

Chapter 2

Overall Description

2.1 Product perspective

The system will be composed of a web application and a mobile application developed for the three major OS (Apple iOS, Android, Windows 10). The system will provide some API with the purpose of a future connection with another travel planning systems.

2.2 User Characteristics

The users that we suppose will use our system are of two types. the ones who want to find a taxi for a travel in the simplest way (customers). The others are taxi drivers that want to increment their productivity. The first ones must be able to access to a web browser or download and using a mobile application, the second ones also must have a taxi license.

2.3 Constrains

2.3.1 Regulatory Policies

myTaxiService has to meet regulatory policies about taxies in the countries where it will be used.

2.3.2 Hardware Limitations

The only hardware limitation that the myTaxiService mobile application has to meet will be the mobile phones characteristics. the rest of the system will be no affected by particular hardware limitations.

2.3.3 Software Limitations

myTaxiService mobile application has to be compatible with all major mobile operating systems (Android, Apple iOS, Windows 10).

2.3.4 Interfaces to other applications

myTaxiService web application has to be compatible with all major browser (Chrome, Safari, Firefox, Microsoft Edge).

2.3.5 Parallel Operations

Our system must be able to perform parallel operations on the database to satisfy all the requests from multiple users.

2.3.6 Documents Related

- Requirements and Analysis Specification Document (RASD)
- Design Document (DD)

2.4 Assumptions

- Every taxi driver has equipped a smartphone during working hours.
- Every taxi driver has a unique taxi license.
- Every taxi has a GPS locator to send GPS information to the central server.
- Android, Apple iOS or Windows 10 is available on the registered users smartphones.
- Every registered users can be connected to the Internet with a mobile device when outside.
- When a customer require a taxi, the GPS informations about his location are automatically sended to the central server.
- The reservation of a ride is made at least two hours before the ride.
- Deletion of a reservation is made at least two hours before the ride.
- Requests from customers are automatically notified to the first taxi driver in the zone queue.
- If a taxi driver declines a request he will be placed in the bottom of the zone queue.
- If a request is declined it will be forwarded to the next taxi driver in the zone queue.

- If a customer make a bad use of the taxi request system, he can be reported as a bad customer.
- If a taxi driver notifies his availability is because he is actually available
- If a taxi driver notifies his availability is because he wants to be notified of customers that needs a ride.
- If a taxi driver accept a request, the requesting customer will be notified

2.5 Future possible Implementations

A possible future implementation can be a complex feedback system that permits to the customers to leave a comment about the taxi driver and vice versa. For example taxi drivers can be interested in knowing the punctuality or how is the behave of the customer that requests the ride.