

S5 - L1 Epicode Cybersecurity

Creazione policy PFsense

Creiamo una terza rete

Interfaces / Interface Assignments

Interface Assignments

Interface Groups

Wireless

VLANs

QinQs


PPPs

GREs

GIFs


Bridges

Interface	Network port
WAN	em0 (08:00:27:5c:ef:7e) ▾
LAN	em1 (08:00:27:98:46:ed) ▾
OPT1	em2 (08:00:27:62:cc:68) ▾



Creiamo la regola nel firewall per impedire l'accesso a Meta

Rules (Drag to Change Order)											
<input type="checkbox"/>	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
<input checked="" type="checkbox"/>	✓ 1/421 KiB	*	*	*	LAN Address	443 80	*	*		Anti-Lockout Rule	
<input type="checkbox"/>	✗ 0/1020 B	IPv4 *	192.168.50.100/24	*	192.168.32.105/24	*	*	none			
<input type="checkbox"/>	✓ 0/26 KiB	IPv4 *	LAN subnets	*	*	*	*	none		Default allow LAN to any rule	
<input type="checkbox"/>	✓ 0/0 B	IPv6 *	LAN subnets	*	*	*	*	none		Default allow LAN IPv6 to any rule	



Risultato della regola attiva