

---

**Pentominoes**

---

**HeartSteal**  
**Use-Case Specification: View Report from Users**

**Version 1.0**

HeartSteal	Version: 1.0
Use-Case Specification: View Report from Users	Date: 18/07/2025

## Revision History

Date	Version	Description	Author
18/07/2025	1.0	Initial version	Lưu Vĩnh Phát

HeartSteal	Version: 1.0
Use-Case Specification: View Report from Users	Date: 18/07/2025

## Table of Contents

<b>1. Use-Case Introduction</b>	<b>4</b>
1.1 Brief Description	4
1.2 Primary Actor	4
<b>2. Flow of Events</b>	<b>4</b>
2.1 Basic Flow	4
2.2 Alternative Flows	4
2.2.1 No reports found (From step 4)	4
<b>3. Special Requirements</b>	<b>4</b>
<b>4. Preconditions</b>	<b>4</b>
<b>5. Postconditions</b>	<b>4</b>
<b>6. Extension Points</b>	<b>5</b>
<b>7. Prototype</b>	<b>5</b>

HeartSteal	Version: 1.0
Use-Case Specification: View Report from Users	Date: 18/07/2025

# Use-Case Specification: View Report from Users

## 1. Use-Case Introduction

### 1.1 Brief Description

This use case describes how an administrator views the total profit generated within a specific time frame. The system aggregates income from multiple revenue sources (e.g., subscriptions, ads, purchases) and presents the financial summary in a visual or tabular format.

### 1.2 Primary Actor

Administrator

## 2. Flow of Events

### 2.1 Basic Flow

1. The administrator logs into the admin dashboard.
2. The administrator navigates to the “Reports” or “User Reports” section.
3. The system displays a list of submitted reports, including reporter, report type, timestamp, and target.
4. The administrator selects a report to view its full details.
5. The system shows detailed information, including reason for report, user comments, and links to the reported content.
6. The administrator reviews the report and may proceed to take appropriate action (e.g., delete photo, suspend user, delete account).

### 2.2 Alternative Flows

#### 2.2.1 No reports found (From step 4)

1. If there are no reports submitted by users, the system displays:  
“No user reports found.”
2. The administrator is returned to the dashboard or waits for future reports.

## 3. Special Requirements

- The report list must support filtering by date, status (open, resolved), and type (photo, user behavior, etc.).
- All admin actions taken from the report must be logged with timestamp and admin ID.
- Reports must be timestamped and retained based on audit policies.
- The interface should allow bulk resolution or prioritization of high-severity reports.

## 4. Preconditions

- The administrator is authenticated with permission to manage reports.
- Reports have been submitted and stored in the system database.

## 5. Postconditions

- The administrator views report details and optionally takes moderation actions (see extension points).

HeartSteal	Version: 1.0
Use-Case Specification: View Report from Users	Date: 18/07/2025

- The report is marked as viewed but no further action is performed unless extended.

## 6. Extension Points

### 6.1 Delete User Account

The administrator may extend this use case to delete the reported user's account if the report indicates a serious violation.

### 6.2 Delete Photos

If the report concerns offensive media, the administrator may extend this use case to delete the reported photos.

### 6.3 Suspend User

If the reported behavior is inappropriate but not severe enough for deletion, the administrator may suspend the user account temporarily.

## 7. Prototype

