# **Pentominoes**

HeartSteal Use-Case Specification: Delete Account (User)

Version 1.0

HeartSteal	Version: 1.0
Use-Case Specification: Delete Account (User)	Date: 18/07/2025

# **Revision History**

Date	Version	Description	Author
18/07/2025	1.0	Provide use case specification for the use case of allowing users to delete their own account	Hoàng Minh Giang

HeartSteal	Version: 1.0
Use-Case Specification: Delete Account (User)	Date: 18/07/2025

# **Table of Contents**

1. Use-Case Introduction	4
1.1 Brief Description	4
1.2 Primary Actor	4
2. Flow of Events	4
2.1 Basic Flow	4
2.2 Alternative Flows	4
2.2.1 User Cancel Deletion (Step 3)	4
2.2.2 Re-Authentication Fails (Step 6)	4
2.2.3 Delete Operation Failed (Step 7)	4
3. Special Requirements	4
4. Preconditions	4
5. Postconditions	4
6. Prototype	5

HeartSteal	Version: 1.0
Use-Case Specification: Delete Account (User)	Date: 18/07/2025

# **Use-Case Specification: Delete Account (User)**

# 1. Use-Case Introduction

## 1.1 Brief Description

This use case allows a user to permanently delete their account. Once deleted, all user-related data is removed, and the user can no longer log in with that account.

# 1.2 Primary Actor

The User

# 2. Flow of Events

## 2.1 Basic Flow

- 1. Use case starts when the user selects the "Setting" option from the main screen and chooses the Delete Account option.
- 2. The system displays a warning about data loss and asks for confirmation.
- 3. The user confirms the deletion request.
- 4. The system prompts the user to re-enter their password (or re-authenticate).
- 5. The user enters valid credentials.
- 6. The system validates the credentials.
- 7. The system deletes the account and associated data.
- 8. The system displays a confirmation that the account has been deleted.
- The user tap "OK"
- 10. The system logs the user out and redirects them to the login screen.

#### 2.2 Alternative Flows

## 2.2.1 User Cancel Deletion (Step 3)

- 1. The user decides not to proceed and taps "Cancel".
- 2. The system returns to the previous screen without deleting the account.

# 2.2.2 Re-Authentication Fails (Step 6)

- 1. The user enters an incorrect password or fails authentication.
- 2. The system displays an error message and prompts the user to try again or cancel.
- 3. If the user retries and succeeds, return to Step 7 of Basic Flow.
- 4. If the user cancels, return to the account settings screen.

## 2.2.3 Delete Operation Failed (Step 7)

- 1. The system encounters a backend error during the delete operation.
- 2. The user sees: "Cannot Delete Account."
- 3. The user is redirected to the Setting screen.

# 3. Special Requirements

- Nickname must be 3–30 characters long and must not contain symbols like @, #, %, etc.
- Avatar images must be JPEG or PNG and under 2MB.
- Avatar selection requires gallery/camera permissions.

# 4. Preconditions


The user must be logged in.

## 5. Postconditions

- The user's account and all related personal data are permanently deleted.
- The user is logged out and returned to the onboarding/login screen.

	HeartSteal	Version: 1.0
I	Use-Case Specification: Delete Account (User)	Date: 18/07/2025

# 6. Prototype



HeartSteal	Version: 1.0
Use-Case Specification: Delete Account (User)	Date: 18/07/2025

