

Lab 4 task

```
student@student-OptiPlex-7000:~$ cd week6
student@student-OptiPlex-7000:~/week6$ touch lab4
student@student-OptiPlex-7000:~/week6$ touch lab4.c
```

```
student@student-OptiPlex-7000:~/week6$ gcc lab4.c -o lab4
student@student-OptiPlex-7000:~/week6$ ./lab4
File opened for writing
Enter marks for 5 subjects: 60
50
70
67
69
Data written successully
File closed for writing
File opened for reading
File closed after reading
Total marks: 316
```

```
student@student-OptiPlex-7000:~/week6$ ls -l marks.txt
-rw-r--r-- 1 student student 20 09:13 27 فروری marks.txt
```

```
lab4.c × marks.txt ×
1 #include <stdio.h>
2 #include <fcntl.h>
3 #include <unistd.h>
4 #include <string.h>
5
6 int main()
7 {
8     int fd;
9     int write_marks[5];
10    int read_marks[5];
11
12    fd=open("marks.txt", O_CREAT | O_WRONLY, 0644);
13
14    if (fd < 0)
15    {
16        printf("Error opening file for writing\n");
17        return 1;
18    }
19
20    printf("File opened for writing\n");
21
22    printf("Enter marks for 5 subjects: ");
23    int i;
24    for(i=0; i<5; i++)
25    {
26        scanf("%d",&write_marks[i]);
27        write(fd, &write_marks[i], sizeof(int));
28    }
29
30    printf("Data written successully\n");
31
32    close(fd);
33
34    printf("File closed for writing\n");
35
36    fd=open("marks.txt", O_RDONLY);
37    if(fd < 0)
38    {
39        printf("Error opening file for reading\n");
40        return 1;
41    }
42
43    printf("File opened for reading\n");
44
45    int total=0;
46
47    for(i=0; i<5; i++)
48    {
49        read(fd, &read_marks[i], sizeof(int));
50        total+=read_marks[i];
51    }
52
53    close(fd);
54
55    printf("File closed after reading\n");
56    printf("Total marks: %d\n",total);
57    return 0;
58 }
```

tasks