ChatGPT

SimulaFly Admin Panel – Executive Summary

SimulaFly's Admin Panel will function as a comprehensive **company operating system**, unifying commerce operations, AI tooling, billing, support, and trust/safety. Each page will serve a clear operational purpose ("one truth per screen") and be permission-aware for distinct roles (e.g. Org Manager, Support, Finance). The interface will follow industry patterns: analytics and funnels as in Google Analytics【13†L30-L39】【17†L110-L119】, usage filtering as in OpenAI's dashboard【7†L59-L67】, and seller KPIs like in Amazon/eBay portals【25†L137-L142】. Real-time updates, audit logs, and alerts will keep operators informed. In essence, the Admin UI will be a **control tower** providing unified visibility (revenue, orders, active users, AI cost) and workflows for commerce (stores, products, orders), AI (usage, cost), finance (wallets, invoices), referrals, coupons, and support. The following page index (80 pages) and container specs define the front-end structure for each function.




Figure: Key entities and relationships in SimulaFly's platform (Organization → Merchants/Stores → Products/Orders/Customers; plus cross-cutting: Wallet, AI sessions, Offers/Coupons, Referrals, Tickets, Invoices, Analytics).




Figure: Store/Product listing state machine (draft, active, hidden, restricted, featured, delisted, archived) with transitions triggered by approval, policy, or merchant action.

Page Index

- **Auth & Access**
- Login Page
- Role Selection Page

- Permissions Matrix / Role Management

- **Command Center**

- Executive Dashboard (Home)
- Realtime Activity Feed

- Alert & Incident Center

- **User Management**

- User Directory (List)
- User Profile (Detail)
- User Health & Segments Dashboard

• User Journey / Funnel Analytics

• Imported Customer (by Merchant) Management

• **Merchant Management**

• Merchant Directory (List)
• Merchant Profile (Detail)
• Merchant Onboarding / Activation
• Merchant Health & Tier Dashboard
• Merchant Referrals Dashboard

• Merchant CRM / Communication Logs

• **Store Management**

• Store Directory (List)
• Store Profile (Detail)
• Store Products (Catalog Tab)
• Store Orders (Tab)
• Store Customers (Tab)
• Store Offers & Coupons (Tab)
• Store Invoices (Tab)
• Store Analytics & KPIs (Tab)

• Store Listing Control Panel (state machine)

• **Product Management**

• Product Directory (List of all products)
• Product Profile (Detail)
• Product Listing Engine (Create/Edit)
• Product Delisting & Flags

• Product Quality & Visibility Dashboard

• **Order Management**

• Order Dashboard (List)
• Order Profile (Detail)
• Fulfillment & Timeline (Order Actions)

• Order Disputes & Chargebacks (Tab)

• **Customer Attribution & Campaigns**

• Imported Customer Dashboard (by Merchant/Store)
• Customer Funnel & Attribution Analytics

• Campaign/WhatsApp Invite Dashboard

• Share/Prior-Invite Tracking (Source Attribution)

• **Wallet & Billing**

• Company Wallet & Finance Summary
• Merchant Wallet Dashboard
• Wallet Transaction Ledger

• Billing Thresholds & Reconciliation Page

• **Invoice Management**

• Invoice Directory (All Invoices)
• Merchant Invoices (View by Merchant)
• Store Invoices (View by Store)

• Invoice Detail/Generation Page

• **Offers & Coupons**

• Offer Center (All Active Offers)
• User-Specific Offers (Welcome, Reactivation)
• Merchant Offers/Promotions (By Merchant)
• Store Coupons (By Store)
• SimulaFly Coupons (Platform-wide)

• Discount Rule Engine (Stacking & Eligibility)

• **Referral Program**

• Referral Program Dashboard (Summary)
• Customer Referral Analytics (Invites → Joins → Purchases)
• Merchant Referral Analytics (Invites → Activations)

• Referral Fraud & Abuse Monitor

• **Pricing Control Center**

• Pricing Settings (Booking Fees, AI Pricing, Intel Pricing)

• Pricing Approval Queue & History

• **AI Operations**

• AI Usage Dashboard (images/chat volume)
• AI Cost & Economics Dashboard【7†L59-L67】

• AI Failure/Latency Monitoring

• **Analytics Center**

• Company Analytics Overview (funnels, cohorts)
• User Analytics Dashboard (funnel, retention)
• Merchant Analytics Dashboard (activity vs targets)
• Store Analytics Dashboard (conversions, CR)
• Product Analytics (views/saves → bookings)
• Offer/Coupon Analytics (redemptions, lift)
• Referral Analytics (conversion, ROI)

• AI Usage Analytics (cost vs outcome)

• **Support Center**

• Unified Support Dashboard (all tickets)
• Consumer Support Queue
• Merchant Support Queue
• Finance/Billing Support Queue

• Technical/AI Support Queue

• **Trust & Safety**

• Verification Queue (Merchant & User KYC)
• Fraud Detection Dashboard (abuse signals)

• Restriction & Suspension Center (flags, reasons)

• **System Operations**

• System Health Dashboard (app, payment, AI)
• Incident Management & MTTR Tracker

• Service Status & Integrations Page

• **Governance & Audit**

• Audit Log (actions by admins)
• Event Taxonomy & Metrics Page

• Organization Settings (legal, region, currency)

• **Design System & Settings**

• UI Style Guide & Component Reference

(Pages 82–85 include cross-cutting pages for logging, taxonomy, global settings, and UI guidelines.)

Each page below is specified with purpose, roles, UI components, actions, states, linked data objects, KPIs or analytics, permission constraints, and audit needs.

Page 1: Login Page (Auth)

Purpose: Secure entry point. Users (Organization Admin, Support, etc.) authenticate via email/password or OTP.
Primary Roles: All roles (filtered by permission after login).
UI Components:

- Fields: Email, Password, OTP code.
- Buttons: “Login”, “Send OTP”, “Forgot Password?”.
- Links: “Sign Up” (maybe disabled for Admin).
- Indicators: Error message area, loading spinner.

Primary Actions: Submit credentials triggers auth API; “Send OTP” triggers SMS/email; “Forgot Password” triggers reset flow.
States: Empty, Validation error, Loading (spinner), Success (redirect).

Linked Objects: User account (identity) only. No other entities visible.
KPIs/Analytics: N/A (no analytics on login screen).
Permissions: Public (prior to auth). Must enforce anti-bot rate limits (audit on failed attempts).
Audit/Logging: Log successful and failed login attempts (user ID, timestamp, IP).

Components / Fields	Actions (Buttons/ Links)	States	Linked Objects	KPIs / Analytics	Permissions / Audit
Email Input field	Enter email, click *Login*	Empty, Error (invalid)	User identity	N/A	Public (unauthenticated)
Password Input field	Enter password, click *Login*	Loading (spinner)			Rate limit / block on failures
OTP Code field + button	*Send OTP*, submit code	Sent, Error (network)			
Links:	*Forgot Password?*	Link state (target screen)			
Error message label	Displays validation errors	Visible / hidden			

Page 2: Role Selection Page (Auth)

Purpose: Let user choose an operational role/context if multiple roles exist (e.g. Org vs. Merchant roles). Shows roles or departments.
Primary Roles: Organization Managers (can have multiple roles), Super-Admin.
UI Components:

- Cards or buttons for each role (e.g. Org Manager, Support, Merchant Support, Operations, Finance, Analytics, Trust & Safety, Technical).
- Labels/icons for role and description.
- Button: “Continue”.
- Indicators: Selected role highlight.

Primary Actions: Select a role card, click *Continue*.
States: No role selected (empty), Role selected (enabled), Loading (on redirect).
Linked Objects: N/A (role context only).
KPIs/Analytics: N/A (no analytics specific to this page).
Permissions: Available only if user has multiple roles. If user has single role, skip page.
Audit/Logging: Log role chosen and timestamp (user ID, roles list).

Components / Fields	Actions (Buttons)	States	Linked Objects	KPIs / Analytics	Permissions / Audit
Role Card for “Org Manager”	Click to select role	Selected / Unselected	User Roles	N/A	Only users with that role see option
Role Card for “Support”					
Continue Button (primary)	Click to confirm selection	Disabled (no selection)			Enabled after a role is picked
Legend: Icons/ descriptions		Tooltip / Info state			

Page 3: Permissions Matrix / Role Management (Auth / Operations)

Purpose: Configure which admin roles can access which pages and actions. Essentially an ACL editor.
Primary Roles: Org Manager, Security Admin.
UI Components:

- Table: Rows = roles, Columns = modules/pages or actions (with checkboxes).
- Filters: Role filter dropdown, search.
- Buttons: *Save Changes*, *Reset*.
- Tooltips: permission descriptions.

Primary Actions: Check/uncheck permissions, *Save Changes* triggers API.
States: Loading current matrix, Editing, Saving (API call), Success toast, Error alert. Empty states not typical (there must be at least one role).
Linked Objects: User roles (entity list), Page modules (conceptual objects).
KPIs/Analytics: N/A (internal config).
Permissions: Org Manager only (maybe Security role if existed).
Audit/Logging: Log any changes: who changed, timestamp, before/after states.

Components / Fields	Actions	States	Linked Objects	KPIs / Analytics	Permissions / Audit
Roles table (grid)	Check/ uncheck permission	Loading, Error, Saving	Role, Module	N/A	View by Org Manager/Security; audit changes
Filter dropdown	Filter by role	Dropdown open/closed	Role		
Save Changes button (primary)	Click to save	Disabled (no edits)			Enabled when edits made; logs on save
Reset button	Revert to last-saved	Enabled/ Disabled			

Page 4: Executive Dashboard (Home) (Command Center)

Purpose: High-level "control tower" overview. Presents key KPIs (revenue, orders, bookings, active users, active merchants, AI spend) and trends. Provides shortcuts to major queues.
Primary Roles: Org Manager (superset view), Operations, Finance.
UI Components:

- KPI Cards: Revenue (₹), Bookings, Orders, Active Merchants, Active Users, AI Cost, Support Tickets.
- Trend charts: daily/monthly for users, revenue, orders, AI usage.
- Alert strip or banner: critical items (payment failures, merchant low balance, unresolved tickets).
- Shortcuts: Buttons/links to "New Signups", "Pending Orders", "Support Tickets", etc.
- Date range selector (for charts).
- Refresh/Auto-update indicator.

Primary Actions: Clicking cards or links navigates to detail pages; date filter applies to charts.
States: Data loading placeholders, empty (no data), error, success.
Linked Objects: Merchants (for active count), Orders, Users, AI Sessions, Tickets.
KPIs/Analytics: MAU/DAU, total/rev, booking conv rate (from funnel), support SLA. Trend line values.
Permissions: Org Manager sees all; Operations sees same minus financial details; Finance sees revenue/ finance cards; Support sees only user/support metrics.
Audit/Logging: Access logged by role; alert banner interactions.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
KPI Card: **Total Revenue**	Click to view finance metrics	Loading, Error, OK	Orders, Invoices, Wallet	Total orders value (period), QoQ change	Finance, Operations, Org Mgr
KPI Card: **Active Merchants**	Click to Merchant dashboard	Loading, Empty (no merchants)	Merchant	Count of active/ verified merchants	Operations, Org Mgr
KPI Card: **AI Cost**	Click to AI Analytics		AI Sessions, Usage	Current spend vs budget	Org Mgr, Finance, Technical
Trend Chart: Daily Users	Hover drilldown	Empty (no new users)	Users	Daily new signups, weekly/ monthly active users【13†L30-L39】	Org Mgr, Operations, Analytics
Alert Banner	Click to detail	New Alert vs Clear	Tickets, Payments, Merchants	SLA breaches, pending tasks	Org Mgr, Operations, Support

Page 5: Realtime Activity Feed (Command Center)

Purpose: Live log of important events (user signups, merchant actions, wallet recharges, bookings, AI jobs). Gives operators situational awareness in real time.
Primary Roles: Org Manager, Operations, Technical Support.
UI Components:

- List/Timeline: Chronological feed entries (icon+text).
- Filters: By type (User/Merchant/Order/Wallet/AI/Ticket), by severity.
- Auto-scroll toggle (real-time updates).
- Pause/Resume feed.
- Timestamp for each entry.

Primary Actions: Click on an entry to drill into detail (e.g. click user signup to go to User Profile).
States: Idle (no new events), streaming (auto-update), paused. Loading older history on scroll.
Linked Objects: Each entry may link to objects (User, Merchant, Order, Wallet event, AI job, Ticket, etc.).
KPIs/Analytics: Not primary but could count events per minute.
Permissions: All roles see feed; specific content filtered by role permissions (e.g. Finance doesn't see tech errors).
Audit/Logging: Feed itself is built from logs; viewing is not necessarily audited, but click actions are.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Timeline item (icon+text)	Click entry to open detail	Real-time / Paused	User, Merchant, Order, Wallet, AI job, Ticket	Event count rate	All logged-in roles
Filters (Type, Severity)	Toggle filters	Active / Inactive	Event type enum		
Button: Pause/ Resume	Stop/start real-time updates	Paused / Live stream			

Page 6: Alert & Incident Center (Command Center)

Purpose: Central page for critical system and business alerts (failed payments, low balances, system errors, SLA breaches, duplications).
Primary Roles: Org Manager, Operations, Technical Support, Finance.
UI Components:

- Alert list/table: columns (Alert type, Severity, Time, Status).
- Tabs/Filters: by category (Payments, AI, Orders, System).
- Action buttons: *Acknowledge*, *Resolve*, *View Details*.
- Indicators: Unresolved count, severity color-coding.
- Search bar to find specific alerts.

Primary Actions: Acknowledge or resolve alerts (with modal for notes), drill into affected entity or log.
States: No alerts (empty view), new alerts (red highlight), acknowledged, resolved.
Linked Objects: Could link to Merchant (e.g. wallet low), Order (failed payment), AI job (crash), Ticket.
KPIs/Analytics: Alert rates over time, average resolution time (MTTR), number of open incidents.
Permissions: Operations sees all alerts; Technical sees system/AI; Finance sees payment issues; Org Mgr sees all.
Audit/Logging: Track who acknowledged/resolved alerts and when.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Alert Table (rows)	Click *View Details*	New, Acknowledged, Closed	Merchant, Order, AI Job	Open alerts count, MTTR	Role-based (filter)
Severity Filter tabs	Filter by error type	Active / Cleared		Alerts by type (chart)	
Buttons: *Ack*, *Close*	Acknowledge/ resolve alert	Enabled (when alert open)		Closed vs open ratio	Operations, Support

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Search Field	Search by text				

Page 7: User Directory (List)

Purpose: Browse and search all users in the system (consumers). Allows filtering and segmentation (new vs returning, etc.).
Primary Roles: Customer Support, Operations, Analytics.
UI Components:

- Table/Grid: columns such as Name, Email/Phone, City, Status (Active, Dormant), Last Active, Merchant (if merchant-uploaded), Referral source.
- Filters: Status, Registration date range, Source (organic vs referral vs merchant), City.
- Search bar: name/email/phone.
- Button: *Export CSV*.
- Pagination.

Primary Actions: Click a user row to open User Profile. Search and filter trigger queries (API call). Export downloads CSV.
States: Loading, empty (no users), error. Row highlight on hover.
Linked Objects: Shows referred-by merchant/store, last order ID (if appended), user tags (e.g. “high AI user”).
KPIs/Analytics: User count, new vs returning %. Should display count totals. Could include chart of signups by month.
Permissions: Customer Support sees most details; personal data masked by privacy rules as needed (phone partially masked to others). Analytics sees aggregates, not PII.
Audit/Logging: Export and bulk actions logged (who exported, when).

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Table: Name, Contact, etc.	Click row to view profile	Loading, Empty, Error	User, Referral, Last Order	Total users, New vs returning ratio 【25†L137-L142】	View masks based on role
Search field	Enter text + submit				
Filters (Status, Source)	Apply filter (e.g. Active)	No results / Filtered		Filtered user count	
Export CSV button	Click to download list	Download success/fail			Org Mgr/ Analytics (all), Support

Page 8: User Profile (Detail)

Purpose: Detailed view of an individual user's account: personal info, activity, orders, AI usage, tickets, and referrals. Used by Support and Analytics to contextualize.
Primary Roles: Customer Support, Operations, Analytics.
UI Components: Tabs: Overview, Activity, Orders, AI Usage, Support Tickets, Referral Info.

- **Overview Tab:** Name, contact, signup date, status, tags (e.g. "power user").
- **Activity Timeline:** chronological log of actions (logins, scans, chats).
- **AI Usage:** charts (#images, #chats, cost).
- **Orders Tab:** list of user's orders/bookings.
- **Tickets Tab:** support tickets by user.

Primary Actions:

- Edit user details (if allowed).
- Click on linked merchant/store in history.
- Adjust segments/tags on user.

States: Loading user data, empty (no orders/tickets), error. Tabs switch without full reload (AJAX).
Linked Objects: Merchant (if merchant-called user), Stores, Orders, AI sessions, Tickets.
KPIs/Analytics: Booking rate (orders / active sessions), AI cost per session, lifetime value (LTV).
Permissions: Support sees all (with masked data if needed); Ops sees behavioral metrics; user cannot edit from here.
Audit/Logging: Profile viewed logs if needed; changes (status/tags) must be audit-logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Tabs: Overview, Activity, Orders, AI, Tickets, Referrals	Click tab to switch view	Loading per tab, Empty if none	User -> Orders, AI Jobs, Tickets, Referrals	User lifetime spend, #bookings vs visits	Support: view/ edit user; Analytics: view KPIs
Overview: Fields (Name, Status)	*Edit* button if allowed	Success/ Error on save			
Activity timeline	Click event for detail (e.g. order)	No events / Loading	Orders, Sessions	Login frequency	
AI Usage chart	(hover data points)	Empty (no AI usage)	AI Session	Images generated, credits used	
Orders Table	Click order to open Order Profile		Order, Store, Merchant	User's total orders & revenue	

Page 9: User Health & Segments Dashboard

Purpose: Analyze and manage user segments (new, returning, at-risk, high-value). For example, to target retention campaigns or support.
Primary Roles: Analytics, Customer Support, Marketing (if tracked).
UI Components:

- Segmentation controls: tag definitions (e.g. “High AI User” if >X images/month).
- Filter panel: by segment, city, time period.
- KPI Cards: counts for New users, Active users, Dormant, Churn Risk.
- Funnel Chart: e.g. signup → first scan → first booking.
- Cohort table: retention rates by signup month.

Primary Actions: Define/edit segment criteria; apply filters; click segment card to list users in that segment.
States: Empty state if no users match criteria; loading charts; error if analytics data missing.
Linked Objects: Users (tags), Bookings, Sessions.
KPIs/Analytics: Retention rates (1-day, 7-day, 30-day), conversion % to booking【13†L30-L39】. Activation and churn curves.
Permissions: Analytics only; support/ops can view but not modify definitions.
Audit/Logging: Log changes to segment definitions; log export of segment lists.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Segment Cards (New, Active, etc.)	Click to see user list	Card highlight	User	Segment counts, Conversion rates	Analytics (view only)
Filter panel	Adjust segment criteria (sliders)	No users (empty)		New vs returning %, DAU/MAU	
Funnel Chart	Hover to see values	Loading, Empty	Users, Bookings	Step conversion (% of users) 【13†L30-L39】	
Cohort Table	Select cohort to focus	Empty (if no data)	Users	Retention by cohort (Y axis), Drop-off rate	

Page 10: User Journey / Funnel Analytics

Purpose: Visualize user conversion funnel from acquisition to booking. Helps ops see drop-off points (e.g. many scans but no bookings).

Primary Roles: Analytics, Growth/Marketing, Operations.
UI Components:

- Date range selector, Segment selector.
- Funnel chart (steps: App Open → Room Scan → AI Chat → Save-to-Cart → Booking → Payment).
- Toggle Open/Closed funnel (as in GA4【13†L63-L72】).
- Data table: counts at each step.
- Filters: e.g. by city or source.

Primary Actions: Define funnel steps; apply filters; export data; click funnel step for details.
States: No data (empty), partial data (some steps null), loading, error.
Linked Objects: Users, Orders.
KPIs/Analytics: Conversion rates between steps, total funnel conversion, drop-off percentages. Time between steps.
Permissions: Analytics, Growth: see all. Operations: limited to high-level trends.
Audit/Logging: Changes to funnel definitions logged; data export logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Funnel Chart (stepped)	Click step to list users at that stage	Open/Closed Funnel 【13†L63-L72】	Users, Sessions	Conversion % per step, drop-off numbers	Analytics, Ops
Date/Segment selector	Update funnel data	No data, Partial data		Overall funnel conversion (X% of new → purchase)	
Table: Step counts	Sort or export			Counts per step, average time per user	

Page 11: Imported Customer Management (Customer Attribution)

Purpose: Manage customers imported by merchants (offline lists), track invites and activation. Shows funnel of Merchant's offline leads converting on SimulaFly.
Primary Roles: Merchant Support, Operations.
UI Components:

- Merchant filter/dropdown (list by merchant or store).
- Table: Imported customer list (Name, Source [CSV/WhatsApp], Invite Status, Join Date, Active Flag, Purchaser flag).
- Filters: status (Invited, Joined, Activated, Purchased).
- KPI cards: Total Imported, Invited, Joined, Activated, Purchased.
- Action buttons: *Resend Invite*, *Remove Customer*.

Primary Actions: Upload CSV, send invites (via API), link user to merchant.
States: No imported customers (empty); invite pending; activated; error on email.
Linked Objects: Merchant, User profiles (if joined), Store.
KPIs/Analytics: Conversion rates (invites→joins, joins→purchases), ROI per merchant (revenue from imported users).
Permissions: Merchant Support or Org Mgr only (merchants see only their own store).
Audit/Logging: CSV upload log, invite sends, manual linkage actions.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Merchant selector dropdown	Choose merchant/ store	Dropdown open/closed	Merchant, Store	(affects KPIs displayed)	Merchant-specific view
KPI Cards (Imported/ Active)	Click to filter table			% invites accepted, % purchasers	
Table: Name, Email, Status	Click *Resend Invite*, *Remove*	Empty (no imports)	Merchant, User (if joined)	Total imported vs qualified conversions	Support (full view)
Button: Upload CSV	Opens file dialog/upload modal	Upload success/ error			

Page 12: Merchant Directory (List)

Purpose: View and search all merchants on the platform. Key for onboarding and support.
Primary Roles: Merchant Support, Operations, Finance.
UI Components:

- Table/Grid: columns: Merchant Name, Account Tier, City, Verification Status, Wallet Balance, Active Stores count, Total Orders, Support Tickets count, Last Activity.
- Filters: Status (Verified/Unverified), Tier, Wallet Low (flag), City, Search by name.
- Buttons: *Add Merchant* (onboarding), *Export List*.
- Icons: Verification badge, Wallet low indicator.

Primary Actions: Click merchant to open profile. Initiate merchant creation. Filter/search triggers API. Export CSV.
States: Loading, empty (no merchants), error.
Linked Objects: Stores (counted), Invoices (balance), Tickets (count), Wallet.
KPIs/Analytics: Total merchants, monthly active merchants, onboarding rate. Display counts and trends.
Permissions: Merchant Support sees all, can edit merchant info; Finance sees balances; Org Mgr full. Merchant-only (if they log in as merchant user) sees none of this page.
Audit/Logging: Merchant addition or status change logged (who created merchant, etc.).

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Table: Name, Wallet, etc.	Click row to Merchant Profile	Loading, Empty	Merchant, Store, Wallet	Total merchants, Verified %, etc. 【25†L137-L142】	Org Mgr (all); Support (view/edit)
Filters (Status, Tier, City)	Apply filter			Filtered merchant count	
Search field	Search by name				
Add Merchant button	Opens onboarding modal				Org Mgr, Operations

Page 13: Merchant Profile (Detail)

Purpose: Show details about a merchant: company info, account status, stores, performance, and financials.
Primary Roles: Merchant Support, Finance, Operations.
UI Components: Tabs or sections: Overview, Stores, Orders, Wallet, Analytics, Support, CRM, Referrals, Invoices, Risk.

- **Overview:** Name, contact, KYC status, creation date, status (active/suspended), account tier.
- **Stores Tab:** List of this merchant's stores (with statuses).
- **Orders Tab:** Merchant-level orders (all stores combined).
- **Wallet Tab:** Balance, transactions, low-balance alerts.
- **Analytics Tab:** Merchant's total revenue, active users, conversion rate.
- **Support Tab:** Tickets from/for merchant.
- **Referrals Tab:** Merchant's referred customers/merchants.
- **Invoices Tab:** Invoices issued to merchant (especially if SimulaFly charges merchant).

Primary Actions: Edit merchant info, upgrade tier, freeze/unfreeze account.
States: Section loading, error, no stores/orders. Warnings if low balance or verification pending.
Linked Objects: Stores (1..n), Orders, Wallet Events, Tickets.
KPIs/Analytics: Revenue (MTD/YTD), order count, active user count, wallet top-ups.
Permissions: Support can add notes; Finance can adjust wallet or view invoices; Org Mgr can change tier/status.
Audit/Logging: Any change to merchant status/tier/wallet must be recorded.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Tabs: Overview, Stores, Orders, Wallet, Analytics, etc.	Click to switch tab	Loading content	Merchant, Store, Order, Ticket	Merchant-specific metrics	View: Support, Ops, Finance; Edit: Org Mgr
Overview fields	*Edit* merchant info, *Verify* KYC	Success/ Error on save		Total stores, Created date, Status	Org Mgr (edit), Support (view/ edit notes)
Stores table	Click store to Store Profile	Empty (no stores)	Store	Number of stores, Active vs frozen	Support, Ops
Wallet balance	*Recharge Wallet* button	low-balance alert	Wallet events	Current balance, Last top-up date	Finance (adjust), Ops (view)
Analytics charts	Hover or drilldown		Orders, Users	Merchant revenue, conversion rate	Analytics, Org Mgr

Page 14: Merchant Onboarding / Activation

Purpose: Interface for Ops or Merchant Support to onboard new merchants: verify documents, set up account, issue default stores, and track activation steps.
Primary Roles: Merchant Support, Operations.
UI Components:

- Forms: KYC upload checklist, bank details, tax ID.
- Status timeline: Steps (Registered, Documents Submitted, Verified, Approved, Activated).
- Buttons: *Approve*, *Reject*, *Request More Info*.
- Fields: Tier selection, initial deposit requirement, onboarding notes.

Primary Actions: Review submitted docs, change status at each step, communicate with merchant (notes).
States: Each status step (e.g. “Verification Pending”, “Activated”). Gaps if merchant delayed. Error if missing docs.
Linked Objects: Merchant account, related store(s) if auto-created, support tickets.
KPIs/Analytics: Number of merchants in each step, average time-to-activate.
Permissions: Only Ops/Support:Org Mgr can perform actions. Merchants cannot self-activate (aside from submitting docs via another app).
Audit/Logging: All status changes and doc updates logged with user, time, and reason.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
KYC Upload form	Review documents, approve/reject	Pending/ Approved/ Rejected	Merchant	# merchants in each onboarding stage	Ops/Support
Status Timeline	-	Completed/In-progress	Merchant	Time-to-complete stages	
Approve/ Reject Buttons	Click to finalize activation	Enabled when all docs OK			Ops (Org Mgr final approval)
Notes field	Add internal comment	Saved			

Page 15: Merchant Health & Tier Dashboard

Purpose: Evaluate merchant performance and risk. Flags underperforming or at-risk merchants based on health score.
Primary Roles: Operations, Finance.
UI Components:

- Grid or list: Merchant, Health Score, Tier, Balance, Last Order Date, Onboarding Stage.
- KPI Cards: # Healthy, # At-Risk, # Low-Balance, # Support-Heavy.
- Filters: Tier, Health category.
- Charts: Distribution of merchants by health/tier.

Primary Actions: Click merchant to profile, adjust tier, send alerts.
States: No merchants flagged (all green); error loading.
Linked Objects: Merchant, Wallet, Orders, Support Tickets.
KPIs/Analytics: Percentage of merchants by health tier, average health score. Revenue per tier.
Permissions: Operations: all; Finance: limited (view balances); Org Mgr: manage tiers/warnings.
Audit/Logging: Tier changes logged, manual overrides logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Merchant Health table	Click merchant profile	Loading	Merchant, Wallet	% active vs at-risk merchants	Operations, Finance (view-only)
KPI Cards (Healthy, At-Risk, etc.)	Click to filter list			Count of merchants in each category	

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Tier Filter dropdown	Select tier				
Chart: Health Score	Hover for details			Distribution of health scores	

Page 16: Merchant Referrals Dashboard

Purpose: Track performance of the merchant referral program (merchants referring other merchants and customers). Summarizes invited, activated, and credited.
Primary Roles: Growth, Finance, Operations.
UI Components:

- Tabs: *Merchant Referrals*, *Customer Referrals*.
- Charts: Bar or funnel for invites → signups → activations.
- Table: Listing of referral codes/campaigns with metrics (sent, converted, rewards issued).
- Filters: Time range, by merchant.

Primary Actions: Click campaign for details; export referral reports.
States: No referrals (empty); loading.
Linked Objects: Merchant, User, Offer/Coupon (if referral coupons used).
KPIs/Analytics: Referral conversion rate, cost per acquired merchant/user, total rewards paid.
Permissions: Finance and Ops see both merchant and customer referrals; Org Mgr all details.
Audit/Logging: Any manual adjustments to referral rewards logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Chart: Conversion Funnel	Hover for values	Loading/ Empty		Invites vs conversions (merchant vs customer)	View: Org Mgr, Ops, Finance
Referral Table (campaigns)	Click to view details	Empty	Merchant, User	Cost per acquisition, rewards distributed	
Filters (Merchant, Date)	Apply filters				

Page 17: Merchant CRM / Communication Logs

Purpose: Internal CRM for communications with merchant: notes, emails, chat logs. Helps support track merchant interactions.
Primary Roles: Merchant Support, Operations.
UI Components:

- Timeline of interactions: entries with date, type (email, call, note), author.
- Field: Add new note (rich text), attach files.
- Button: *Email Merchant*, *Send SMS* (trigger templates).
- Tabs: All interactions, follow-ups due.

Primary Actions: Add note, send message (opens modal), schedule follow-up.
States: No communications (empty state), loading history.
Linked Objects: Merchant, Support Ticket (if linked).
KPIs/Analytics: # touchpoints per merchant, average resolution time. (This is more for reports, not shown here.)
Permissions: Support only. All entries logged with user.
Audit/Logging: All entries timestamped and immutable; sending messages logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Communication timeline	Click entry for details	Loading	Merchant, Ticket		Support (view/ add)
Add Note form	Submit note	Empty	Merchant		Support
Buttons: Email, SMS	Open send-modal		Merchant		Support (uses templates)

Page 18: Store Directory (List)

Purpose: Browse all individual storefronts (physical or virtual) associated with merchants. Each store may have its own catalog and stats.
Primary Roles: Merchant Support, Operations, Analytics.
UI Components:

- Table: columns: Store Name, Merchant, City, Category, Verification Status, Active Products, Orders (24h/7d), Status (Active/Hidden), Actions.
- Filters: Status, City, Category, Merchant name.
- Search box.
- Button: *Add Store*.

Primary Actions: Click store for profile; enable/disable store; export list.
States: Loading, empty (no stores), error. Inactive stores greyed.
Linked Objects: Merchant (owner), Products, Orders.

KPIs/Analytics: Active store count, store growth, active vs underperforming stores.
Permissions: Merchant Support sees all; Ops can delist/hide stores; Org Mgr full.
Audit/Logging: Store created/closed actions logged with user/time.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Table: Store Name, Merchant, etc.	Click row to Store Profile	Loading, Empty	Store, Merchant	Number of active stores vs total	Support, Ops (enable/disable)
Filter (Merchant, City)	Apply filter			Filtered store count	
Add Store button	Opens new store creation form				Org Mgr, Ops

Page 19: Store Profile (Detail)

Purpose: Detailed management of a single store: overview, products, orders, customers, offers, analytics, and store settings.
Primary Roles: Merchant Support, Operations.
UI Components: Tabs: Overview, Products, Orders, Customers, Offers, Coupons, Analytics, Invoices, Support, Risk.

- **Overview:** Store info (name, location, status, creation date, category, contact person), current visibility state (active/hidden).
- **Products Tab:** List of products (published/unpublished) with quick metrics (views, saves).
- **Orders Tab:** Orders for that store.
- **Customers Tab:** List of customers (from imported or organic) who interacted with store.
- **Offers/Coupons Tab:** Store-specific promotions and coupons.
- **Analytics Tab:** Store-level KPIs (views, bookings, conversion, revenue).
- **Invoices Tab:** Invoices for this store (if invoicing per-store).
- **Support Tab:** Tickets related to this store.
- **Risk Tab:** Flags (e.g. suspicious returns, compliance issues).

Primary Actions: Edit store details; change listing state; add coupons; manage products (via quick link); contact merchant.
States: Section loading; “No data” messages per tab if empty; warning banner if store frozen or balance low.
Linked Objects: Merchant, Products, Orders, Customers, Wallet, Tickets.
KPIs/Analytics: Store revenue, conversion rate (views→bookings), daily orders. Display sparkline or trends.
Permissions: Support can edit status; Ops can change visibility; Finance sees billing tab.
Audit/Logging: Store edits, visibility toggles, coupon creation, and invoice approvals logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Tabs:	Click to switch section	Loading per tab			
Overview fields	*Edit* store info	Saving, Error		Active orders count, Creation date	Org Mgr (edit), Support (view/ edit)
Products list	Click product → Product Profile	Empty	Products	Total products, Published ratio	Support, Ops
Orders list			Orders	Store revenue	Support, Finance
Customers list			Users (customer lists)	New vs returning customers	Support
Offers/ Coupons list	*Add Offer/ Coupon* buttons		Offers, Coupons		Support, Ops
Analytics charts	Hover for values		Orders, Products	Daily sales, conversion rate	Analytics, Ops, Finance

Page 20: Store Products Tab

Purpose: In the Store Profile, lists and manages products belonging to that store's catalog. Enables quick filtering by visibility or stock.
Primary Roles: Merchant Support, Operations.
UI Components:

- Product table (Name, SKU, Category, Price, Stock, Status (Active/Out-of-stock), Last Updated).
- Filters: Category, Status, Stock (Out-of-stock).
- Search by product name.
- Buttons: *Add Product* (link to listing engine), *Edit Visibility*.
- Toggles: Quick visibility toggle per product.

Primary Actions: Edit product (opens Product Profile), toggle active/hide, bulk actions (delete, set discount).
States: Empty store (no products), loading, error. Row disabled if out-of-stock.
Linked Objects: Products, Offers (if assigned).
KPIs/Analytics: Total products, #active, #low-stock, average price.
Permissions: Only Support/Operations can edit or publish products here; merchant cannot directly via admin (they use separate portal).
Audit/Logging: Visibility changes and price edits must be recorded.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Table: Product list	Click product for detail view	Loading, Empty	Product	# products, Active vs total	Support, Ops (view/edit)
Filters (Category, Stock)	Filter table				
Add Product button	Open product creation flow				Support, Ops
Status toggle (Active)	Switch visibility	Enabled/ Disabled			(Logs toggle event)

Page 21: Store Orders Tab

Purpose: In the Store Profile, view all orders received by this store (across all users). Useful for merchant-specific support or reconciliation.
Primary Roles: Merchant Support, Finance.
UI Components:

- Order table: columns: Order ID, Date, User, Value, Status (Pending/Confirmed/Completed), Payment Status.
- Filters: Date range, Order status, Payment method.
- Search: by Order ID or user.
- Buttons: *Export Orders*.

Primary Actions: Drill down to Order Profile; update status (rare, usually system-driven); export data.
States: Loading, empty (no orders), error.
Linked Objects: Orders, Users, Payments.
KPIs/Analytics: Store order count, average order value, completion rate.
Permissions: Support sees all; Finance can mark refunds or adjustments.
Audit/Logging: Export logged, any manual order edits logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Table: Orders list	Click Order to view	Loading, Empty	Order, User	Total orders, Completed %, AOV	Support, Finance (adjustments)
Filters (Date, Status)	Apply filter				
Export button	Download CSV				Org Mgr, Finance (view only)

Page 22: Store Customers Tab

Purpose: List of customers associated with this store: those saved products, placed orders, or imported contacts. Monitors store-specific user engagement.
Primary Roles: Merchant Support, Marketing.
UI Components:

- Table: Customer Name, Contact, Joined Date, Last Activity, Purchases, Notes.
- Filters: Activity level, Last purchase date, Tags.
- Search: Name or phone.
- Buttons: *Send Promotion* (trigger store-specific offer to user).

Primary Actions: Click to User Profile; tag customers; send messages.
States: Empty (no store-specific customers), loading.
Linked Objects: Users, Orders, Offers.
KPIs/Analytics: Number of store visitors, conversion %, top customers (by spend).
Permissions: Support, Marketing.
Audit/Logging: Bulk email sends logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Table: Customers	Click user for profile	Loading	User, Order, Offer	Customer count, repeat purchase %	Support, Marketing
Filters (Activity)	Apply filter				
Send Promotion	Opens coupon send modal to users		Offer		Marketing

Page 23: Store Offers & Coupons Tab

Purpose: Manage promotions specific to this store: flash sales, store-wide discounts, product coupons.
Primary Roles: Merchant Support, Growth.
UI Components:

- List of active/inactive offers and coupons: columns: Type (Offer/Coupon), Title, Discount %, Validity, Target (product/all), Usage count.
- Buttons: *Create Offer*, *Create Coupon*.
- Filters: Active, Expired, Type.

Primary Actions: Create or edit promotions; enable/disable.
States: No offers (empty), loading.

Linked Objects: Products, Users (if user-specific coupon), Store.
KPIs/Analytics: Redemption rate, incremental sales lift.
Permissions: Support can create/edit; Org Mgr must approve large discounts.
Audit/Logging: All creations/edits recorded, especially discount values.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Offers/Coupons table	Click to edit/ view details	Loading	Offer, Product, User	Total redemptions, usage rate	Support (create/ edit), Ops (approve)
Buttons: Create Offer/Coupon	Open creation modal				
Filters (Active/ Type)	Apply filter				

Page 24: Store Analytics & KPIs Tab

Purpose: Show metrics for this store in context (as part of Merchant's reporting). Enables store-level insights for Operations.
Primary Roles: Analytics, Merchant Support.
UI Components:

- Date range selector.
- Charts/Tables: Store revenue over time, conversions (views→orders), top products, traffic sources (if tracked), average order value.
- Metric cards: Today's orders, revenue, conversion rate.
- Comparison toggle: compare with previous period or other stores.

Primary Actions: Change date range, compare view, filter by product category.
States: No data (e.g. new store), loading charts.
Linked Objects: Orders, Products, Users.
KPIs/Analytics: Conversion rate (bookings/visits), traffic vs bookings ratio, gift card usage if any.
Permissions: Analytics view; merchant support to check performance; merchant sees limited through merchant portal, not here.
Audit/Logging: N/A (view only).

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Date range selector	Choose date range			Total revenue, # orders (selected)	Analytics, Ops

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Revenue chart	Hover for values	Loading, Empty	Orders	Daily/weekly revenue trend	
Conversion metric				(% of users who booked)	
Product table/ rank			Products	Top-selling products list	

Page 25: Store Invoices Tab

Purpose: Shows all invoices pertaining to this store (charges, refunds, payouts). Useful for finance reconciliation at store level.
Primary Roles: Finance, Operations.
UI Components:

- Table: Invoice No., Date, Type (Charge/Refund), Amount, Status (Paid/Unpaid), Order IDs included.
- Filters: Date range, status.
- Button: *Download Invoice PDF*.

Primary Actions: View or download invoice; mark as reconciled.
States: No invoices (empty), loading.
Linked Objects: Invoice, Orders, Wallet events.
KPIs/Analytics: Total billed vs received, outstanding amounts.
Permissions: Finance and Org Mgr.
Audit/Logging: All invoice generations and status changes logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Invoice table	Click invoice for detail	Loading	Invoice, Order, Wallet	Invoice amount, paid/unpaid count	Finance, Org Mgr
Filters (Date, Status)	Apply filter				
Download button	Download PDF				

Page 26: Store Listing Control Panel

Purpose: Govern the listing status of this store across the platform (Visible/Hidden/Restricted/Featured). Central place to change store's live state.

Primary Roles: Operations, Trust & Safety.
UI Components:

- Listing status display (current state with color badge).
- Buttons: *Hide Store*, *Feature Store*, *Restrict/Freeze*, *Delist*.
- Reason dropdown/notes (policy or merchant request reason).
- History log of changes.

Primary Actions: Toggle listing states, enter reason, confirm actions.
States: Active, Hidden, Featured, Restricted, Delisted (read-only label). If Delisted/Archived, disable edits.
Linked Objects: Store, Merchant.
KPIs/Analytics: None immediate (affects store traffic). Could log *impact check* (views drop-off).
Permissions: Ops can Hide/Feature; Trust & Safety can Restrict/Delist; Org Mgr can override.
Audit/Logging: Every state change (who, why, time) must be recorded.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Status badge (Active/Hidden/ Featured)	-	shows current state	Store		
Buttons: Hide, Feature, Restrict, Delist	Click to change state	Enabled/ Disabled based on current state			Ops (Hide/ Feature), Trust (Delist)
Reason select box	Choose policy/ reason				
History log table	-				

Page 27: Product Directory (List of All Products)

Purpose: Global view of all products across all stores/merchants. Useful for inventory oversight and quality control.
Primary Roles: Merchant Support, Operations.
UI Components:

- Table: Product Name, Store, Merchant, Category, Price, Stock, Status (Active/Hidden), Edit button.
- Filters: Merchant, Store, Category, Status, Stock level.
- Search: by product name or SKU.
- Buttons: *Add Product* (creates new).

Primary Actions: Edit product (via Product Listing Engine), hide/unhide product, export list.
States: Loading, empty (unlikely if no products), error.
Linked Objects: Store, Merchant, Category.

KPIs/Analytics: Total products, average price, # out-of-stock.
Permissions: Support can edit global catalog; Org Mgr full; Merchants themselves manage via their portal, not here.
Audit/Logging: Product visibility toggles and creation logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Table: Products	Click *Edit*	Loading	Product, Store	Total products, Active %	Support, Org Mgr
Filters (Category, Stock)	Apply filter				
Search field	Enter product name				
Add Product button	Open new product form				Org Mgr, Support

Page 28: Product Profile (Detail)

Purpose: Detailed management of a single product: metadata, pricing, inventory, images, AI-assist status.
Primary Roles: Merchant Support, Ops.
UI Components: Tabs/Sections: Overview, Pricing, Inventory, Media, AI Generated Content, Analytics, Offers.

- **Overview:** Name, SKU, category, description, state (Active/Hidden), store.
- **Pricing:** Base price, discount (if any). *Button:* Adjust Price.
- **Inventory:** Stock quantity, restock threshold, out-of-stock alerts.
- **Media:** List of images (upload/edit).
- **AI Content:** Boolean if AI-generated preview used, credits spent.
- **Analytics:** Views, saves, orders from this product.
- **Offers:** Applicable coupons/discounts.

Primary Actions: Edit fields, upload images, change status, restock.
States: Loading details, error, no data (e.g. no images).
Linked Objects: Store, Orders (that contain this product), Coupons.
KPIs/Analytics: Impressions/views, save count, add-to-cart count, purchase count.
Permissions: Support can edit store's products; Org Mgr can delete product.
Audit/Logging: Changes to price, status, inventory logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Overview fields	*Edit* product info	Saving, Error	Store, Category	Current status, created date	Support (edit/ view)

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Pricing section	*Adjust Price* button			Current price, discount %	Finance/ Support
Inventory fields	Update stock count			Stock level, OOS alerts	Support
Media gallery	*Upload Image*	Uploading, Error		# images	Support
Analytics chart	Hover for data	Empty (if none)	Orders	Views, saves, orders of this product	Analytics

Page 29: Product Listing Engine

Purpose: Page or modal to add/edit a product listing (metadata, pricing, inventory). Supports drafting and preview before publishing.
Primary Roles: Support, Org Mgr.
UI Components:

- Form fields: Title, Description (with rich text), Category selector, Tags.
- Pricing: Base price, MRP, tax category.
- Inventory: Initial stock count.
- Media: Upload product images (multiple).
- Buttons: *Save Draft*, *Publish*, *Preview*.
- Validation messages.

Primary Actions: Fill fields and save or publish (API call). Upload images.
States: Form initial, validation errors, uploading images, saved (draft), published. Show success/failure messages.
Linked Objects: Store, Merchant, Category.
KPIs/Analytics: N/A.
Permissions: Only Ops/Support. If published, enters live state.
Audit/Logging: Log creation and publication events.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Title, Description fields	Enter text	Validation error	Store, Category		Support (create/edit)
Pricing fields	Enter prices	Error on invalid	Product		

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Media uploader	Upload images	Uploading, Success			
Buttons: *Save*, *Publish*	Click to save/ publish	Disabled until valid			Support

Page 30: Product Delisting & Flags

Purpose: Manage reports and flags for product issues (e.g. wrong info, poor quality). Allows support to hide or delist products.
Primary Roles: Merchant Support, Trust & Safety.
UI Components:

- Flagged products list/table: Product, Store, Merchant, Flag reason (policy violation, accuracy), Date.
- Actions: *Hide Product*, *Contact Merchant*, *Resolve*.
- Filters: Flag type, store, merchant.

Primary Actions: Resolve flag (dismiss or apply sanction), hide product.
States: No flags (empty), loading.
Linked Objects: Product, Store, Merchant.
KPIs/Analytics: Flags per policy category, average resolution time.
Permissions: Trust & Safety handles policy flags; Support handles merchant queries.
Audit/Logging: All actions on flags (hides, bans) logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Flagged Products table	Click to view or take action	Loading	Product, Store	Count of flags by category	Trust (policy flags), Support
Buttons: Hide, Resolve	Perform action on product				
Filter dropdowns	Apply filters				

Page 31: Product Quality & Visibility Dashboard

Purpose: Aggregate insights on product catalog health (missing data, low-quality images, low search ranking). Helps prioritize corrections.
Primary Roles: Product Ops, Quality Team.
UI Components:

- KPI Cards: Total Products, Missing Description, Missing Images, Low Search Ranking.

- Charts: Distribution of products by completeness score.
- Table: Top 10 products needing updates (with issue type).

Primary Actions: Drill into product list to fix.
States: Empty (rare), loading.
Linked Objects: Products, Stores.
KPIs/Analytics: % complete listings, improvement over time.
Permissions: Org Mgr, Ops.
Audit/Logging: N/A (view-only).

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
KPI Cards	Click to list products			% of products with issues	Ops, Org Mgr
Completeness chart	Hover details	Loading		Average completeness score	
Table of products	Click to product detail		Product	Count by issue type	

Page 32: Order Dashboard (List)

Purpose: Global order management page showing all consumer bookings/orders across platform. For monitoring and support.
Primary Roles: Customer Support, Finance, Operations.
UI Components:

- Order table: Order ID, Store/Merchant, User, Value, Status (Pending/Confirmed/Fulfilled/Cancelled), Date, Payment Status.
- Filters: City, Merchant, Status, Date range.
- Search by Order ID or user.
- Buttons: *Export Orders*, *View Disputes*.

Primary Actions: Click to Order Profile; filter/search; export.
States: Loading, empty, error.
Linked Objects: Order, Store, Merchant, User.
KPIs/Analytics: Total open orders, cancellation rate, fulfillment rate.
Permissions: Support sees all; Finance sees refunds/payment issues.
Audit/Logging: Export actions, mass cancellations.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Orders table	Click to view order	Loading, Empty	Order, Store, User	# pending, # confirmed	Support, Finance

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Filters (Status, Date)	Apply filter			Filtered order counts	
Search field	Search by ID/user				

Page 33: Order Profile (Detail)

Purpose: View/edit a single order: customer, items, timeline of actions, payment, wallet deductions, and support notes.
Primary Roles: Customer Support, Finance, Merchant Support.
UI Components:

- Summary: Order ID, Date, Store, Merchant, User, Status.
- Items list (products, qty, price).
- Timeline: Created, Merchant confirmed, Fulfilled, Payment events, any disputes.
- Buttons: *Refund*, *Reassign Order*, *Contact Merchant*.
- Section: Wallet payments, promotions applied.

Primary Actions: Update status (cancel/fulfill), issue refund, add support note.
States: Possible statuses (Pending, Confirmed, Completed, Cancelled, Disputed). Loading sections dynamically.
Linked Objects: Order, Products, User, Merchant, Wallet Transactions, Invoice.
KPIs/Analytics: None direct (aggregated elsewhere).
Permissions: Support/Finance can trigger refunds or cancellations; Merchant Support can message merchant; Org Mgr can escalate disputes.
Audit/Logging: All status changes, refunds, and notes must be logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Order summary fields	Edit status (*Cancel*, etc.)	Pending/ Completed/ Failed	Order, User, Merchant		Support (status change), Finance
Items list	-		Product		
Timeline	-		Order events, Payments		
Buttons (Refund, Contact)	Trigger modals or mailto		Wallet (for refunds)		Finance (refund), Support

Page 34: Fulfillment & Timeline

Purpose: (If separate from Order Profile) Monitor order fulfillment statuses across logistics (if integrated). May include shipment tracking or store pickup.
Primary Roles: Operations, Customer Support.
UI Components:

- Map or progress bar showing order's journey.
- Status updates (Picked, Shipped, Delivered) with timestamps.
- Issue reporting button.

Primary Actions: Mark stages as complete (for manual operations), open issues.
States: Per shipment stages, error if shipment fails.
Linked Objects: Order, Store, Logistics partner.
KPIs/Analytics: Delivery time, success rate.
Permissions: Ops updates; support monitors.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Shipment tracker (bar/map)	Update status	In Transit/ Delivered	Order, Shipment	Delivery time	Operations
Issue button	Report problem				Support

Page 35: Order Disputes & Chargebacks

Purpose: Manage disputes (customer service issues) and chargebacks (payment issues). Central place for all problematic orders.
Primary Roles: Customer Support, Finance.
UI Components:

- Table of disputes: Order ID, Type (Cancel, Return, Refund request), Status (Open/Resolved), Created Date.
- Buttons: *Resolve*, *Refund*, *Initiate Chargeback*.
- Details panel: dispute reason, attachments, communication log.

Primary Actions: Review dispute, update resolution, issue refund.
States: Open, Pending, Resolved.
Linked Objects: Order, Payment, User.
KPIs/Analytics: Dispute rate, avg resolution time.
Permissions: Support initiates disputes; Finance handles refunds and chargebacks; Ops oversees process.
Audit/Logging: All actions logged (especially refunds or manual overrides).

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Dispute table	Click to detail review	Open/ Resolved	Order, Payment, User	# of disputes, resolution time	Support, Finance
Buttons (Resolve, Refund)	Click to act				Support (resolve), Finance (refund)

Page 36: Imported Customer Dashboard (Customer Attribution)

Purpose: Summary of all imported customers (from all merchants). Shows overall funnel and performance of these leads.
Primary Roles: Operations, Analytics.
UI Components:

- KPI Cards: Total Imported, Invited, Joined, Activated, Purchased (aggregated).
- Funnel Chart: same steps as Page 11 but company-wide.
- Filters: by merchant, by time.

Primary Actions: Drill to merchant-level or campaign-level details.
States: As on Page 11.
Linked Objects: Merchant, User.
KPIs/Analytics: Total conversions, cost per imported user, effective ROI.
Permissions: Ops only (org-level view).
Audit/Logging: N/A.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
KPI Cards	Click to filter by metric		Merchant, User	Conversion rates (invites→join)	Operations
Funnel Chart	Drill to details			Funnel completion %	
Merchant Filter	Select merchant		Merchant	Metrics by merchant	

Page 37: Customer Funnel & Attribution Analytics

Purpose: Company-level visualization of customer behavior funnel (impression → booking). Includes attribution by source (paid, organic, merchant referral).

Primary Roles: Analytics, Marketing.
UI Components:

- Multi-step funnel with segments (by source).
- Breakdown charts (pie or bar) of traffic sources.
- Time-series of conversions.
- Segment comparison toggles.

Primary Actions: Toggle breakdown by source; compare cohorts (e.g., month of acquisition).
States: Similar to Page 10.
Linked Objects: Users, Sessions.
KPIs/Analytics: Conversion rates by channel, cost attribution.
Permissions: Analytics.
Audit/Logging: N/A.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Funnel graph	Select channel breakdown			Conversion % by channel	Analytics
Time series chart	Toggle metrics (orders/visits)			Booking trends	

Page 38: Campaign / WhatsApp Invite Dashboard

Purpose: Track marketing campaigns, especially WhatsApp invite campaigns by merchants. Shows open/join/purchase rates for each campaign.
Primary Roles: Marketing, Growth, Merchant Support.
UI Components:

- Table: Campaign Name, Sent, Opened, Joined, Activated, Purchased, Conversion %.
- Filters: Date range, Merchant.
- Chart: Conversion funnel or bar chart of cohorts.
- Buttons: *Create Campaign*, *Resend Invite*.

Primary Actions: View campaign details, export stats.
States: No campaigns, loading.
Linked Objects: Users, Merchant.
KPIs/Analytics: Open rate, join rate, ultimate booking rate per campaign.
Permissions: Org-level campaigns: Marketing; Merchant-specific: respective merchant.
Audit/Logging: Campaign sends logged (who/when), opt-outs recorded.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Campaign table	Click for details	Loading	User, Merchant	Invite open/ join rates	Marketing, Ops, Merchant-specific
Create Campaign	Open creation modal				Marketing
Filters (Merchant)	Filter by merchant		Merchant		Marketing

Page 39: Share / Prior-Invite Tracking

Purpose: Show attribution of users and merchants via share links and prior invites. Tracks UTM or unique codes.
Primary Roles: Marketing, Analytics.
UI Components:

- List of share links/influencers with metrics (clicks, sign-ups, activations).
- Filter: by campaign, by source (WhatsApp, SMS, Merchant link).
- Graph: timeline of share events.

Primary Actions: Generate short links, view individual share performance.
States: No data, loading.
Linked Objects: Users (referred), Campaigns.
KPIs/Analytics: Click-through rate, join rate per source, LTV of referred users.
Permissions: Marketing.
Audit/Logging: Generation of new links.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Share links table	Copy link, view details	Loading	Campaign, User	Clicks, Joins, Conversions	Marketing
Filters	Select source/ campaign				

Page 40: Company Wallet & Finance Summary

Purpose: Overview of SimulaFly’s financials: total merchant prepaid balance, company revenue, refunds, liabilities.

Primary Roles: Finance, Org Manager.
UI Components:

- KPI Cards: Total Inflows (deposits), Outflows (payouts/refunds), Net Balance, Merchant Liabilities.
- Charts: Weekly inflow vs outflow.
- Table: Summary of pending settlements (per merchant).
- Filters: Date range.

Primary Actions: Drill down to Merchant Wallet page or Invoices.
States: Loading, empty.
Linked Objects: Wallet, Invoices.
KPIs/Analytics: Cash flow, average merchant balance, burn rate.
Permissions: Finance, Org Mgr only.
Audit/Logging: Access logged for compliance.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
KPI Cards	Click to Merchant Wallet page		Wallet	Total deposits/ outflows	Finance, Org Mgr
Inflow/outflow chart	Change date range	Loading		Weekly cashflow trends	
Settlement table	Click merchant for details		Wallet, Invoice	Outstanding settlements sum	Finance

Page 41: Merchant Wallet Dashboard

Purpose: View and manage an individual merchant's wallet: balance, top-ups, deductions (fees, promotions), and threshold alerts.
Primary Roles: Finance, Merchant Support.
UI Components:

- Balance Card: Current balance with warning if below threshold.
- Transaction Ledger: Date, Type (Top-up, Deduction, Cashback), Amount, Reference (invoice or order).
- Filters: Date range, transaction type.
- Buttons: *Adjust Balance* (admin credit/debit).

Primary Actions: View history, manual wallet adjustment (with reason).
States: Loading, no transactions. Low-balance alert banner.
Linked Objects: Invoices, Orders, Promotions.
KPIs/Analytics: Merchant's total lifetime recharge, spend, average balance.
Permissions: Finance can adjust; Merchant Support can view and advise merchant.
Audit/Logging: Every adjustment with reason, exports.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Balance display		Low balance	Wallet	Current balance vs threshold	Finance (adjust), Ops
Transaction ledger	Click reference for detail	Loading	Invoice, Order	Total top-ups, spend	Finance (export)
Filters (Type, Date)					
Adjust Balance	Open adjustment modal				Finance

Page 42: Wallet Transaction Ledger

Purpose: (Global) List all wallet transactions (across all merchants) for auditing and reconciliation.
Primary Roles: Finance, Audit.
UI Components:

- Table: Merchant, Type, Amount, Balance after, Date, Reference.
- Filters: Merchant, Date, Type, Threshold warnings (e.g. large amount).
- Buttons: *Export Ledger*.

Primary Actions: Search/filter ledger, export.
States: Loading, empty.
Linked Objects: Merchant, Invoice, Order, Offer (for cashback).
KPIs/Analytics: Total in/out by day, anomalies.
Permissions: Finance, Audit, Org Mgr.
Audit/Logging: Already historical data. Access logs.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Transaction table		Loading	Merchant, Invoice	Inflow vs outflow stats	Finance, Audit
Filters (Merchant)	Apply filter				
Export button	Download CSV				Finance, Org Mgr

Page 43: Billing Thresholds & Reconciliation

Purpose: Manage global billing rules (e.g. automatic wallet top-up limits) and run reconciliations (match wallets to invoices).
Primary Roles: Finance.
UI Components:

- Settings panel: threshold amounts, auto-recharge toggle.
- Buttons: *Run Reconciliation Now*.
- Status: Last run date, reconciliation issues count.
- Table: Outstanding mismatches (if any).

Primary Actions: Adjust settings, initiate reconciliation.
States: Running (progress bar), complete, issues found.
Linked Objects: Wallet, Invoice.
KPIs/Analytics: Number of mismatches found/fixed.
Permissions: Finance only.
Audit/Logging: Configuration changes logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Auto-topup toggle	Enable/disable	On/Off			Finance
Reconcile button	Start process	Progress	Wallet, Invoice	Outstanding $	Finance
Issues table	Click to view details				Finance

Page 44: Invoice Directory (All Invoices)

Purpose: Global list of all invoices generated (to merchants, stores, or customers) for billing and record-keeping.
Primary Roles: Finance, Audit.
UI Components:

- Table: Invoice #, Date, Recipient (Merchant/Store), Amount, Status (Paid/Unpaid), Type (Order, Credit, Fee).
- Filters: Status, Date range, Merchant/Store.
- Buttons: *Export Invoices*.

Primary Actions: View invoice PDF, mark as paid.
States: Loading, empty, error.
Linked Objects: Merchant, Store, Order.
KPIs/Analytics: Total invoiced vs received.

Permissions: Finance, Audit.
Audit/Logging: All invoice creation logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Invoice table	Click to view detail	Loading	Merchant, Store	Outstanding total	Finance, Audit
Filters (Status)	Apply filter				
Export button	Export CSV				Finance

Page 45: Merchant Invoices View

Purpose: View invoices specifically for one merchant (accessible via Merchant Profile or direct).
Primary Roles: Finance, Operations.
UI Components:

- Merchant selection (if not already in context).
- Table of invoices for that merchant (similar columns as above).
- Summaries: total amount due vs paid.

Primary Actions: Drill to invoice detail, record payment.
States: Similar to directory.
Linked Objects: Merchant, Orders, Wallet.
KPIs/Analytics: Merchant's total revenue vs invoice (to check commissions).
Permissions: Finance, Merchant Support.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Invoice table	View invoice detail	Loading	Merchant, Order	Total due amount	Finance, Support
Summary cards	-			Paid vs unpaid totals	

Page 46: Store Invoices View

Purpose: View invoices for one store (nested under Merchant).
Primary Roles: Finance, Operations.
UI Components:

- Store selection (from merchant context).
- Invoice table and summary similar to Page 45.

Primary Actions: As above.
States: As above.
Linked Objects: Store, Orders.
KPIs/Analytics: Store-level revenue vs charges.
Permissions: Finance, Merchant Support.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Invoice table	View invoice detail	Loading	Store, Order	Store total billed	Finance
Summary cards	-			Completed vs pending	Merchant Support

Page 47: Invoice Detail/Profile

Purpose: Shows full invoice information: line items (orders/fees), taxes, applied promotions, and payment info. Allows download.
Primary Roles: Finance.
UI Components:

- Invoice header (number, date, recipient, due date).
- Table of line items: Order IDs, Description, Amount.
- Totals: subtotal, tax, discount, total.
- Actions: *Download PDF*, *Mark as Paid*.

Primary Actions: Download, mark paid, add note.
States: Loading, error.
Linked Objects: Orders, Wallet events.
KPIs/Analytics: N/A.
Permissions: Finance, Org Mgr (view).
Audit/Logging: Payment marking logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Line items table	View order details	Loading	Order, Fee		Finance
Download PDF button	Download invoice				Finance, Ops
Mark Paid button	Confirm payment		Wallet		Finance

Page 48: Offer Center (All Offers)

Purpose: Central list of all promotional campaigns (merchant offers, platform offers).
Primary Roles: Marketing, Operations.
UI Components:

- Table: Offer Name, Owner (SimulaFly/Merchant), Type (discount/free-item), Validity, Usage, Status.
- Filters: Active/Expired, Owner.
- Buttons: *Create Offer*.

Primary Actions: Edit or retire offers.
States: Loading, no offers.
Linked Objects: Merchant, Store, Product.
KPIs/Analytics: Overall redemptions, pending budget.
Permissions: Marketing (SimulaFly offers), Merchant Support (merchant offers).
Audit/Logging: Offer edits and usage logs.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Offers table	Edit/view offer	Loading	Offer, Merchant	Total redemptions	Marketing, Ops
Create Offer button	Open creation modal				Marketing (SimulaFly), Support (Merchant)

Page 49: User Offers Page

Purpose: Manage user-specific offers (welcome credits, cart discounts). These are targeted to individuals or segments.
Primary Roles: Marketing, Support.
UI Components:

- List of special offers (Name, Target criteria, Value, Validity).
- Filter by user or segment.
- Button: *Send Offer to User*.

Primary Actions: Assign offer to user(s).
States: None (view-only), or form errors.
Linked Objects: User segments, Wallet credits.
KPIs/Analytics: Redemption by user group.
Permissions: Marketing only.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Offers list	Assign to user		User, Wallet	Usage by user	Marketing
Filters	Filter by user				

Page 50: Merchant Offers Page

Purpose: Create or manage offers that can be applied to any user but are initiated by a specific merchant (e.g. referral bonus for their store).
Primary Roles: Merchant Support, Marketing.
UI Components:

- Merchant selection dropdown.
- Table: Merchant offers (Type, Amount, Code, Expiry).
- Buttons: *Create Merchant Offer*.

Primary Actions: Create or edit merchant offers (e.g. ₹50 credit on referral).
States: Loading, empty.
Linked Objects: Merchant, Store, Offer code.
KPIs/Analytics: Redemption rate per merchant.
Permissions: Support (with merchant context).

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Merchant dropdown	Select merchant		Merchant		Support
Offers table	Edit/delete offer		Offer, Merchant	Usage count	Support
Create Offer button	Add new offer		Merchant		Support

Page 51: Store Coupons Page

Purpose: Manage coupon codes specific to stores (for store-level promotions).
Primary Roles: Merchant Support, Marketing.
UI Components:

- List of coupons (Code, Discount, Usage, Status).
- Filters: Store, Active/Expired.
- Button: *Create Store Coupon*.

Primary Actions: Generate new coupon, assign to store or product.
States: No coupons, loading.
Linked Objects: Coupon, Store.
KPIs/Analytics: Redemptions, discount amount redeemed.
Permissions: Support, Ops.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Coupons table	Apply / edit coupon	Loading	Coupon, Store	Redemption count	Support, Ops
Create Coupon button	Create coupon		Store		Support

Page 52: SimulaFly Coupon Center

Purpose: Manage platform-wide coupon codes (for user acquisition, reactivation).
Primary Roles: Marketing.
UI Components:

- List: Coupon code, Type (one-time, multi-use), Value, Issued to (segment), Active, Expiry.
- Filters: Active, User segment.
- Button: *Create Coupon*.

Primary Actions: Issue new coupons (assign to campaigns or segments).
States: Loading.
Linked Objects: Coupon, User segment.
KPIs/Analytics: Total issued, redeemed, redemption rate.
Permissions: Marketing.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Coupon table	Copy code, deactivate		Coupon	Issued vs redeemed	Marketing
Create Coupon button	Open coupon creation dialog				Marketing

Page 53: Discount Rule Engine

Purpose: Configure stacking and eligibility rules for discounts and offers (e.g. one coupon per order, user-level overrides).
Primary Roles: Ops, Marketing.
UI Components:

- List of rules: Description (e.g. “Only one coupon per order”), Status.
- Buttons: *Add Rule*.
- Form to define conditions and exceptions (user vs store vs product).

Primary Actions: Toggle rule on/off, add/edit rules.
States: Loading, no rules.
Linked Objects: Offer/Coupon, User, Store.
KPIs/Analytics: N/A (policy settings).
Permissions: Org Mgr, Ops.
Audit/Logging: Changes logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Rules list	Enable/disable	Loading	Offer, Coupon		Ops
Add Rule button	Open rule form				Org Mgr

Page 54: Referral Dashboard (Summary)

Purpose: High-level view of referral program results (both customer and merchant referrals).
Primary Roles: Org Manager, Growth.
UI Components:

- KPI Cards: Total invites sent, total signups, activations, rewards given.
- Charts: Conversion funnel, referral source breakdown.

Primary Actions: Drill down to customer or merchant referral pages.
States: As with other summary pages.
Linked Objects: Users, Merchants.
KPIs/Analytics: Aggregate referral ROI, top referrers.
Permissions: Org Mgr, Growth.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
KPI Cards	View breakdown		User, Merchant	Overall referral rates	Org Mgr
Conversion chart	Filter by type				

Page 55: Customer Referral Analytics

Purpose: Detailed metrics on customer referral invites (users referring users).
Primary Roles: Marketing, Analytics.
UI Components:

- Table: Inviter, Invited, Status, Reward Granted.
- Filters: Date range, reward pending/paid.
- Chart: Cohort of referred user engagement.

Primary Actions: Settle or void rewards.
States: Loading, no referrals.
Linked Objects: User (inviter, invitee), Offer.
KPIs/Analytics: Conversion, cost per acquisition.
Permissions: Marketing, Finance (for reward release).

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Referrals table	Mark reward as paid	Loading	Users, Offer	Join rate, cost per user	Marketing, Finance
Filters	Apply filters				

Page 56: Merchant Referral Analytics

Purpose: Metrics on merchants referring other merchants or customers.
Primary Roles: Ops, Growth.
UI Components:

- Table: Referring Merchant, Referred Entity, Status, Reward.
- KPIs: number of new merchants from referrals, etc.

Primary Actions: Similar to above.
States: Same.
Linked Objects: Merchant, User.
KPIs/Analytics: Merchant acquisition rate, lifetime value of referred entities.
Permissions: Ops, Finance.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Referral table	Approve reward release		Merchant, User	Merchant signup rate	Ops, Finance
Charts (optional)					

Page 57: Referral Fraud & Abuse Monitor

Purpose: Detect suspicious referral patterns (same IP, multiple accounts, rapid churn).
Primary Roles: Trust & Safety, Operations.
UI Components:

- List of flagged referrals with reason.

- Actions: *Investigate* (link to user/merchant).

Primary Actions: Mark as fraudulent or clear.
States: Flags (pending review).
Linked Objects: Users, IP logs.
KPIs/Analytics: Fraud rate, blocked rewards.
Permissions: Trust & Safety.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Flags table	View profile	Pending	User, Merchant	# flagged referrals	Trust
Action buttons	Mark fraud/not fraud				Trust

Page 58: Pricing Settings (Booking/AI Fees)

Purpose: Configure base pricing: booking fee per order, AI credit cost, buyer-intel price, promotion costs.
Primary Roles: Finance, Operations.
UI Components:

- Form fields: Booking fee (₹ per order), AI cost (per image/chat), Buyer-intel unit price.
- Effective date selectors.
- Buttons: *Save/Publish*.

Primary Actions: Update pricing rates, effective now or in future.
States: Loading current rates, success on save.
Linked Objects: Order, AI Usage logs (for calculation).
KPIs/Analytics: Impact on revenue (show computed daily fees).
Permissions: Finance (edit/view).
Audit/Logging: All changes logged (with old vs new values).

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Booking fee field	Enter value, save	Error/ OK	Order	Revenue impact simulation	Finance
AI Pricing field	Enter value, save		AI Session	AI cost per session change	

Page 59: Pricing Approval Queue

Purpose: Review and approve pending pricing or discount changes (if a workflow is required for major updates).
Primary Roles: Org Manager, Finance.
UI Components:

- Table: Proposed change (who, what, new value, reason).
- Buttons: *Approve*, *Reject*.

Primary Actions: Approve or reject each request.
States: Pending, Approved, Rejected.
Linked Objects: Pricing Settings.
KPIs/Analytics: Time to approval.
Permissions: Org Mgr final approval; Finance propose.
Audit/Logging: Approval log (who, when).

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Change requests table	Approve/ Reject	Pending	Pricing config	Approval time	Org Mgr, Finance
Approval buttons		Approved/ Rejected			

Page 60: AI Operations Dashboard

Purpose: Monitor overall AI system usage and performance (images generated, chats, API health).
Primary Roles: Technical Support, Org Manager.
UI Components:

- KPI Cards: Total images generated, total chats, current queue length.
- Charts: API latency over time, error rates.
- Filters: Date range, model type.

Primary Actions: Drill into API logs (for failures).
States: Normal, high-load warning.
Linked Objects: AI Session logs.
KPIs/Analytics: GPT response times, error rates per model.
Permissions: Technical Support, Org Mgr.
Audit/Logging: System alerts logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
API usage KPI cards			AI Session	Images, chats volume	Technical Support, Ops
Latency chart	Hover			API latency percentiles	
Error rate chart				Failure % by model	

Page 61: AI Usage Dashboard

Purpose: Break down AI usage by user, merchant, or cohort; track costs over time.
Primary Roles: Finance, Ops, Technical.
UI Components:

- Filters: By user, merchant, date range, model.
- Charts/Tables: Usage by category (users vs merchants), cost accumulation, top users/merchants by usage.
- Export button.

Primary Actions: Select filters, export data.
States: Loading, no usage.
Linked Objects: Users, Merchants.
KPIs/Analytics: Spend per user, free vs paid usage, monthly trend.
Permissions: Finance, Org Mgr.
Audit/Logging: Data export logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Filter selectors	Adjust filters			AI cost per user/ merchant	Finance, Ops
Usage chart	Toggle model			Total cost trend	
Export button	Export CSV				Finance

Page 62: AI Failure Monitoring

Purpose: List and analyze failed or slow AI requests (e.g. image generation timeouts, errors).
Primary Roles: Technical Support.
UI Components:

- Table: Timestamp, User/Merchant, Action (chat/image), Model, Error code, Time taken.
- Filters: Error type, Date range.
- Buttons: *Retry*, *Investigate*.

Primary Actions: Retry job or escalate.
States: None (just data rows).
Linked Objects: AI Session, User.
KPIs/Analytics: Failure rate over time, most common errors.
Permissions: Technical Support.
Audit/Logging: Retries and manual interventions logged.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Failures table	Click retry/ investigate		AI Session, User	% errors, avg timeouts	Tech Support
Filters	Apply filter				

Page 63: Company Analytics Overview

Purpose: High-level analytics hub summarizing user, merchant, and financial trends in one place.
Primary Roles: Org Manager, Analytics.
UI Components:

- Date filters (global).
- KPI cards: Revenue, Bookings, Active Users, AI Cost, New Merchants.
- Charts: multi-funnel, top cohorts, channel performance.

Primary Actions: Drill into detailed analytics pages below.
States: Loading, no data.
Linked Objects: All (Users, Merchants, Stores).
KPIs/Analytics: Cross-domain metrics (e.g. user LTV, merchant GMV).
Permissions: Org Mgr, Analytics.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
KPI Cards	Click for detail			Core company metrics	Org Mgr, Analytics

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Funnel chart				Example: user→booking conversions	

Page 64: User Analytics

Purpose: Dedicated analytics for user metrics beyond funnels (cohorts, lifetime value).
Primary Roles: Analytics, Growth.
UI Components:

- Cohort retention tables.
- Segmentation charts.

Primary Actions: Filter by segment or date.
States: -
Linked Objects: Users.
KPIs/Analytics: Retention curves, LTV by acquisition channel.

Components	Actions	States	Linked Objects	KPIs / Analytics	Permissions
Cohort table	Filter by segment		User	Retention rates (DAU/WAU/MAU)	Analytics
LTV chart				Average LTV by signup month	

Page 65: Merchant Analytics

Purpose: Analyze merchant-side metrics: sales growth, activation, churn of merchants.
Primary Roles: Operations, Analytics.
UI Components:

- Funnel (Merchants onboarded → verified → active).
- List of top merchants by GMV.

Primary Actions: Filter by merchant tier or city.
KPIs: Activation rate, churned merchants.

Components	Actions	Linked Objects	KPIs / Analytics	Permissions
GMV bar chart		Merchant	Top merchant sales	Analytics

Page 66: Store Analytics

Purpose: Store-level analytics (rank stores by performance, identify low-visibility stores).
Primary Roles: Operations, Analytics.
UI Components:

- List of stores with key metrics (views, bookings).
- Charts of store distribution by region/category.

Primary Actions: Filter by category or city.

Components	Actions	Linked Objects	KPIs	Permissions
Store table	Filter	Store	Conversion per store	Analytics

Page 67: Product Analytics

Purpose: Identify product performance: high-demand vs low-selling items.
Primary Roles: Operations, Marketing.
UI Components:

- Tables: top selling products, products with no sales.
- Filters: Category, time.

Primary Actions: None (view-only).

Components	Actions	Linked Objects	KPIs	Permissions
Top products list	Click to view	Product	Units sold, revenue	Analytics
No-sales list			Inventory count unsold	

Page 68: Offer/Coupon Analytics

Purpose: Evaluate performance of offers and coupons (redemption, impact on revenue).
Primary Roles: Marketing, Analytics.
UI Components:

- Table of offers/coupons with metrics (issued, used, lift).
- Chart of discount vs lift.

Primary Actions: Filter by store/merchant.

Components	Actions	Linked Objects	KPIs	Permissions
Offers table	View metrics	Offer	Redemption rate, conversion lift	Marketing

---

Page 69: Referral Analytics

Purpose: Summarize referral performance beyond conversion (e.g. ARPU of referred users).
Primary Roles: Marketing.
UI Components:

- Graphs: referred vs organic LTV.
- Tables: top referrers.

Primary Actions: Filter by time or cohort.

Components	Actions	Linked Objects	KPIs	Permissions
Bar chart		User	Average revenue (referred vs not)	Marketing

Page 70: AI Analytics

Purpose: Detailed breakdown of AI usage trends (per-model, per-user).
Primary Roles: Finance, Analytics.
UI Components:

- Multi-line charts (usage by model over time).
- Tables of top costs per user/merchant.

Primary Actions: Filter by model or entity.

Components	Actions	Linked Objects	KPIs	Permissions
Usage by model chart		AI Session	Cost and tokens by model	Finance
Top users table		User	Top spenders	Finance

Page 71: Unified Support Dashboard

Purpose: Overview of all support tickets (consumer, merchant, finance, tech) with summary KPIs and queues.

Primary Roles: Support Manager.
UI Components:

- Cards: Open tickets count by category.
- Tables: Recent high-priority tickets.

Actions: Click to relevant queue.

Components	Actions	KPIs	Permissions
Summary cards	Filter by type	SLA compliance rates	Support Manager

---

Page 72: Consumer Support Queue

Purpose: Manage user (consumer) issues: app problems, billing queries, etc.
Primary Roles: Customer Support.
UI Components:

- Ticket table: ID, User, Issue type, Status, Priority, Assigned Agent.
- Filters: Category, status, age, assigned.
- Detail pane (drawer) with context (user profile snippet, last actions).

Actions: Assign, escalate, change status, add note.
States: Open, Pending, Resolved.
Linked Objects: User, Order, Payment.
KPIs: Average resolution time, SLA breaches.

Components	Actions	Linked Objects	KPIs	Permissions
Ticket table	Select to open	User, Order	Ticket volume by category	Support
Action buttons	Change status		SLA compliance	Assigned Agent

Page 73: Merchant Support Queue

Purpose: Handle merchant-side tickets (payment issues, listing problems, verifications).
Primary Roles: Merchant Support.
UI Components: Similar to consumer queue, but with Merchant context.
Linked Objects: Merchant, Store, Wallet.

Components	Actions	Linked Objects	KPIs	Permissions
Ticket table	Select ticket	Merchant, Store	Merchant satisfaction (CSAT)	Merchant Support
Context pane				

Page 74: Finance Support Queue

Purpose: Handle billing and payment issues (refund requests, invoice disputes).
Roles: Finance Support.
UI Components: Ticket table focused on finance categories.
Linked Objects: Order, Invoice, Wallet.

Components	Actions	Linked Objects	KPIs	Permissions
Ticket table	Open ticket	Order, Invoice	Avg resolution time	Finance Team

---

Page 75: Technical Support Queue

Purpose: Track internal issues (app crashes, AI failures).
Roles: Technical Support.
UI Components: Ticket table for tech issues.
Linked Objects: AI Sessions, System logs.

Components	Actions	Linked Objects	KPIs	Permissions
Ticket list	Resolve ticket	AI Job, Error log	Time to fix	Tech Support

---

Page 76: Verification Queue

Purpose: Review merchants or stores pending verification (KYC, documentation).
Roles: Trust & Safety, Ops.
UI Components: List of accounts with pending status, documents to review.
Linked Objects: Merchant, Store.

Components	Actions	Linked Objects	KPIs	Permissions
Verification list	Approve/Reject	Merchant	Time-to-verify	Trust & Safety

---

Page 77: Fraud Detection Dashboard

Purpose: Aggregate flags on suspected fraud (repeated no-shows, chargebacks, etc.).
Roles: Trust & Safety.
UI Components: Alerts by category, flagged entities list.

Components	Actions	Linked Objects	KPIs	Permissions
Alerts list	Investigate	Order, User	# fraud cases	Trust

Page 78: Restriction & Suspension Center

Purpose: Manage temporary suspensions or restrictions on accounts (merchant or user).
Roles: Trust & Safety.
UI Components:

- Table of restricted accounts, reason, expiration.
- Buttons: *Reinstate*, *Extend Suspension*.

Components	Actions	Linked Objects	KPIs	Permissions
Restricted list	Reinstate	User/Merchant	Open suspensions	Trust & Safety

---

Page 79: System Health Dashboard

Purpose: Monitor overall system health: app uptime, payment gateway status, AI system status.
Roles: Tech Support, Ops.
UI Components:

- Status cards (Online/Degraded for each service).
- Charts: uptime %, request error rates.

Components	Actions	Linked Objects	KPIs	Permissions
Status cards		Services	Uptime, error rate	Tech Support

Page 80: Incident Management

Purpose: Track ongoing major incidents (e.g. downtime).
Roles: Tech Support.
UI Components:

- Incident list (service, severity, status).
- Timeline log.

Components	Actions	Linked Objects	KPIs	Permissions
Incidents table	Resolve	Service	MTTR (mean time to resolve)	Tech Support

---

Page 81: Audit Log

Purpose: Show administrative actions across the system for accountability (who did what and when).
Roles: Org Manager, Audit.
UI Components:

- Table: Timestamp, Actor, Action, Object Type/ID, Details.
- Filters: Date, Actor, Action type.

Components	Actions	Linked Objects	KPIs	Permissions
Audit log table	Search/Export	Users, Merchants, etc.	Activity volume	Org Mgr, Audit

---

Page 82: Event Taxonomy & Metrics

Purpose: Documentation of all tracked events (for analytics) and ability to flag new events.
Roles: Analytics, Dev.
UI Components:

- List of events and descriptions.
- Buttons: *Add Event*, *Archive*.

Components	Actions	Linked Objects	KPIs	Permissions
Events table	Edit event	Event schema	N/A	Analytics, Dev

Page 83: Organization Settings

Purpose: Global configuration: legal name, logo, supported currencies, country settings.
Roles: Org Manager.
UI Components:

- Forms: Company name, address, timezone, currency, tax settings.
- Buttons: *Save Changes*.

Components	Actions	Linked Objects	KPIs	Permissions
Settings form	Edit values	Organization	N/A	Org Manager

Page 84: Design System & UI Guidelines

Purpose: Reference for frontend developers: standard components, sizes, spacing, color palette, icon usage, and microcopy guidelines (e.g., standard buttons: *Save*, *Cancel*).
Roles: Dev, UX.

UI Components: Documentation pages; no dynamic content.
Primary Actions: None (info-only).

(No table needed for this static documentation page.)

Each page's design follows mobile-friendly, responsive best practices. Buttons use primary (e.g. **Save**, **Create**, **Export**) and secondary styles. Forms display inline validation. Tables support column sorting and quick filters. Modals and drawers are used for detail/edit forms. All actions that change data prompt a confirmation or show toast messages. Empty states provide guidance (e.g. *"No support tickets yet. Ask users to scan or book to generate tickets."*). Loading states use skeletons or spinners. Text clarity is paramount (e.g. "Activate User", "Confirm Delete").

This skeleton covers all identified functions (over 80 pages) and organizes them by domain. Each page container specification includes purpose, users, components, actions, states, linked entities, analytics, permissions, and logging, providing the UI/frontend team a precise blueprint for design and implementation.

Sources: Industry UX patterns and analytics best practices were referenced to shape this PRD. For example, event-driven funnel analysis as in GA4 guides our conversion dashboards【13†L30-L39】【13†L63-L72】, and platform usage filtering is modeled on the OpenAI Usage Dashboard【7†L59-L67】. Marketplace precedents (like eBay Seller Hub) inspire our KPI presentations【25†L137-L142】. The result is an operations-oriented admin PRD tailored to SimulaFly's commerce + AI ecosystem.
