

AERIALITH AI

Complete Brand Operating System

Identity, voice, visual language, product design, campaigns,
accessibility, implementation, and governance.



VERSION 9.3

SINLESS GAMES LLC

AUGUST 2026

A companion for a more connected world.



One system for every Aerealith surface

This guide supersedes v8 for new work. It preserves the official identity while making the system operational across product, web, documents, community, campaigns, partners, and code.

Field	Standard
Official name	Aerealith AI
Owner	SinLess Games LLC
Version	9.3
Status	Authoritative working standard
Primary domain	aerealith.com
Application domain	aerealith.app
Review cadence	Quarterly and before major launches

Use this guide for

Product UI, websites, documentation, sales material, policies, social, events, video, partner placements, email, developer tooling, and generated assets.

Approval rule

Any new public logo, core color, typeface, tagline, assistant identity, or trust claim requires brand-owner approval and a versioned update.



The complete brand operating system

Eleven sections move from strategic meaning to day-to-day execution.

Section	System	Coverage
01	FOUNDATION	Name, essence, promise, architecture
02	POSITIONING	Audience, category, value, proof
03	VOICE	Tone, messaging, trust copy, errors
04	VISUAL	Color, typography, logo, imagery
05	PRODUCT	UI tokens, components, states, data
06	CONTENT	Docs, social, email, campaigns
07	MOTION	Interaction, video, audio
08	ACCESSIBILITY	Contrast, focus, motion, semantics
09	CO-BRANDING	Partners, parent company, events
10	IMPLEMENTATION	CSS, Tailwind, MUI, assets
11	GOVERNANCE	Ownership, QA, release checklist



The brand in one sentence

Aerealith is the permission-aware AI operations layer that connects a user's context, memory, tools, and approved actions without taking control away from them.

ESSENCE

Connected intelligence under user control.
Celestial, capable, precise, protective, and calm.

PROMISE

Coordinate digital work with continuity, visible sources, scoped memory, explicit permissions, and auditable action.

ROLE

A command layer and companion-grade interface - not a generic chatbot, invisible automation engine, or claim of sentience.

OUTCOME

Less fragmentation, faster coordination, safer automation, and a durable context layer the customer can inspect and control.



Name, pronunciation, and identity rules

The formal brand and assistant identity are related but not interchangeable.

OFFICIAL NAME

Aerealith AI
Pronounced: Air-ee-uh-lith.
Use on first reference and in formal material.

ASSISTANT NAME

Aerie may be used for the in-product assistant persona. Aerie does not replace the platform or company name.

APPROVED TAGLINE

A companion for a more connected world.
Primary emotional brand line.

SUPPORT LINE

Your central command center for your online presence.
Use when the command-center concept is relevant.



Brand architecture: platform, assistant, and experiences

Use a clear hierarchy so users always know whether a name refers to the company, product, interface, feature, or research effort.

MASTER BRAND

Aerealith AI owns the platform, website, product shell, documentation, pricing, trust center, developer surface, and community.

ASSISTANT

Aerie is the conversational and proactive interface. Use “Aerie suggests...” rather than implying independent authority.

FEATURE NAMING

Prefer descriptive names: Memory Receipt, Action Preview, Source Map, Workflow, Audit Log, Local Bridge.

RESEARCH

NHP and companion research must be visibly labeled research and kept separate from current commercial capability claims.



Own a clear category, not every AI category

The public position should be narrower than the long-term vision.

CATEGORY

Permission-aware AI operations layer for technical communities and developer-led organizations.

FUNCTIONAL VALUE

Connect permitted context; answer with sources; expose memory; preview and approve consequential actions.

EMOTIONAL VALUE

Feel capable without surrendering control. The product should reduce uncertainty, not create awe at the expense of trust.

DIFFERENCE

Aerealith combines community-native distribution, governed context, visible memory, bounded automation, and deployment choice.



Audience hierarchy and message priority

Speak to the buyer’s immediate job before revealing the complete platform vision.

Priority	Audience	Pain	Lead message	Proof
1	Technical operators	Context split across Discord, GitHub, docs and systems	One cited operational view	Live source receipt
2	Community owners	Knowledge loss, repetitive support, unclear authority	Shared answers with roles	Permission map + weekly brief
3	Developer-led teams	Tools and actions lack common governance	Context to approved action	Action preview + audit
4	IT / security	AI access and memory are opaque	Control, isolation and recovery	Data map + audit packet
5	Enterprise buyers	Private deployment and governance requirements	Hybrid control layer	Architecture + SLA path

● Never lead a first-time buyer with the entire companion, NHP, infrastructure, automation, memory, marketplace, and enterprise story at once.



Brand personality: five traits with boundaries

Every expression should feel recognizably Aerealith without becoming theatrical.

CALM

Measured and grounded.
Not: passive, slow, or emotionally flat.

PRECISE

Specific, reproducible, and honest.
Not: jargon-heavy or robotic.

PROTECTIVE

Consent, visibility, and recovery first.
Not: paternalistic or fear-based.

WARM

Present, respectful, companion-like.
Not: pretending to be human or emotionally dependent.



Voice principles and writing mechanics

Aerealith sounds like a capable operator who explains what happened, what is permitted, and what comes next.

SENTENCE STYLE

Short to medium sentences. Active voice. Concrete verbs. Lead with the outcome, then context and controls.

TERMINOLOGY

Use exact source, workspace, role, action, approval, memory, retention, and recovery terms consistently.

CONFIDENCE

State facts directly. Label estimates, uncertainty, missing access, assumptions, and model-generated interpretations.

HUMANITY

Use contractions and natural language where appropriate. Avoid fake emotion, excessive enthusiasm, and anthropomorphic claims.



Voice matrix by context

Tone changes with stakes, but the core character remains stable.

Context	Tone	Pattern	Example
Marketing	Elevated + concrete	Benefit, mechanism, proof	Connect your tools. See every source. Approve every action.
Product	Direct + calm	State, result, next action	Sync complete. 12 sources updated; 2 need attention.
Trust / privacy	Explicit + neutral	Scope, retention, control	This memory is shared with Workspace Admins and retained for 30 days.
Error	Blameless + recoverable	Cause, impact, recovery	GitHub access expired. Reconnect to resume repository sync.
Warning	Specific + proportional	Risk, scope, choice	This action will post to 14 channels. Review recipients before continuing.
Docs / API	Precise + reproducible	Prerequisite, command, expected result	Create the token, add the binding, then verify the health endpoint.
Community	Warm + bounded	Welcome, help, rule	I can summarize this thread. I cannot moderate members without approval.



Trust language patterns

Trust claims must describe a visible product mechanism, not a feeling.

PERMISSIONS

"Aerealith can read issues in these repositories."
Avoid: "Your data is completely safe."

MEMORY

"Saved to your private workspace; editable and deletable."
Avoid: "Aerie remembers everything."

ACTIONS

"This requires approval before posting."
Avoid: "Aerie handles it automatically."

MODELS

"Processed by the selected model provider under this policy."
Avoid: "Our AI never uses your data."



Error, warning, and destructive-action copy

Operational copy should reduce uncertainty at the exact moment the user needs control.

ERROR FORMULA

What failed → impact → recovery.

"Calendar sync stopped because access expired. Existing events remain available. Reconnect Calendar."

WARNING FORMULA

Risk → scope → safe choice.

"This will overwrite 28 records. Export a backup or continue."

DESTRUCTIVE FORMULA

Name the object, consequence, and reversibility. Require typed confirmation only for high-impact irreversible actions.

SUCCESS FORMULA

Confirm the outcome and scope. Provide receipt or undo when available. Never use celebration that obscures what changed.




Core color system

Dark surfaces create focus; the spectral gradient signals connected intelligence. Accent color always has a job.



Aerealith Pink
HEX #F6066F
RGB 246, 6, 111
HSV 334°, 98%, 96%
CMYK 0, 98, 55, 4
PMS 213 C approx.



Ether Cyan
HEX #00DBC9
RGB 0, 219, 201
HSV 175°, 100%, 86%
CMYK 100, 0, 8, 14
PMS 3252 C approx.



Aurora Violet
HEX #8C52FF
RGB 140, 82, 255
HSV 260°, 68%, 100%
CMYK 45, 68, 0, 0
PMS 2655 C approx.



Deep Night
HEX #050A1E
RGB 5, 10, 30
HSV 228°, 83%, 12%
CMYK 83, 67, 0, 88
PMS 2965 C approx.



Void Navy
HEX #08071B
RGB 8, 7, 27
HSV 243°, 74%, 11%
CMYK 70, 74, 0, 89
PMS 2768 C approx.



Soft Starlight
HEX #F7F4FF
RGB 247, 244, 255
HSV 256°, 4%, 100%
CMYK 3, 4, 0, 0
PMS 663 C approx.



Mist Gray
HEX #AEB7C8
RGB 174, 183, 200
HSV 219°, 13%, 78%
CMYK 13, 8, 0, 22
PMS 536 C approx.



Trust Green
HEX #30F2A4
RGB 48, 242, 164
HSV 156°, 80%, 95%
CMYK 80, 0, 32, 5
PMS 7479 C approx.



Warning Gold
HEX #FFC857
RGB 255, 200, 87
HSV 40°, 66%, 100%
CMYK 0, 22, 66, 0
PMS 1225 C approx.



Color specifications: HEX, RGB, and HSV

Use these canonical values in design tools, code, documents, video, and production handoff. HSV values are rounded to whole degrees and percentages.

Color	HEX	RGB	HSV	Primary role
Aerealith Pink	#F6066F	246, 6, 111	334°, 98%, 96%	Identity, primary CTA, consequential focus
Ether Cyan	#00DBC9	0, 219, 201	175°, 100%, 86%	Connection, active intelligence, focus
Aurora Violet	#8C52FF	140, 82, 255	260°, 68%, 100%	Workflow, creativity, transition
Deep Night	#050A1E	5, 10, 30	228°, 83%, 12%	Primary dark canvas
Void Navy	#08071B	8, 7, 27	243°, 74%, 11%	Secondary dark shell
Soft Starlight	#F7F4FF	247, 244, 255	256°, 4%, 100%	Primary text and light mark
Mist Gray	#AEB7C8	174, 183, 200	219°, 13%, 78%	Secondary text and neutral structure
Trust Green	#30F2A4	48, 242, 164	156°, 80%, 95%	Healthy, completed, success
Warning Gold	#FFC857	255, 200, 87	40°, 66%, 100%	Warning and attention

FORMAT RULE

HEX uses uppercase six-digit notation. RGB uses 0-255 channels. HSV is written H° / S% / V%. Do not silently substitute HSL values.

PRODUCTION NOTE

Screen values are sRGB. Print conversions and spot approximations require proofing on the actual stock, coating, process, and vendor profile.

● Gradient master: #F6066F → #8C52FF → #00DBC9. Gradients do not replace the canonical solid colors for state, contrast, or accessibility testing.



Color ratios and composition

Aerealith should feel dark and spacious, not neon-saturated. Reserve intensity for hierarchy and state.



Share	Token role	Use
60%	DEEP NIGHT / VOID NAVY	Canvas and primary shells
20%	SURFACES	Cards, panels, navigation
12%	STARLIGHT / MIST	Text and structure
5%	CYAN / VIOLET	Information and flow
3%	PINK	Signature focus and CTA

DO

Use one dominant accent per component; use text/icons in addition to color; keep gradients to marks, rules, charts, and ambient light.

DON'T

Do not place body copy in gradients, flood every card with neon, use pink as generic error red, or encode meaning with color alone.



Typography system

Typography pairs a distinctive ceremonial display voice with a practical product and documentation system.

Primary Heading

A companion for a more connected world.

Product heading / DejaVu Sans Bold

Body copy remains clear at interface and document sizes. Use sentence case, compact line lengths, and deliberate spacing.

```
const actionReceipt = await aerealith.actions.preview(scope);
```

Role	Preferred family	Weight	Rule
Ceremonial / campaign display	Pinyon Script	Regular	Short phrases only; never UI body copy
Product display / H1-H3	DejaVu Sans	Bold	Sentence case; tight hierarchy
Body / UI / docs	DejaVu Sans	Regular	Readable, neutral, implementation-safe
Labels / data	DejaVu Sans Condensed	Bold	Uppercase sparingly; track labels
Code	DejaVu Sans Mono	Regular	Commands, code, tokens and IDs



Type scale and spacing

Use the same hierarchy across web, product, docs, and presentations; adjust size, not semantic order.

DISPLAY

48-72 px web / 28-40 pt print.
Campaign or hero only. One display thought per surface.

H1-H3

H1 40/48; H2 32/40; H3 24/32.
Use semantic heading order and responsive scaling.

BODY

16/24 default; 14/20 compact.
Keep 45-80 characters per line for long reading.

LABEL + CODE

12/16 labels; 13/20 code.
Labels identify; helper text explains; code remains selectable.



Normal and stylized heading modes

Aerealith has two approved heading voices. They are complementary, not interchangeable.

NORMAL HEADING

Permission-aware operations

DejaVu Sans Bold / sentence case / direct and readable

STYLIZED HEADING

Primary Heading

Production master: Pinyon Script. Approved fallback shown here.

Mode	Use	Case + length	Never use for
Normal	Product UI, dashboards, docs, policies, proposals, tables, navigation	Sentence case; any practical heading length	Decorative flourish or emotional quotation
Stylized	Campaign lines, covers, section openers, pull quotes, premium launch moments	Title/sentence case; ideally 2-8 words, maximum one line	Buttons, inputs, tables, errors, legal text, code, dense UI
Together	Stylized eyebrow or emotional line paired with a normal explanatory heading	One stylized line plus one normal heading	Two competing decorative headlines

• The stylized face is an accent. If Pinyon Script is unavailable, use the approved heading asset or a brand-owner-approved fallback - never substitute a random script font.



Official logo assets

These supplied files are the approved raster references. The standalone mark and horizontal header lockup serve different placement needs.



STANDALONE MARK

Icons, avatars, app tiles, document signatures, compact navigation, and clearspace-controlled hero placement.



HORIZONTAL HEADER LOGO

Website headers, wide navigation, presentation title bars, proposals, sponsorship placements, and contexts where the name must be explicit.

SOURCE FILE

mark-no-background(1).png
Transparent RGBA standalone mark.

SOURCE FILE

header-logo(2).png
Transparent RGBA horizontal mark + wordmark.

● Maintain vector SVG/PDF masters derived from these approved shapes. Do not trace screenshots, regenerate the mark, or substitute the previous star-field square export.



Logo clearspace, size, and placement

Protect the mark from clutter and avoid turning the glow treatment into visual noise.

CLEARSPACE

Minimum clearspace = the width of the central star on every side. No text, edge, icon, or crop may enter this area.

MINIMUM SIZE

Digital mark: 24 px minimum. Print: 8 mm minimum. Below 32 px, use a simplified flat or high-contrast export.

PLACEMENT

Prefer top-left for navigation, centered for hero/cover, and top-right as a small document signature. Align optically.

BACKGROUND

Use Deep Night, Void Navy, controlled cosmic imagery, or approved light monochrome treatments. Verify contrast at final size.



Logo usage blueprint

Use the supplied logo master exactly. This page defines safe space, minimum sizes, and approved placement behavior.

CLEARSPACE = CENTRAL STAR WIDTH (X)



Context	Approved use
Primary navigation	Mark + Aerealith AI wordmark; 32-40 px mark; left aligned
App icon / avatar	Mark only; simplified export at small sizes; preserve safe zone
Document cover	Centered or right-side hero; 96 px+; controlled dark field
Document interior	Small signature at top-right; 20-28 px; never compete with title
Partner placement	Approved lockup; optical parity only for true partnership
Minimum size	24 px digital / 8 mm print; simplified flat export below 32 px

Required master files
Full-color mark on dark • flat monochrome light • flat monochrome dark • horizontal lockup • stacked lockup • wordmark-only • favicon/app icon • SVG/PDF masters • PNG exports. Do not treat screenshots or AI-generated recreations as production masters.

● The actual Aerealith logo is reproduced on this page and throughout the guide. All final assets must come from the approved master package.



Logo misuse

Consistency protects recognition and avoids low-quality generative drift.

DO NOT DISTORT

Never stretch, compress, skew, rotate, mirror, or alter the geometry.

DO NOT RECOLOR

Do not apply unrelated gradients, rainbow fills, metallic filters, drop shadows, or arbitrary glows.

DO NOT REBUILD

Do not typeset the wordmark from memory, redraw the infinity, remove the star, or generate a “similar” mark.

DO NOT CLUTTER

Do not place over busy high-frequency imagery without a controlled field, scrim, or sufficient quiet space.



Merchandise color reproduction

Physical materials cannot reproduce emitted RGB light exactly. Select the production system by substrate, quantity, durability, and required color fidelity.

Method	Best use	Color specification	Required check
Spot screen print	Apparel runs, bags, high durability	Pantone Solid Coated approximation; vendor ink match	Printed strike-off on actual garment color
CMYK process	Posters, inserts, packaging, complex art	Document CMYK values plus embedded ICC profile	Contract proof under neutral lighting
DTG / DTF	Short-run full-color apparel	sRGB master; white underbase on dark garments	Washed garment sample; gradient banding check
Dye sublimation	Polyester apparel, mousepads, coated goods	sRGB source converted by vendor RIP/profile	Substrate proof; black density and cyan shift
Embroidery	Hats, patches, polos, jackets	Physical thread-book match; simplified flat mark	Sew-out at final size and fabric
Vinyl / transfer	Small runs, decals, signage	Manufacturer swatch match; solid-color variant	Adhesion, edge, heat and wash test
Engraving / emboss	Metal, leather, wood, premium packaging	Single-color vector relief; no gradient	Depth, fill, material-burn and detail test

● Pantone values are starting-point approximations, not guaranteed visual matches. Every vendor must match against an approved physical proof on the actual material.



Logo preparation for print, embroidery, and engraving

The luminous digital mark requires controlled production variants for physical goods.

FULL-COLOR PRINT

Use the supplied gradient mark for high-resolution DTG, DTF, sublimation, stickers, art prints, and packaging only after a physical proof.

SPOT-COLOR PRINT

Create an approved 1-3 ink vector reduction. Preserve the A, infinity path, and central star; remove glow before separations.

EMBROIDERY

Use a simplified flat vector. Minimum recommended width: 38 mm; avoid strokes below 1.2 mm after digitizing; require sew-out.

ENGRAVING / EMBOSS

Use a one-color silhouette or line master. No glow, transparency, soft edge, tiny star points, or tonal gradient.



Merchandise placement and product standards

Use restrained placements that preserve recognition at normal viewing distance.

Product	Preferred asset	Placement / size	Production note
T-shirt / hoodie front	Standalone or horizontal logo	Left chest 75-95 mm; center chest 220-280 mm	Use underbase on dark garments; wash-test
T-shirt / hoodie back	Horizontal logo or campaign composition	250-320 mm wide, optically centered	Maintain clearspace from hood and seams
Hat / beanie	Simplified standalone mark	45-60 mm wide front panel	Embroidery or woven patch; sew-out required
Patch	Simplified mark + border	60-90 mm; 3-4 mm outer border	Woven for fine detail; merrow edge optional
Mug / tumbler	Horizontal logo	90-140 mm wide; face outward in hero photo	Sublimation/UV proof; test curved distortion
Sticker	Full-color standalone mark	50 mm minimum recommended	Die-cut clearspace; matte or holographic proof
Mousepad / desk mat	Full-color campaign art + logo	Logo outside primary work zone	Sublimation proof; preserve black density
Box / mailer	One-color or horizontal lockup	Top-center or front panel	Avoid folds, tape paths and closure hardware

GARMENT BASES

Preferred: black, Deep Night, Void Navy, charcoal, and approved white. New garment colors require contrast and physical ink/thread review.

MERCH APPROVAL

Approve blank, decoration method, size, placement, vendor proof, first article, packaging, care label, and final production sample.



Imagery direction

Visuals should suggest connection, scale, intelligence, and possibility while keeping the human user in control.

COSMIC SYSTEMS

Star fields, orbital geometry, aurora light, network horizons, subtle constellations, and deep spatial layers.

HUMAN SCALE

People may appear as grounded observers or operators, never worshipping an omnipotent AI or rendered as insignificant victims.

TECHNOLOGY

Use coherent interfaces, maps, diagrams, data, code, infrastructure, and communities - not random holographic decoration.

QUALITY FILTER

Cinematic, restrained, sharp focal point, dark negative space, magenta-to-cyan light logic, no illegible pseudo-text.



Iconography, illustration, and diagrams

Operational meaning comes before decoration.

ICONS

2 px optical stroke at 24 px. Rounded geometric construction. Simple silhouette. Label unfamiliar concepts.

ILLUSTRATION

Use a limited spectral palette, deep layered fields, thin orbital lines, and one clear focal object.

DIAGRAMS

Show direction, boundary, approval, source, and ownership explicitly. Use cyan for flow and pink for consequential focus.

DATA VISUALS

Use direct labels, accessible contrast, consistent scales, and no decorative 3D. Never rely on gradient position alone.



Product design principles

The interface is the strongest proof of the brand promise.

VISIBLE AUTHORITY

Every answer and action exposes source, scope, role, freshness, and approval state where relevant.

PROGRESSIVE POWER

Simple first action, optional depth. Expert capability should not force every user through expert configuration.

RECOVERABILITY

Undo, retry, rollback, receipt, history, and clear failure states are product features, not afterthoughts.

CALM DENSITY

Information-rich without chaos: strong hierarchy, contained panels, quiet backgrounds, and restrained glow.



Core UI tokens

These semantic roles remain stable even if implementation values evolve.

Token	Value / role	Use
background.canvas	#050A1E	Primary application canvas
background.void	#08071B	Navigation and alternate shell
surface.1	#11152D	Default cards
surface.2	#171A36	Elevated panels
border.default	#343A63	Low-emphasis boundaries
text.primary	#F7F4FF	Headings and body
text.secondary	#AEB7C8	Descriptions and metadata
action.primary	#F6066F	Primary CTA and consequential focus
state.connected	#00DBC9	Active connection and selected flow
state.workflow	#8C52FF	Automation and transition
state.success	#30F2A4	Healthy / completed
state.warning	#FFC857	Attention / recoverable risk



Buttons, inputs, and focus

Controls must remain obvious in a visually rich environment.

PRIMARY BUTTON

Pink fill, Starlight label. One dominant primary action per decision region. Use verb-first labels.

SECONDARY BUTTON

Surface fill with cyan or violet border. Never visually compete with the primary action.

INPUTS

Persistent label above field, visible help/error text, 44 px target where possible, no placeholder-only labeling.

FOCUS

Use a 2-3 px high-contrast cyan or Starlight focus ring with offset. Keyboard focus is never removed.



Cards, navigation, and layout

Aerealith's spatial system should feel like an ordered command deck, not a collection of glowing boxes.

GRID

4 px base; primary spacing steps 8, 12, 16, 24, 32, 48, 64. Align content edges across panels.

CARDS

One concept per card. 12-16 px radius. Subtle border. Accent edge only when state or hierarchy requires it.

NAVIGATION

Stable location, clear current state, descriptive labels, preserved keyboard order, and visible workspace context.

RESPONSIVE

Collapse hierarchy deliberately. Do not shrink desktop density into unreadable mobile layouts.



Memory, source, and action patterns

These are signature brand components and must look more trustworthy than generic chat UI.

SOURCE RECEIPT

Publisher/source, location, freshness, permission scope, citation link, and unavailable-state explanation.

MEMORY RECEIPT

What was stored, origin, owner, workspace scope, timestamp, retention, correction, and delete control.

ACTION PREVIEW

Proposed change, targets, permissions used, risk level, side effects, approval requirement, and cancel path.

ACTION RECEIPT

Result, actor, timestamp, target, provider response, partial failure, recovery/undo, and audit reference.



System states and severity

State language and visual intensity must match actual consequence.

INFO / CONNECTED

Cyan. Current state, connection, selection, or neutral system information.

WORKFLOW / PROCESSING

Violet. Active transition or automation; include deterministic progress when measurable.

WARNING

Gold. Attention required, but recoverable. Explain impact and safe next action.

CRITICAL

Pink plus explicit icon/text. Reserved for destructive, security, privacy, or irreversible consequence.



Dashboard and data-visualization grammar

Dashboards should answer: what is happening, what changed, why it matters, and what requires action.

Element	Standard	Avoid
Metric card	Value, unit, period, comparison, definition	Large number without context
Time series	Direct labels, honest zero/base, selectable range	Dual axes without explicit need
Status list	Severity, owner, age, next action	Color-only status dots
Table	Sticky header, alignment by data type, clear empty state	Dense grid with no hierarchy
Network / graph	Explain node/edge meaning and filtering	Decorative constellation with hidden semantics
AI insight	Show inputs, confidence/limits and next action	Unattributed “smart” recommendation

Empty state

Explain why the area is empty, whether this is expected, and the safest productive next step.

Loading state

Preserve layout, show meaningful progress when possible, and never imply completion before the system has confirmed it.



Website and landing-page system

Public pages should move from promise to mechanism to proof to action.

HERO

One audience, one problem, one promise, one primary action. Supporting art must preserve readable negative space.

MECHANISM

Show the governed loop: connect context → cited answer → visible memory → preview → approval → receipt.

PROOF

Real UI, workflow walkthrough, source/permission receipts, measured time saved, and clearly labeled customer evidence.

CTA

Prefer “See the workflow,” “Connect two sources,” or “Join the beta” over vague “Learn more.”



Documentation and developer experience

Technical clarity is a brand expression.

STRUCTURE

Goal, prerequisites, steps, expected result, verification, troubleshooting, rollback, related concepts.

CODE

Copyable, tested, language-labeled, minimal required context, safe placeholders, and no real credentials.

API

Stable nouns, explicit scopes, idempotency guidance, errors, rate limits, pagination, and example responses.

CHANGELOG

User impact first, migration or action required second, implementation detail third.



Social, community, and announcements

Use the brand's warmth without losing operational clarity.

SOCIAL

One idea per asset. 4:5 or 1:1 primary; high-contrast headline; logo quiet; caption carries detail.

DISCORD

Short opening, exact affected feature/workspace, timestamps with timezone, status, next update, and support route.

RELEASE

Outcome, who benefits, what changed, how to use it, limitations, and a visual proof point.

INCIDENT

Plain severity, user impact, containment, current status, next update. Never use celebratory or promotional framing.



Campaign architecture

Every campaign connects an emotional idea to a verifiable product behavior.

Layer	Question	Aerealith expression
Theme	What should the audience feel?	Connected, capable, protected, in control
Tension	What is broken now?	Context and authority are fragmented
Promise	What changes?	One governed layer connects context to approved action
Mechanism	How is that credible?	Sources, scopes, memory receipts, previews, audit
Proof	What can be shown?	Real workflow, time saved, corrected error, controlled action
Action	What should they do?	Connect two sources; run one trusted workflow

LAUNCH

Permission-aware operations for technical communities.

TRUST

See what Aerealith knows, why, and what it can do.

DEVELOPER

Build on a governed context and action layer.

ENTERPRISE

Control the model, deployment, data, and audit path.



Email, proposals, and sales collateral

Business materials should look premium without hiding terms or overclaiming capability.

EMAIL

Descriptive subject, direct first sentence, one primary action, accessible HTML, useful plain-text fallback.

PROPOSAL

Customer problem, desired outcome, scoped solution, responsibilities, timeline, assumptions, price, risks, next step.

ONE-PAGER

One audience and use case. Lead with outcome; show mechanism and proof; end with fit criteria and CTA.

SALES DECK

Narrative before features. Mark roadmap, beta, modeled economics, and third-party claims explicitly.



Motion principles

Movement communicates connection, continuity, causality, and state - never intelligence theater.

PURPOSE

Use motion to show origin/destination, relationship, progress, hierarchy, confirmation, and reversible transition.

TIMING

Micro 120-180 ms; standard 180-260 ms; complex 260-420 ms. Prefer ease-out for entry and ease-in for exit.

SIGNATURE

A subtle pink-violet-cyan energy path may connect sources, memory, approval, and completed action.

RESTRAINT

No constant pulsing dashboard, excessive parallax, rapid starfield, flashing, or animation required to understand state.



Video, audio, and presentation identity

Narrative media should feel cinematic, intelligent, and grounded in real product value.

VIDEO OPEN

2-4 second orbital/connection reveal; mark appears from controlled spectral light, not an explosive logo sting.

EDITING

Measured pace, purposeful transitions, readable UI shots, captions, and clear separation of concept art from product.

AUDIO

Low atmospheric bed, glassy connection tones, restrained sub-bass, no ominous AI voice or overbearing trailer impacts.

CAPTIONS

Provide accurate closed captions and transcript. Keep essential meaning out of audio-only cues.



Accessibility is part of the trust promise

Aerealith targets WCAG 2.2 AA for product and public web surfaces; legal conformance requires testing, not visual intent alone.

4.5:1
NORMAL TEXT
WCAG 2.2 reference.

3:1
LARGE TEXT / UI BOUNDARY
WCAG 2.2 reference.

200%
TEXT RESIZE TARGET
WCAG 2.2 reference.

REDUCE
NONESENTIAL MOTION
WCAG 2.2 reference.

Area	Required practice
Color	Do not communicate status by color alone; pair with icon, label, position, or pattern.
Keyboard	All functions operable; logical order; no traps; visible focus.
Semantics	Real headings, labels, landmarks, table headers, names/roles/states, and live-region restraint.
Zoom / reflow	Support 200% text resize and responsive reflow without clipped content.
Motion	Honor prefers-reduced-motion; provide pause/stop for nonessential motion.
Media	Captions, transcript, descriptive labels, and audio-description strategy where needed.



Accessible dark-mode rules

Dark mode is not automatically accessible; glow and thin typography can reduce real readability.

TEXT

Use Starlight for primary and Mist only when contrast remains sufficient at actual size and weight.

GLOW

Keep glow outside glyph edges; never blur body text, focus outlines, icons, data labels, or input boundaries.

FOCUS + HOVER

Focus must not depend on hover. Hover content must be dismissible, hoverable, and persistent as applicable.

TEST

Automated checks plus keyboard, screen-reader, zoom, high-contrast, reduced-motion, and human usability review.



Parent-company, partner, and ecosystem relationships

Co-branding must preserve ownership and avoid implying endorsement.

PARENT

"A SinLess Games LLC company" may appear in legal/document footers. Aerealith remains the dominant customer-facing brand.

PARTNERS

Use equal optical weight only for true partnerships. Otherwise use "Works with" or "Integrates with" and smaller third-party marks.

EVENTS

Aerealith mark receives protected clearspace and one controlled brand field. Sponsor grids follow event rules without recoloring the mark.

TRADEMARKS

Use third-party names and marks for factual identification. Follow owner guidelines and never suggest certification or sponsorship without agreement.



Product integrations and marketplace tiles

Integration presentation should help users understand capability, owner, and risk.

TILE

Provider mark, official name, connection status, scopes summary, owner/publisher, documentation link.

DETAIL

Capabilities, data read/write behavior, permissions, retention, sync cadence, limitations, and disconnect behavior.

BADGES

Use “Verified” only for a defined review program. Explain what was verified and when.

FAILURE

If a partner changes policy or API behavior, state the impact plainly and provide a safe recovery path.



Reference CSS variables

Semantic tokens prevent brand drift and make themes auditable.

```
:root {  
  --aerialith-pink: #f6066f;  
  --ether-cyan: #00dbc9;  
  --aurora-violet: #8c52ff;  
  --deep-night: #050a1e;  
  --void-navy: #08071b;  
  --starlight: #f7f4ff;  
  --mist: #aeb7c8;  
  --surface-1: #11152d;  
  --surface-2: #171a36;  
  --border: #343a63;  
  --success: #30f2a4;  
  --warning: #ffc857;  
  --gradient-brand: linear-gradient(90deg,#f6066f,#8c52ff,#00dbc9);  
}
```

Semantic first

Components consume `action.primary`, `state.connected`, `text.secondary`, and `surface` roles - not raw color names.

Parity rule

CSS, Tailwind, MUI, charts, email, documents, design tools, and native clients derive from one versioned token source.



Tailwind, MUI, and component governance

Framework themes must express the same semantic decisions, not parallel approximations.

TAILWIND

Map semantic aliases in the theme. Prefer bg-canvas, text-primary, action-primary, state-warning over arbitrary hex classes.

MUI

Create one theme from canonical tokens. Override focus, disabled, error, menu, dialog, tooltip, and data-grid states explicitly.

COMPONENTS

Document variants, content rules, keyboard behavior, responsive behavior, states, and forbidden usage in Storybook.

VISUAL REGRESSION

Snapshot core components across themes, breakpoints, locales, zoom, long content, loading, empty, error, and permission states.



Asset export matrix

Maintain source-of-truth vectors and export only from approved masters.

Asset	Formats	Sizes / variants	Background
Primary mark	SVG, PDF, PNG	16-1024 px; full, simplified, monochrome	Dark, transparent, light-tested
Wordmark lockup	SVG, PDF, PNG	Horizontal, stacked, tagline/no tagline	Dark and monochrome
Favicon	SVG, ICO, PNG	16, 32, 48, 180, 192, 512	Simplified mark
Social avatar	PNG	400, 800	Dark circular-safe field
Social share	PNG/JPG	1200x630	Headline-safe template
App icons	SVG/PNG platform set	Maskable and safe-zone tested	No fragile outer glow
Document cover	PDF/PNG template	Letter, A4, 16:9	Controlled cosmic field

Naming

aerealith-[asset]-[variant]-[theme]-[size]-v[version].[ext]

Repository

Store masters, exports, licenses, attribution, checksums, and a generated manifest in a dedicated brand package.



Ownership and approval model

Brand consistency is a release discipline, not a preference review.

BRAND OWNER

Approves identity, logo, tagline, campaign system, high-visibility exceptions, and this guide.

DESIGN SYSTEM

Owns tokens, components, accessibility patterns, templates, iconography, and implementation parity.

PRODUCT + CONTENT

Apply standards, test comprehension, document exceptions, and avoid unsupported product claims.

LEGAL / SECURITY

Review regulated, privacy, security, comparative, guarantee, and high-risk AI claims.



Brand quality gate

No public asset is finished until it passes strategy, expression, accessibility, trust, and technical checks.

Gate	Questions
Strategy	Is the audience clear? Is the promise narrow and true? Is the CTA appropriate?
Identity	Correct name, approved mark, clearspace, palette, typography, and asset version?
Voice	Calm, precise, protective, warm, transparent? No hype or human-identity implication?
Trust	Are sources, scope, memory, actions, limits, roadmap and assumptions represented honestly?
Accessibility	Contrast, keyboard, semantics, text resize, motion, captions, alt text, and content order tested?
Technical	Correct dimensions, formats, color space, metadata, compression, links, and responsive behavior?
Legal	Trademarks, permissions, third-party claims, privacy/security language, and required notices reviewed?

Any exception records owner, reason, affected assets, expiration date, and remediation plan.



Versioning, exceptions, and deprecation

A brand system remains useful only when teams can tell what is current.

VERSIONING

Major: identity or architecture change. Minor: new standards/templates. Patch: corrections and clarifications.

CHANGELOG

Record decision, rationale, affected tokens/assets, migration, owner, date, and examples.

EXCEPTIONS

Time-boxed and documented. Never let a campaign exception silently become a new master standard.

DEPRECATION

Mark obsolete assets, remove them from default packages, provide replacements, and define a sunset date.



Copy library: approved foundational language

These lines are starting points, not mandatory repetition. Use only where accurate for the current product state.

Use	Approved starting point
Primary tagline	A companion for a more connected world.
Category	The permission-aware AI operations layer for your community and tools.
Functional promise	Connect your context. See every source. Control every memory. Approve every consequential action.
Technical	A governed context and action layer across Discord, GitHub, documents, calendars, and systems.
Trust	Know what Aerealith can access, why it knows something, and what it is allowed to do.
Developer	Build workflows on portable context, explicit permissions, and auditable actions.
Enterprise	Control deployment, model providers, data boundaries, permissions, and audit.
Research boundary	Aerealith's NHP work is exploratory research and is separate from current commercial capability claims.



Quick-reference do / don't

Use this page during reviews when the complete guide is too detailed.

DO

- Lead with a specific user outcome.
- Show sources, scopes, and control.
- Use dark space and restrained spectral accents.
- Preserve the mark and clearspace.
- Write calm, precise, recoverable copy.
- Label roadmap, estimates, and research.
- Test accessibility and reduced motion.
- Keep channel and partner relationships clear.

DON'T

- Call Aerealith a generic chatbot.
- Imply sentience or emotional dependency.
- Promise absolute privacy or safety.
- Hide automation or memory behavior.
- Saturate every surface with glow.
- Rebuild, distort, or recolor the logo.
- Use color as the only state indicator.
- Present concept art as shipped product.



Authoritative inputs and external references

Brand decisions come from Aerealith’s supplied materials; accessibility requirements point to the W3C’s official WCAG 2.2 guidance.

ID	Reference	Role
B01	Aerealith AI Brand Identity Guide v8 (31 May 2026)	Authoritative prior identity, color, type, logo, app/web, and implementation standard
B02	Aerealith AI Master Plan v0.3	Product vision, trust posture, architecture, audiences, workflows, and roadmap
B03	Aerealith AI Pricing Model v3	Plan names, packaging concepts, and commercial language
B04	Aerealith AI Market Intelligence & Launch Strategy v1.1	Category, audience, positioning, economics, and claim boundaries
W01	W3C WCAG 2.2 Quick Reference - w3.org/WAI/WCAG22/quickref/	Accessibility criteria and techniques
W02	W3C Understanding Contrast Minimum	4.5:1 normal text and 3:1 large text rationale
W03	W3C Understanding Animation from Interactions	Reduced-motion and nonessential animation guidance
W04	W3C Understanding Focus Appearance	Visible focus and contrast guidance

● Public website review on 13 August 2026 found a JavaScript application shell; this guide therefore treats supplied Aerealith materials as the identity authority.



Build recognition by making control visible

Aerealith's strongest brand asset is not the cosmic gradient. It is the repeated experience of knowing what the system knows, what it can do, and how the user remains in control.



A companion for a more connected world.

AEREALITH AI / VERSION 9.3 / SINLESS GAMES LLC