

Dataset	Model	Bytes	Parameters
FB15k	ComplEx	26.1 MB	6.5 M
	ConvE	22.5 MB	5.6 M
	DistMult	6.5 MB	1.6 M
	HolE	9.8 MB	2.4 M
	KG2E	6.5 MB	1.6 M
	RotatE	130.4 MB	32.6 M
	SimpleE	26.1 MB	6.5 M
	TransD	6.5 MB	1.6 M
	TransE	3.3 MB	814.8 k
	TransH	7.1 MB	1.8 M
	TransR	16.7 MB	4.2 M
	TuckER	46.1 MB	11.5 M
FB15k237	ConvE	20.3 MB	5.1 M
	ConvKB	5.9 MB	1.5 M
	RotatE	117.9 MB	29.5 M
WN18	ComplEx	49.2 MB	12.3 M
	ConvE	41.2 MB	10.3 M
	DistMult	16.4 MB	4.1 M
	HolE	24.6 MB	6.1 M
	KG2E	16.4 MB	4.1 M
	RotatE	163.8 MB	41.0 M
	SimpleE	65.5 MB	16.4 M
	TransD	16.4 MB	4.1 M
	TransE	3.3 MB	819.2 k
	TransH	8.2 MB	2.0 M
	TransR	8.4 MB	2.1 M
	TuckER	37.6 MB	9.4 M
WN18RR	ConvE	40.9 MB	10.2 M
	ConvKB	8.2 MB	2.1 M
	RotatE	162.3 MB	40.6 M

I. FB15k EVALUATION

- A. *FB15k Average*
- B. *FB15k Best*
- C. *FB15k Worst*

II. FB15k237 EVALUATION

- A. *FB15k237 Average*
- B. *FB15k237 Best*
- C. *FB15k237 Worst*

III. WN18 EVALUATION

- A. *WN18 Average*
- B. *WN18 Best*
- C. *WN18 Worst*

IV. WN18RR EVALUATION

- A. *WN18RR Average*
- B. *WN18RR Best*
- C. *WN18RR Worst*

TABLE I
REPRODUCTION RESULTS ON FB15K BASED ON AN AVERAGE RANKING

	MR	MRR (%)	AMR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ComplEx	171.16 \pm 16.05	19.13 \pm 0.45	2.46 \pm 0.28	10.06 \pm 0.42	20.82 \pm 0.67	27.59 \pm 0.94	38.03 \pm 1.02
ConvE	50.76 \pm 0.40	59.56 \pm 0.06	0.73 \pm 0.01	48.28 \pm 0.12	66.99 \pm 0.04	73.27 \pm 0.03	79.76 \pm 0.07
DistMult	134.02 \pm 1.98	26.06 \pm 0.17	1.86 \pm 0.03	16.45 \pm 0.16	29.10 \pm 0.17	35.54 \pm 0.21	45.00 \pm 0.25
HolE	193.03 \pm 7.61	34.15 \pm 0.22	2.71 \pm 0.12	21.79 \pm 0.19	39.69 \pm 0.24	48.06 \pm 0.30	58.84 \pm 0.28
KG2E	5779.07 \pm 51.02	0.58 \pm 0.07	78.40 \pm 0.68	0.11 \pm 0.04	0.36 \pm 0.08	0.56 \pm 0.10	1.01 \pm 0.14
RotatE	42.28 \pm 0.13	55.00 \pm 0.06	0.63 \pm 0.00	41.53 \pm 0.06	64.14 \pm 0.07	71.23 \pm 0.05	78.67 \pm 0.08
SimpleE	7395.75 \pm 2.02	0.04 \pm 0.00	100.02 \pm 0.03	0.01 \pm 0.00	0.03 \pm 0.00	0.04 \pm 0.00	0.06 \pm 0.01
TransD	153.37 \pm 5.35	33.99 \pm 0.03	2.29 \pm 0.09	21.22 \pm 0.03	40.48 \pm 0.10	48.57 \pm 0.09	58.71 \pm 0.14
TransE	127.92 \pm 0.86	26.01 \pm 0.17	1.78 \pm 0.01	15.23 \pm 0.16	29.85 \pm 0.24	37.18 \pm 0.24	47.34 \pm 0.18
TransH	6320.02 \pm 30.37	2.54 \pm 0.20	85.63 \pm 0.40	1.69 \pm 0.25	2.95 \pm 0.20	3.29 \pm 0.22	3.74 \pm 0.18
TransR	6795.95 \pm 16.65	0.65 \pm 0.02	91.99 \pm 0.22	0.37 \pm 0.00	0.63 \pm 0.04	0.78 \pm 0.06	1.03 \pm 0.07
TuckER	7327.77 \pm 29.22	0.07 \pm 0.02	99.11 \pm 0.39	0.01 \pm 0.00	0.02 \pm 0.00	0.03 \pm 0.01	0.15 \pm 0.17

TABLE II
REPRODUCTION RESULTS ON FB15K BASED ON AN OPTIMISTIC RANKING

	MR	MRR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ComplEx	171.16 \pm 16.05	19.13 \pm 0.45	10.06 \pm 0.42	20.82 \pm 0.67	27.59 \pm 0.94	38.03 \pm 1.02
ConvE	50.76 \pm 0.40	59.56 \pm 0.06	48.28 \pm 0.12	66.99 \pm 0.04	73.27 \pm 0.03	79.76 \pm 0.07
DistMult	134.02 \pm 1.98	26.06 \pm 0.17	16.45 \pm 0.16	29.10 \pm 0.17	35.54 \pm 0.21	45.00 \pm 0.25
HolE	193.03 \pm 7.61	34.15 \pm 0.22	21.79 \pm 0.19	39.69 \pm 0.24	48.06 \pm 0.30	58.84 \pm 0.28
KG2E	5779.07 \pm 51.02	0.58 \pm 0.07	0.11 \pm 0.04	0.36 \pm 0.08	0.56 \pm 0.10	1.01 \pm 0.14
RotatE	42.28 \pm 0.13	55.00 \pm 0.06	41.53 \pm 0.06	64.14 \pm 0.07	71.23 \pm 0.05	78.67 \pm 0.08
SimpleE	139.34 \pm 49.45	23.90 \pm 8.79	11.58 \pm 6.42	24.16 \pm 10.95	34.73 \pm 13.40	54.28 \pm 15.80
TransD	153.37 \pm 5.35	33.99 \pm 0.03	21.22 \pm 0.03	40.48 \pm 0.10	48.57 \pm 0.09	58.71 \pm 0.14
TransE	127.92 \pm 0.86	26.01 \pm 0.17	15.23 \pm 0.16	29.85 \pm 0.24	37.18 \pm 0.24	47.34 \pm 0.18
TransH	6320.00 \pm 30.37	2.54 \pm 0.20	1.69 \pm 0.25	2.95 \pm 0.20	3.29 \pm 0.22	3.74 \pm 0.18
TransR	6795.94 \pm 16.65	0.65 \pm 0.02	0.37 \pm 0.00	0.63 \pm 0.04	0.78 \pm 0.06	1.03 \pm 0.07
TuckER	7327.77 \pm 29.22	0.07 \pm 0.02	0.01 \pm 0.00	0.02 \pm 0.00	0.03 \pm 0.01	0.15 \pm 0.17

TABLE III
REPRODUCTION RESULTS ON FB15K BASED ON A PESSIMISTIC RANKING

	MR	MRR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ComplEx	171.16 \pm 16.05	19.13 \pm 0.45	10.06 \pm 0.42	20.82 \pm 0.67	27.59 \pm 0.94	38.03 \pm 1.02
ConvE	50.76 \pm 0.40	59.56 \pm 0.06	48.28 \pm 0.12	66.99 \pm 0.04	73.27 \pm 0.03	79.76 \pm 0.07
DistMult	134.02 \pm 1.98	26.06 \pm 0.17	16.45 \pm 0.16	29.10 \pm 0.17	35.54 \pm 0.21	45.00 \pm 0.25
HolE	193.03 \pm 7.61	34.15 \pm 0.22	21.79 \pm 0.19	39.69 \pm 0.24	48.06 \pm 0.30	58.84 \pm 0.28
KG2E	5779.07 \pm 51.02	0.58 \pm 0.07	0.11 \pm 0.04	0.36 \pm 0.08	0.56 \pm 0.10	1.01 \pm 0.14
RotatE	42.28 \pm 0.13	55.00 \pm 0.06	41.53 \pm 0.06	64.14 \pm 0.07	71.23 \pm 0.05	78.67 \pm 0.08
SimpleE	139.34 \pm 49.45	23.90 \pm 8.79	11.58 \pm 6.42	24.16 \pm 10.95	34.73 \pm 13.40	54.28 \pm 15.80
TransD	153.37 \pm 5.35	33.99 \pm 0.03	21.22 \pm 0.03	40.48 \pm 0.10	48.57 \pm 0.09	58.71 \pm 0.14
TransE	127.92 \pm 0.86	26.01 \pm 0.17	15.23 \pm 0.16	29.85 \pm 0.24	37.18 \pm 0.24	47.34 \pm 0.18
TransH	6320.00 \pm 30.37	2.54 \pm 0.20	1.69 \pm 0.25	2.95 \pm 0.20	3.29 \pm 0.22	3.74 \pm 0.18
TransR	6795.94 \pm 16.65	0.65 \pm 0.02	0.37 \pm 0.00	0.63 \pm 0.04	0.78 \pm 0.06	1.03 \pm 0.07
TuckER	7327.77 \pm 29.22	0.07 \pm 0.02	0.01 \pm 0.00	0.02 \pm 0.00	0.03 \pm 0.01	0.15 \pm 0.17

TABLE IV
REPRODUCTION RESULTS ON FB15K237 BASED ON AN AVERAGE RANKING

	MR	MRR (%)	AMR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ConvE	255.46 \pm 6.16	26.93 \pm 0.11	3.73 \pm 0.13	18.22 \pm 0.11	29.51 \pm 0.24	35.98 \pm 0.16	44.95 \pm 0.17
ConvKB	4345.27 \pm 46.99	4.71 \pm 0.23	61.36 \pm 0.65	3.31 \pm 0.23	4.04 \pm 0.19	4.57 \pm 0.22	7.76 \pm 0.88
RotatE	191.92 \pm 0.31	26.42 \pm 0.04	2.84 \pm 0.00	17.57 \pm 0.06	28.97 \pm 0.05	35.29 \pm 0.09	44.55 \pm 0.06

TABLE V
REPRODUCTION RESULTS ON FB15K237 BASED ON AN OPTIMISTIC RANKING

	MR	MRR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ConvE	255.46 \pm 6.16	26.93 \pm 0.11	18.22 \pm 0.11	29.51 \pm 0.24	35.98 \pm 0.16	44.95 \pm 0.17
ConvKB	4345.27 \pm 46.99	4.71 \pm 0.23	3.31 \pm 0.23	4.04 \pm 0.19	4.57 \pm 0.22	7.76 \pm 0.88
RotatE	191.92 \pm 0.31	26.42 \pm 0.04	17.57 \pm 0.06	28.97 \pm 0.05	35.29 \pm 0.09	44.55 \pm 0.06

TABLE VI
REPRODUCTION RESULTS ON FB15K237 BASED ON A PESSIMISTIC RANKING

	MR		MRR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ConvE	255.46 ±	6.16	26.93 ± 0.11	18.22 ± 0.11	29.51 ± 0.24	35.98 ± 0.16	44.95 ± 0.17
ConvKB	4345.27 ±	46.99	4.71 ± 0.23	3.31 ± 0.23	4.04 ± 0.19	4.57 ± 0.22	7.76 ± 0.88
RotatE	191.92 ±	0.31	26.42 ± 0.04	17.57 ± 0.06	28.97 ± 0.05	35.29 ± 0.09	44.55 ± 0.06

TABLE VII
REPRODUCTION RESULTS ON WN18 BASED ON AN AVERAGE RANKING

	MR		MRR (%)	AMR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ComplEx	452.67 ±	63.05	19.49 ± 2.55	2.21 ± 0.31	12.36 ± 1.96	20.66 ± 2.75	25.24 ± 3.33	32.92 ± 4.40
ConvE	444.40 ±	14.82	88.81 ± 0.09	2.17 ± 0.07	85.14 ± 0.10	91.76 ± 0.11	93.29 ± 0.04	94.85 ± 0.06
DistMult	458.64 ±	23.96	77.44 ± 0.22	2.24 ± 0.12	67.45 ± 0.34	85.94 ± 0.21	89.52 ± 0.25	92.72 ± 0.18
HolE	812.64 ±	28.33	70.44 ± 0.45	3.97 ± 0.14	59.29 ± 0.53	79.29 ± 0.47	84.12 ± 0.36	88.61 ± 0.42
KG2E	2708.89 ±	44.57	3.61 ± 0.26	13.25 ± 0.22	1.35 ± 0.22	3.21 ± 0.31	4.57 ± 0.34	7.02 ± 0.43
RotatE	123.68 ±	1.71	87.29 ± 0.12	0.61 ± 0.01	82.17 ± 0.20	91.53 ± 0.12	93.44 ± 0.07	95.28 ± 0.08
SimpleE	20376.43 ±	42.30	0.04 ± 0.01	99.57 ± 0.21	0.01 ± 0.01	0.03 ± 0.00	0.04 ± 0.01	0.07 ± 0.03
TransD	444.39 ±	25.61	36.22 ± 0.12	2.17 ± 0.13	3.94 ± 0.27	65.63 ± 0.55	79.64 ± 0.43	87.27 ± 0.41
TransE	468.24 ±	13.64	39.19 ± 1.21	2.29 ± 0.07	9.99 ± 1.82	64.74 ± 0.91	75.44 ± 0.48	84.25 ± 0.33
TransH	19678.04 ±	18.92	0.18 ± 0.04	96.16 ± 0.09	0.04 ± 0.02	0.19 ± 0.10	0.29 ± 0.14	0.39 ± 0.11
TransR	19686.49 ±	100.97	0.06 ± 0.02	96.20 ± 0.49	0.00 ± 0.00	0.04 ± 0.02	0.05 ± 0.03	0.11 ± 0.06
TuckER	20622.46 ±	153.52	0.03 ± 0.01	100.78 ± 0.75	0.00 ± 0.00	0.02 ± 0.01	0.03 ± 0.03	0.04 ± 0.03

TABLE VIII
REPRODUCTION RESULTS ON WN18 BASED ON AN OPTIMISTIC RANKING

	MR		MRR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ComplEx	452.67 ±	63.05	19.49 ± 2.55	12.36 ± 1.96	20.66 ± 2.75	25.24 ± 3.33	32.92 ± 4.40
ConvE	444.40 ±	14.82	88.81 ± 0.09	85.14 ± 0.10	91.76 ± 0.11	93.29 ± 0.04	94.85 ± 0.06
DistMult	458.64 ±	23.96	77.44 ± 0.22	67.45 ± 0.34	85.94 ± 0.21	89.52 ± 0.25	92.72 ± 0.18
HolE	812.63 ±	28.33	70.44 ± 0.45	59.29 ± 0.53	79.29 ± 0.47	84.12 ± 0.36	88.61 ± 0.42
KG2E	2708.88 ±	44.57	3.61 ± 0.26	1.35 ± 0.22	3.21 ± 0.31	4.57 ± 0.34	7.02 ± 0.43
RotatE	123.68 ±	1.71	87.29 ± 0.12	82.17 ± 0.20	91.53 ± 0.12	93.44 ± 0.07	95.28 ± 0.08
SimpleE	384.53 ±	66.45	38.48 ± 4.00	33.93 ± 4.32	39.59 ± 4.67	42.76 ± 3.73	47.01 ± 2.66
TransD	444.39 ±	25.61	36.22 ± 0.12	3.94 ± 0.27	65.63 ± 0.55	79.64 ± 0.43	87.27 ± 0.41
TransE	468.24 ±	13.64	39.19 ± 1.21	9.99 ± 1.82	64.74 ± 0.91	75.44 ± 0.48	84.25 ± 0.33
TransH	19678.02 ±	18.92	0.18 ± 0.04	0.04 ± 0.02	0.19 ± 0.10	0.29 ± 0.14	0.39 ± 0.11
TransR	19686.49 ±	100.97	0.06 ± 0.02	0.00 ± 0.00	0.04 ± 0.02	0.05 ± 0.03	0.11 ± 0.06
TuckER	20622.46 ±	153.52	0.03 ± 0.01	0.00 ± 0.00	0.02 ± 0.01	0.03 ± 0.03	0.04 ± 0.03

TABLE IX
REPRODUCTION RESULTS ON WN18 BASED ON A PESSIMISTIC RANKING

	MR		MRR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ComplEx	452.67 ±	63.05	19.49 ± 2.55	12.36 ± 1.96	20.66 ± 2.75	25.24 ± 3.33	32.92 ± 4.40
ConvE	444.40 ±	14.82	88.81 ± 0.09	85.14 ± 0.10	91.76 ± 0.11	93.29 ± 0.04	94.85 ± 0.06
DistMult	458.64 ±	23.96	77.44 ± 0.22	67.45 ± 0.34	85.94 ± 0.21	89.52 ± 0.25	92.72 ± 0.18
HolE	812.63 ±	28.33	70.44 ± 0.45	59.29 ± 0.53	79.29 ± 0.47	84.12 ± 0.36	88.61 ± 0.42
KG2E	2708.88 ±	44.57	3.61 ± 0.26	1.35 ± 0.22	3.21 ± 0.31	4.57 ± 0.34	7.02 ± 0.43
RotatE	123.68 ±	1.71	87.29 ± 0.12	82.17 ± 0.20	91.53 ± 0.12	93.44 ± 0.07	95.28 ± 0.08
SimpleE	384.53 ±	66.45	38.48 ± 4.00	33.93 ± 4.32	39.59 ± 4.67	42.76 ± 3.73	47.01 ± 2.66
TransD	444.39 ±	25.61	36.22 ± 0.12	3.94 ± 0.27	65.63 ± 0.55	79.64 ± 0.43	87.27 ± 0.41
TransE	468.24 ±	13.64	39.19 ± 1.21	9.99 ± 1.82	64.74 ± 0.91	75.44 ± 0.48	84.25 ± 0.33
TransH	19678.02 ±	18.92	0.18 ± 0.04	0.04 ± 0.02	0.19 ± 0.10	0.29 ± 0.14	0.39 ± 0.11
TransR	19686.49 ±	100.97	0.06 ± 0.02	0.00 ± 0.00	0.04 ± 0.02	0.05 ± 0.03	0.11 ± 0.06
TuckER	20622.46 ±	153.52	0.03 ± 0.01	0.00 ± 0.00	0.02 ± 0.01	0.03 ± 0.03	0.04 ± 0.03

TABLE X
REPRODUCTION RESULTS ON WN18RR BASED ON AN AVERAGE RANKING

	MR		MRR (%)	AMR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ConvE	5369.49 ±	50.92	44.69 ± 0.21	26.49 ± 0.25	40.98 ± 0.22	46.49 ± 0.14	48.92 ± 0.23	51.76 ± 0.13
ConvKB	13634.66 ±	714.24	0.30 ± 0.07	67.27 ± 3.52	0.09 ± 0.03	0.21 ± 0.07	0.32 ± 0.10	0.57 ± 0.16
RotatE	4263.32 ±	90.33	48.40 ± 0.09	21.03 ± 0.45	44.02 ± 0.15	50.55 ± 0.12	52.98 ± 0.11	56.51 ± 0.26

TABLE XI
REPRODUCTION RESULTS ON WN18RR BASED ON AN OPTIMISTIC RANKING

	MR		MRR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ConvE	5369.49 \pm 50.92		44.69 \pm 0.21	40.98 \pm 0.22	46.49 \pm 0.14	48.92 \pm 0.23	51.76 \pm 0.13
ConvKB	13634.65 \pm 714.24		0.30 \pm 0.07	0.09 \pm 0.03	0.21 \pm 0.07	0.32 \pm 0.10	0.57 \pm 0.16
RotatE	4263.32 \pm 90.33		48.40 \pm 0.09	44.02 \pm 0.15	50.55 \pm 0.12	52.98 \pm 0.11	56.51 \pm 0.26

TABLE XII
REPRODUCTION RESULTS ON WN18RR BASED ON A PESSIMISTIC RANKING

	MR		MRR (%)	Hits@1 (%)	Hits@3 (%)	Hits@5 (%)	Hits@10 (%)
ConvE	5369.49 \pm 50.92		44.69 \pm 0.21	40.98 \pm 0.22	46.49 \pm 0.14	48.92 \pm 0.23	51.76 \pm 0.13
ConvKB	13634.65 \pm 714.24		0.30 \pm 0.07	0.09 \pm 0.03	0.21 \pm 0.07	0.32 \pm 0.10	0.57 \pm 0.16
RotatE	4263.32 \pm 90.33		48.40 \pm 0.09	44.02 \pm 0.15	50.55 \pm 0.12	52.98 \pm 0.11	56.51 \pm 0.26