



ANDROID STATIC ANALYSIS REPORT

NurAI

 NurAI (1.1.6)

File Name: zetrix.nurai.apk

Package Name: com.zetrix.nurai

Scan Date: July 14, 2026, 9:07 a.m.

App Security Score: 33/100 (HIGH RISK)

Grade:



Trackers Detection: 5/432

FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
6	12	2	0	1

FILE INFORMATION

File Name: zetrix.nurai.apk

Size: 23.57MB

MD5: b2e05971a47c122c658515fdda609ebf

SHA1: 6f64ac4f9add4902133541ef1050c39c1efc0414

SHA256: 9b5499bc406c511ad84664a91b7c43eed537f4c8484bb8cd3c843ac6a8c0bb08

APP INFORMATION

App Name: NurAI

Package Name: com.zetrix.nurai

Main Activity: com.zetrix.nurai.MainActivity

Target SDK: 35

Min SDK: 21

Max SDK:

Android Version Name: 1.1.6

Android Version Code: 23

APP COMPONENTS

Activities: 13

Services: 7

Receivers: 6

Providers: 5

Exported Activities: 1

Exported Services: 1

Exported Receivers: 1

Exported Providers: 1

CERTIFICATE INFORMATION

Binary is signed

v1 signature: True

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2025-08-05 08:20:51+00:00

Valid To: 2055-08-05 08:20:51+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0xb0d189b127f649298643edaa89de1978f04aba11

Hash Algorithm: sha256

md5: 679b7f3736295c3c35e150ebf12d71f4

sha1: a220b8d8ab03f7b775796be82a6632bbd651efe9

sha256: 6d6684a874e3d9435e9b54219e4c5aa4d174b87e8c32984b5e0278bbdc2eb7a2

sha512: f0cfcdf2d9a50201eb09c2b939c517e2b60d65ea7f4be52efad7871017c30e80c9e8549e4a0351f5b2f3c90f668e552120524d5dc03e3dbc87035f7dab49846f

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: de41811941d4d4cba13289d045b4a52805f4428df22c5235791ff475bd8fc3d4

Found 1 unique certificates

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.USE_BIOMETRIC	normal	allows use of device-supported biometric modalities.	Allows an app to use device supported biometric modalities.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
android.permission.ACCESS_AD SERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_AD_SERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.ACCESS_AD_SERVICES_CUSTOM_AUDIENCE	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACCESS_AD_SERVICES_TOPICS	normal	allow applications to access advertising service topics	This enables the app to retrieve information related to advertising topics or interests, which can be used for targeted advertising purposes.
com.zetrix.nurai.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
com.android.vending.CHECK_LICENSE	unknown	Unknown permission	Unknown permission from android reference

 APKID ANALYSIS

FILE	DETAILS
------	---------

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.BRAND check Build.DEVICE check Build.PRODUCT check possible VM check
	Compiler	r8
classes2.dex	FINDINGS	DETAILS
	Compiler	r8 without marker (suspicious)

FILE	DETAILS	
classes3.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible VM check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	r8 without marker (suspicious)

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.zetrix.nurai.MainActivity	Schemes: https://, Hosts: nur-ai.zetrix.com,
com.facebook.CustomTabActivity	Schemes: fbconnect://, Hosts: cct.com.zetrix.nurai,

NETWORK SECURITY

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION
1	*	high	Base config is insecurely configured to permit clear text traffic to all domains.

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

MANIFEST ANALYSIS

HIGH: 3 | WARNING: 5 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version 5.0-5.0.2, [minSdk=21]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.

NO	ISSUE	SEVERITY	DESCRIPTION
2	Clear text traffic is Enabled For App[android:usesCleartextTraffic=true]	high	The app intends to use cleartext network traffic, such as cleartext HTTP, FTP stacks, DownloadManager, and MediaPlayer. The default value for apps that target API level 27 or lower is "true". Apps that target API level 28 or higher default to "false". The key reason for avoiding cleartext traffic is the lack of confidentiality, authenticity, and protections against tampering; a network attacker can eavesdrop on transmitted data and also modify it without being detected.
3	App has a Network Security Configuration[android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
4	Application Data can be Backed up [android:allowBackup] flag is missing.	warning	The flag [android:allowBackup] should be set to false. By default it is set to true and allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.

NO	ISSUE	SEVERITY	DESCRIPTION
5	App Link assetlinks.json file not found[android:name=com.zetrix.nurai.MainActivity] [android:host=https://nur-ai.zetrix.com]	high	App Link asset verification URL (https://nur-ai.zetrix.com/.well-known/assetlinks.json) not found or configured incorrectly. (Status Code: 301). App Links allow users to redirect from a web URL/email to the mobile app. If this file is missing or incorrectly configured for the App Link host/domain, a malicious app can hijack such URLs. This may lead to phishing attacks, leak sensitive data in the URI, such as PII, OAuth tokens, magic link/password reset tokens and more. You must verify the App Link domain by hosting the assetlinks.json file and enabling verification via [android:autoVerify="true"] in the Activity intent-filter.
6	Content Provider (com.facebook.FacebookContentProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
8	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
9	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 4 | INFO: 2 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/csdcorp/speech_to_text/LanguageDetailsChecker.java com/csdcorp/speech_to_text/SpeechToTextPlugin.java com/it_nomads/fluttersecurestorage/FlutterSecureStorage.java com/it_nomads/fluttersecurestorage/FlutterSecureStoragePlugin.java com/it_nomads/fluttersecurestorage/ciphers/StorageCipher18Implementation.java com/llfbandit/app_links/AppLinksHelper.java com/llfbandit/app_links/AppLinksPlugin.java com/mr/flutter/plugin/filepicker/FilePickerDelegate.java com/mr/flutter/plugin/filepicker/FileUtils.java com/pairip/licensecheck/LicenseActivity.java com/pairip/licensecheck/LicenseClient.java com/pichillilorenzo/flutter_inappwebview_android/MyCookieManager.java com/pichillilorenzo/flutter_inappwebview_android/Util.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ChromeCustomTabsActivity.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/CustomTabsHelper.java com/pichillilorenzo/flutter_inappwebview_android/content_blocker/ContentBlockerHandler.java com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserActivity.java com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserManager.java com/pichillilorenzo/flutter_inappwebview_android/service_worker/ServiceWorkerManager.java com/pichillilorenzo/flutter_inappwebview_android/types/WebViewAssetLoaderExt.java com/pichillilorenzo/flutter_inappwebview_android

NO	ISSUE	SEVERITY	STANDARDS	FILES
				id/webview/JavaScriptBridgeInterface.java com/pichillilorenzo/flutter_inappwebview_android id/webview/in_app_webview/DisplayListenerProxy.java com/pichillilorenzo/flutter_inappwebview_android id/webview/in_app_webview/FlutterWebView.java com/pichillilorenzo/flutter_inappwebview_android id/webview/in_app_webview/InAppWebView.java com/pichillilorenzo/flutter_inappwebview_android id/webview/in_app_webview/InAppWebViewChromeClient.java com/pichillilorenzo/flutter_inappwebview_android id/webview/in_app_webview/InAppWebViewClient.java com/pichillilorenzo/flutter_inappwebview_android id/webview/in_app_webview/InAppWebViewClientCompat.java com/pichillilorenzo/flutter_inappwebview_android id/webview/in_app_webview/InAppWebViewRenderProcessClient.java com/pichillilorenzo/flutter_inappwebview_android id/webview/in_app_webview/InputAwareWebView.java com/shivam/otp_pin_field/AppSignatureHelper.java com/shivam/otp_pin_field/OtpPinFieldPlugin.java com/tiktok/util/TTLogger.java com/tundralabs/fluttertts/FlutterTtsPlugin.java io/flutter/Log.java io/flutter/embedding/android/FlutterActivity.java io/flutter/embedding/android/FlutterActivityAndFragmentDelegate.java io/flutter/embedding/android/FlutterFragment.java io/flutter/embedding/android/FlutterFragmentActivity.java io/flutter/embedding/android/FlutterImageView.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	android/FlutterSurfaceView.java io/flutter/embedding/android/FlutterTextureView.java io/flutter/embedding/android/FlutterView.java io/flutter/embedding/android/KeyEmbedderResponder.java io/flutter/embedding/android/KeyboardManager.java io/flutter/embedding/engine/FlutterEngine.java io/flutter/embedding/engine/FlutterEngineConnectionRegistry.java io/flutter/embedding/engine/FlutterJNI.java io/flutter/embedding/engine/dart/DartExecutor.java io/flutter/embedding/engine/dart/DartMessenger.java io/flutter/embedding/engine/deferredcomponents/PlayStoreDeferredComponentManager.java io/flutter/embedding/engine/loader/FlutterLoader.java io/flutter/embedding/engine/loader/ResourceExtractor.java io/flutter/embedding/engine/plugins/util/GeneratedPluginRegister.java io/flutter/embedding/engine/renderer/FlutterRenderer.java io/flutter/embedding/engine/systemchannels/AccessibilityChannel.java io/flutter/embedding/engine/systemchannels/BackGestureChannel.java io/flutter/embedding/engine/systemchannels/DeferredComponentChannel.java io/flutter/embedding/engine/systemchannels/KeyEventChannel.java io/flutter/embedding/engine/systemchannels/LifecycleChannel.java io/flutter/embedding/engine/systemchannels/LocalizationChannel.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				io/flutter/embedding/engine/systemchannels/MouseCursorChannel.java io/flutter/embedding/engine/systemchannels/NavigatonChannel.java io/flutter/embedding/engine/systemchannels/PlatformChannel.java io/flutter/embedding/engine/systemchannels/PlatformViewsChannel.java io/flutter/embedding/engine/systemchannels/PlatformViewsChannel2.java io/flutter/embedding/engine/systemchannels/RestorationChannel.java io/flutter/embedding/engine/systemchannels/ScribeChannel.java io/flutter/embedding/engine/systemchannels/SettingsChannel.java io/flutter/embedding/engine/systemchannels/SpellCheckChannel.java io/flutter/embedding/engine/systemchannels/SystemChannel.java io/flutter/embedding/engine/systemchannels/TextInputChannel.java io/flutter/plugin/common/BasicMessageChannel.java io/flutter/plugin/common/EventChannel.java io/flutter/plugin/common/MethodChannel.java io/flutter/plugin/editing/InputConnectionAdaptor.java io/flutter/plugin/editing/ListenableEditingState.java io/flutter/plugin/editing/TextEditingDelta.java io/flutter/plugin/editing/TextInputPlugin.java io/flutter/plugin/platform/ImageReaderPlatformViewRenderTarget.java io/flutter/plugin/platform/PlatformPlugin.java io/flutter/plugin/platform/PlatformViewWrapper.java io/flutter/plugin/platform/PlatformViewsController.java io/flutter/plugin/platform/PlatformViewsController

NO	ISSUE	SEVERITY	STANDARDS	FILES
				er2.java io/flutter/plugin/platform/SingleViewPresentation.java io/flutter/plugin/platform/SingleViewWindowManager.java io/flutter/plugins/GeneratedPluginRegistrant.java io/flutter/plugins/firebase/crashlytics/FlutterFirebaseCrashlyticsPlugin.java io/flutter/plugins/pathprovider/PathProviderPlugin.java io/flutter/plugins/sharedpreferences/LegacySharedPreferencesPlugin.java io/flutter/plugins/sharedpreferences/SharedPreferencesBackend.java io/flutter/plugins/sharedpreferences/SharedPreferencesPlugin.java io/flutter/plugins/urllauncher/UrlLauncherPlugin.java io/flutter/plugins/webviewflutter/AndroidWebkitLibraryPigeonInstanceManager.java io/flutter/plugins/webviewflutter/AndroidWebkitLibraryPigeonProxyApiBaseCodec.java io/flutter/plugins/webviewflutter/AndroidWebkitLibraryPigeonProxyApiRegistrar.java io/flutter/plugins/webviewflutter/DisplayListenerProxy.java io/flutter/plugins/webviewflutter/ProxyApiRegistrar.java io/flutter/plugins/webviewflutter/SslCertificateProxyApi.java io/flutter/view/AccessibilityBridge.java io/flutter/view/AccessibilityViewEmbedder.java io/github/ponnamkarthik/toast/fluttertoast/MethodCallHandlerImpl.java org.slf4j/helpers/Util.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
2	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/mr/flutter/plugin/filepicker/FileUtils.java com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InAppWebViewChromeClient.java com/tundralabs/fluttertts/FlutterTtsPlugin.java io/flutter/plugins/pathprovider/Messages.java io/flutter/plugins/pathprovider/PathProviderPlugin.java
3	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	io/flutter/plugin/editing/InputConnectionAdaptor.java io/flutter/plugin/platform/PlatformPlugin.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/it_nomads/fluttersecurestorage/ciphers/StorageCipherFactory.java com/pichillilorenzo/flutter_inappwebview_android/credential_database/URLCredentialContract.java com/pichillilorenzo/flutter_inappwebview_android/types/ClientCertResponse.java com/pichillilorenzo/flutter_inappwebview_android/types/HttpAuthResponse.java com/pichillilorenzo/flutter_inappwebview_android/types/URLCredential.java io/flutter/embedding/android/FlutterActivityAndFragmentDelegate.java io/flutter/embedding/android/FlutterActivityLaunchConfigs.java io/flutter/embedding/engine/loader/ApplicationInfoLoader.java io/flutter/embedding/engine/loader/FlutterLoader.java io/flutter/embedding/engine/systemchannels/SettingsChannel.java io/flutter/plugin/editing/SpellCheckPlugin.java io/flutter/plugins/firebase/crashlytics/Constants.java org/slf4j/LoggerFactory.java org/slf4j/helpers/Reporter.java
5	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/mr/flutter/plugin/filepicker/FileUtils.java com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InAppWebViewChromeClient.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/it_nomads/fluttersecurestorage/ciphers/StorageCipher18Implementation.java
7	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/pichillilorenzo/flutter_inappwebview_android/credential_database/CredentialDatabaseHelper.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
---------	-----------	-------	-------

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	com/getkeepsafe/relinker/ReLinkerInstance.java com/mr/flutter/plugin/filepicker/FileUtils.java io/flutter/embedding/engine/deferredcomponents/PlayStoreDeferredComponentManager.java io/flutter/embedding/engine/loader/FlutterLoader.java io/flutter/plugins/pathprovider/PathProviderPlugin.java
00125	Check if the given file path exist	file	com/mr/flutter/plugin/filepicker/FileUtils.java io/flutter/embedding/engine/loader/FlutterLoader.java
00209	Get pixels from the latest rendered image	collection	io/flutter/embedding/android/FlutterImageView.java
00210	Copy pixels from the latest rendered image into a Bitmap	collection	io/flutter/embedding/android/FlutterImageView.java
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/mr/flutter/plugin/filepicker/FileUtils.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ChromeCustomTabsActivity.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ChromeCustomTabsChannelDelegate.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/CustomTabsHelper.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/TrustedWebActivity.java com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserManager.java io/flutter/plugins/urllauncher/UrlLauncher.java
00192	Get messages in the SMS inbox	sms	com/mr/flutter/plugin/filepicker/FileUtils.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	com/getkeepsafe/relinker/elf/ElfParser.java com/mr/flutter/plugin/filepicker/FileUtils.java com/pichillilorenzo/flutter_inappwebview_android/Util.java com/tiktok/appevents/TAppEventStorage.java com/tiktok/appevents/TTCrashHandler.java okio/Okio__JvmOkioKt.java
00121	Create a directory	file command	com/mr/flutter/plugin/filepicker/FileUtils.java
00012	Read data and put it into a buffer stream	file	com/mr/flutter/plugin/filepicker/FileUtils.java
00104	Check if the given path is directory	file	com/mr/flutter/plugin/filepicker/FileUtils.java io/flutter/embedding/engine/deferredcomponents/PlayStoreDeferredComponentManager.java
00096	Connect to a URL and set request method	command network	com/pichillilorenzo/flutter_inappwebview_android/Util.java com/tiktok/util/HttpRequestUtil.java
00123	Save the response to JSON after connecting to the remote server	network command	com/pichillilorenzo/flutter_inappwebview_android/Util.java com/tiktok/util/HttpRequestUtil.java
00030	Connect to the remote server through the given URL	network	com/pichillilorenzo/flutter_inappwebview_android/Util.java com/tiktok/util/HttpRequestUtil.java
00094	Connect to a URL and read data from it	command network	com/pichillilorenzo/flutter_inappwebview_android/Util.java

RULE ID	BEHAVIOUR	LABEL	FILES
00091	Retrieve data from broadcast	collection	com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ActionBroadcastReceiver.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ChromeCustomTabsActivity.java com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserActivity.java com/shivam/otp_pin_field/OtpPinFieldPlugin.java
00161	Perform accessibility service action on accessibility node info	accessibility service	io/flutter/view/AccessibilityBridge.java io/flutter/view/AccessibilityViewEmbedder.java
00036	Get resource file from res/raw directory	reflection	com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/CustomTabsHelper.java io/flutter/plugins/urllauncher/UrlLauncher.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserManager.java io/flutter/plugins/urllauncher/UrlLauncher.java
00028	Read file from assets directory	file	io/flutter/embedding/engine/loader/ResourceExtractor.java
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InAppWebViewChromeClient.java
00173	Get bounds in screen of an AccessibilityNodeInfo and perform action	accessibility service	io/flutter/view/AccessibilityViewEmbedder.java
00003	Put the compressed bitmap data into JSON object	camera	com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InAppWebView.java

RULE ID	BEHAVIOUR	LABEL	FILES
00014	Read file into a stream and put it into a JSON object	file	com/tiktok/appevents/TTCrashHandler.java
00089	Connect to a URL and receive input stream from the server	command network	com/tiktok/util/HttpRequestUtil.java
00109	Connect to a URL and get the response code	network command	com/tiktok/util/HttpRequestUtil.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config enabled	warning	The Firebase Remote Config at https://firebaseremoteconfig.googleapis.com/v1/projects/731621811289/namespaces/firebase:fetch?key=AlzaSyB8bZVtGmpl6pgppgBtORcWm1U51Vjz5eM is enabled. Ensure that the configurations are not sensitive. This is indicated by the response: {'entries': {'appStoreVersion': '56', 'appStoreVersion_UAT': '0', 'maintenanceMessageBM': 'Kami sedang menjalankan penyelenggaraan berjadual untuk menambah baik pengalaman anda. ', 'maintenanceMessageBM_UAT': 'Kami sedang menjalankan penyelenggaraan berjadual untuk menambah baik pengalaman anda. \n Sila semak semula selepas 1 Jan 2026 11:00 AM.', 'maintenanceMessageEN': 'We're performing scheduled maintenance to make the app better for you.', 'maintenanceMessageEN_UAT': 'We're performing scheduled maintenance to make the app better for you. \n Please check back after 1 Jan 2026 11:00 AM.', 'maintenanceStatus': 'false', 'maintenanceStatus_UAT': 'false', 'minVersion': '52', 'minVersionIOS': '52', 'minVersionIOS_UAT': '0', 'minVersion_UAT': '0', 'pageCanGoBack': 'register;forgetpassword;terms_and_condition;privacy_policy;account_deletion', 'playStoreVersion': '54', 'playStoreVersion_UAT': '0', 'reviewModeMinVersion': '1', 'siteUrl': 'https://nur-ai.zetrix.com/chat', 'temporaryUnAvailable': 'false', 'temporaryUnAvailable_UAT': 'false'}, 'state': 'UPDATE', 'templateVersion': '64'}

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	9/25	android.permission.INTERNET, android.permission.CAMERA, android.permission.ACCESS_NETWORK_STATE, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_COARSE_LOCATION, android.permission.READ_EXTERNAL_STORAGE, android.permission.RECORD_AUDIO, android.permission.WAKE_LOCK
Other Common Permissions	2/44	com.google.android.gms.permission.AD_ID, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
--------	--------	-------------

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 20.205.243.166 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map
www.slf4j.org	ok	IP: 31.97.181.89 Country: United Kingdom of Great Britain and Northern Ireland Region: England City: Bowness-on-Windermere Latitude: 54.363312 Longitude: -2.918590 View: Google Map
www.example.com	ok	IP: 172.66.147.243 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
analytics.us.tiktok.com	ok	IP: 23.197.202.230 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map

DOMAIN	STATUS	GEOLOCATION
docs.flutter.dev	ok	IP: 199.36.158.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
developer.android.com	ok	IP: 172.217.27.46 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

TRACKERS

TRACKER	CATEGORIES	URL
Facebook Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/66
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49



POSSIBLE SECRETS
"facebook_client_token" : "ec6d1c3b7a137f6d141b5a0038a14cd0"
"google_api_key" : "AlzaSyB8bZVtGmpl6pgppgBtORcWm1U51Vjz5eM"
"google_crash_reporting_api_key" : "AlzaSyB8bZVtGmpl6pgppgBtORcWm1U51Vjz5eM"
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
115792089210356248762697446949407573530086143415290314195533631308867097853951
2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
9b8f518b086098de3d77736f9458a3d2f6f95a37
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
c56fb7d591ba6704df047fd98f535372fea00211
ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xILmFuZlJvaWQuYXBCwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n
6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449
df6b721c8b4d3b6eb44c861d4415007e5a35fc95

POSSIBLE SECRETS
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
470fa2b4ae81cd56ecbcda9735803434cec591fa
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
8a3c4b262d721acd49a4bf97d5213199c86fa2b9
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
cc2751449a350f668590264ed76692694a80308a
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
23456789abcdefghijklmnopqrstuvwxyz
VGhpcyBpcyB0aGUga2V5IGZvcihBIHNIY3XyZZBzdG9yYWdlIEFFUyBLZXkk
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
VGhpcyBpcyB0aGUga2V5IGZvciBhIHNIY3VyZSBzdG9yYWdlIEFFUyBLZXkk

POSSIBLE SECRETS
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
115792089210356248762697446949407573529996955224135760342422259061068512044369
VGhpcyBpcyB0aGUgcHJlZml4IGZvciBCaWdjbnRlZ2Vy
01360240043788015936020505
VGhpcyBpcyB0aGUgcHJlZml4IGZvciBhIHNIY3VyZSBzdG9yYWdlCg
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a

PLAYSTORE INFORMATION

Title: NurAI

Score: None **Installs:** 50,000+ **Price:** 0 **Android Version Support:** **Category:** Lifestyle **Play Store URL:** [com.zetrix.nurai](https://play.google.com/store/apps/details?id=com.zetrix.nurai)

Developer Details: Zetrix, Zetrix, None, None, support@zetrix.com,

Release Date: Aug 6, 2025 **Privacy Policy:** [Privacy link](#)

Description:

NurAI is an advanced Shariah chatbot designed to provide reliable Islamic guidance and fatwas, with a special focus on Malaysian rulings. Powered by Zetrix AI, the app prioritizes official sources such as the Malaysian National Fatwa Council (MKI), JAKIM, and State Mufti Departments to ensure the information is relevant and authoritative for local users. Key Features: Customized Islamic Answers: The chatbot is trained to provide concise, structured responses, often using bullet points for clarity. If a definitive ruling is not available, the chatbot will acknowledge the complexity and advise users to consult with a qualified scholar. Localized Fatwa References: NurAI prioritizes Islamic rulings and fatwas from Malaysian authorities when answering queries. Account Management: Users can create an account using their email and a strong password that meets NIST recommendations. The app includes a "Forgot Password" function that sends a reset link to the user's email, valid for 24 hours. Users can also permanently delete their account after a two-step verification process. Interactive Chat Experience: Users can view their chat history on the left sidebar, with topics listed for easy access. Each AI response comes with a list of related documents and resources on the right sidebar, which users can view and download.

 SCAN LOGS

Timestamp	Event	Error
2026-07-14 09:07:32	Generating Hashes	OK
2026-07-14 09:07:32	Extracting APK	OK
2026-07-14 09:07:32	Unzipping	OK
2026-07-14 09:07:32	Parsing APK with androguard	OK
2026-07-14 09:07:32	Extracting APK features using aapt/aapt2	OK
2026-07-14 09:07:32	Getting Hardcoded Certificates/Keystores	OK
2026-07-14 09:07:35	Parsing AndroidManifest.xml	OK
2026-07-14 09:07:35	Extracting Manifest Data	OK
2026-07-14 09:07:35	Manifest Analysis Started	OK

2026-07-14 09:07:35	Reading Network Security config from network_security_config.xml	OK
2026-07-14 09:07:35	Parsing Network Security config	OK
2026-07-14 09:07:35	Performing Static Analysis on: NurAI (com.zetrix.nurai)	OK
2026-07-14 09:07:36	Fetching Details from Play Store: com.zetrix.nurai	OK
2026-07-14 09:07:36	Checking for Malware Permissions	OK
2026-07-14 09:07:36	Fetching icon path	OK
2026-07-14 09:07:36	Library Binary Analysis Started	OK
2026-07-14 09:07:36	Reading Code Signing Certificate	OK
2026-07-14 09:07:37	Running APKID 3.1.0	OK
2026-07-14 09:07:44	Detecting Trackers	OK
2026-07-14 09:07:51	Decompiling APK to Java with JADX	OK

2026-07-14 09:08:27	Converting DEX to Smali	OK
2026-07-14 09:08:27	Code Analysis Started on - java_source	OK
2026-07-14 09:08:31	Android SBOM Analysis Completed	OK
2026-07-14 09:08:39	Android SAST Completed	OK
2026-07-14 09:08:39	Android API Analysis Started	OK
2026-07-14 09:08:45	Android API Analysis Completed	OK
2026-07-14 09:08:45	Android Permission Mapping Started	OK
2026-07-14 09:08:47	Android Permission Mapping Completed	OK
2026-07-14 09:08:48	Android Behaviour Analysis Started	OK
2026-07-14 09:08:50	Android Behaviour Analysis Completed	OK
2026-07-14 09:08:50	Extracting Emails and URLs from Source Code	OK

2026-07-14 09:08:52	Email and URL Extraction Completed	OK
2026-07-14 09:08:52	Extracting String data from APK	OK
2026-07-14 09:08:52	Extracting String data from Code	OK
2026-07-14 09:08:52	Extracting String values and entropies from Code	OK
2026-07-14 09:08:58	Performing Malware check on extracted domains	OK
2026-07-14 09:09:00	Saving to Database	OK

Report Generated by - MobSF v4.5.1

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).