

# AN INTERNSHIP REPORT ON "CUSTOM RESUME GENERATOR"

# **BACHELOR OF ENGINEERING**

ln

# **ELECTRONICS AND COMMUNICATION ENGINEERING**

Submittedby:SINCHANA MN(IKS19EC086)



# KAMMAVARI SANGHA INSTITUTE OF TECHNOLOGY

(AffiliatedtoVisvesvarayaTechnologicalUniversityandApprovedbyAlCTE,New Delhi)Accredited By NAAC with 'A' grade

ISO9001-2015 and I4001-2015 certified Institute

BengAluru,KArnAtAkA56005 I 2020-202 I

# **ABOUT THE COMPANY**

CST is a digital service provider that aims to provide software, designing and marketing solutions to individuals and businesses. At CST, we believe that service and quality is the key to success

We provide all kinds of technological and designing solutions from Billing Software to Web Designs or any custom demand that you may have.

Experience the service like none other!

So	me of our services include:
	<u>Development</u> - We develop responsive, functional and super-fast websites
	We keep User Experience in mind while creating websites. A website
	should load quickly and should be accessible even on a small view-port
	and slow internet connection.
	Mobile Application - We offer a wide range of professional Android,
	iOS& Hybrid app development services for our global clients, from a
	start up to a large enterprise.
	<u>Design</u> - We offer professional Graphic design, Brochure design &
	Logo design. We are experts

Table of Contents		
	D N.	
Contents	Page No.	
Table of Contents	ı	
OVERVIEW OF THE PROJECT		
About		
Tools used		
Implementations		
Snapshots		
Bibliography		

OVERVIEW OF THE PROJECT

Project Name: CUSTOM RESUME GENERATOR

Team Members: SINCHANA MN

This project is based on Web Development and its Applications. The main objective of this

project is to learn the implementation of HTML, CSS and JavaScript at frontend and PHP,

MySQL database at backend, The webpage of this project is created using HTML and styling of

the webpage is done using CSS.

It is a web application that simplifies the task of storing a users results. The system is flexible

to be used and reduces the need of frequently searching and accessing an individuals marks.

The system is developed to provide an easy means for storing semester wise results.

Individuals have to login and enter their marks in a form. They can then access the result and

print it in a PDF format.

1. USER MODULE

This module is mainly dedicated to the candidates who are looking to store their result. They

can log in into the system, via the credentials provided to them & once they are in, they have

to enter their data by filling an online form. They can download the result from the same

module, in PDF file format.

2. ADMIN MODULE

This module is maintained by the admin and only he/she can manage and have access to

every account. Admin can add or delete the users as well. They can modify the functionalities

of the system, too. Admin can also add users on the fly to the application to make the

application full of new functionalities.

## **Store My Results**

This online web application id designed to simplify the task of storing a users results . The candidates are not required to write down or maintain a physical file containing the data. The system is flexible to be used and reduces the need of frequently searching and accessing an individuals marks. They can enter their details directly into a form and their results will be stored.

The system is developed to provide an easy means for storing semester wise results. Individuals have to login and enter their marks in a form. They can then access the result and print it in a PDF format.

In this application, a person can access the results whenever he needs it without carrying the hard copy. The system is flexible to be used and reduces the need of frequently searching and accessing an individuals marks. The system is developed to provide an easy means for storing semester wise results. The most important part of making this site is the user experience, which results in specific university websites do not focus on design as functionality outweighs design in these specific websites, which can further ruin the user experience, here the focus lies on functionality and design.

The Working Process is pretty simple here we ask students to create an account with us and we tend to store the data that they enter, the data might include USN, NAME and SUBJECT NAMES with their finalized marks, once that is done we keep a submit option wherein the users/Students can submit their responses, the content of the web page at the time of submission should be downloadable in PDF form for their reference, he data of the user should be completely secured and (s)he has to make an account and set their password to access their account at any point in time. This will make it easier for the students to retrieve their results or marks of any subject of any semester anytime.

## TOOLS USED


#### **Software Requirements**

- Visual Studio Code 2019.
- Google Chrome or Microsoft Edge of latest version.
- Front End: HTML, CSS, JS
- Backend : Php, MySQL, Xampp
- Linux 7.1 or Windows XP/7/8/10 OS or Mac OS

### **Hardware Requirements**


- Pentium 200-MHz computer with a minimum of 64 MB of RAM (128 MB of RAM recommended).
- Monitor with a refresh rate of at least 40Hz for a smooth GUI experience (optional).

# IMPLEMENTATION LOGIN PAGE




First the user has to login or sign up to access the website ,For that the user should enter the username and password assigned to them .if the user does not have an account ,they should register in the sign up page as new user

## SIGN-UP PAGE



when they are new users , they have to signup by filling their username phone number , password ,and confirm password, when they click sign-up button , a new account will be created and the users information will be saved in local server


#### LOCAL HOST TABLE PHP MYADMIN



#### Index of /project




Apache/2.4.51 (Win64) OpenSSL/1.1.11 PHP/7.3.31 Server at localhost Port 80




## THE NAVIGATION BAR





The navigation bar is designed to be used to navigate the webpage efficiently and elegantly also as the page is responsive ,the a dropdown bar will appear when used in other devices



THE RESGEN Home about resumegen logout login contact us





#### **ABOUT US**

Lorem ipsum, dolor sit amet consectetur adipisicing elit. Officia rem dolor nulla laboriosam ab sunt repellat est maxime quam corporis excepturi consequatur natus labore, placeat quis obcaecati exercitationem repellendus hic at error? Ipsum mollitia minus id eum et at eaque voluptatibus laudantium nemo labore aliquid fugit, necessitatibus nihil similique culpa quidem in? Hic tenetur ea error deserunt numquam, blanditiis nemo eveniet in aperiam aliquid ex, fuga doloremque magni sed aspernatur atque voluptatum esse obcaecati? Necessitatibus fuga, suscipit voluptates eum quaerat similique in adipisci veritatis, dignissimos corporis recusandae? Illo perferendis fugit qui, quaerat consequatur atque nobis, voluptate libero, facere eum officiis.




choose now

#### **USE RESUME BUILDER**

build your resume and get started in career, just enter the required detaild and your perfect resume will be ready in minutes Source Title





if you cant make it good,atleast make it look good!.

build now

create resume get started

## why choose our website?





#### FREE OF COST


obcaecati corrupti exercitationem mollitia expedita, eos velit asperiores ab iusto iste et explicabo, maiores blandittiis!

### SAVE YOUR MONEY


obcaecati corrupti exercitationem mollitia expedita, eos velit asperiores ab iusto iste et explicabo, maiores blanditiis!











```
SOURCE CODE:
```

```
WELCOME PAGE welcome.php:
<?php
session_start();
if(!isset($_SESSION['loggedin']) || $_SESSION['loggedin'] !==true)
{
  header("location: login.php");
}
?>
<!DOCTYPE html>
<html lang="en">
 <head>
  <!-- Required meta tags -->
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=I" />
  <!-- Bootstrap CSS -->
  k
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
    rel="stylesheet"
    integrity = "sha384-IBmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSUIoBoqyl2QvZ6jIW3" \\
    crossorigin="anonymous"
  />
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
  <link rel="stylesheet" href="carousal.css">
  <title>theresgen</title>
```

```
</head>
<body>
 <!--corasal-->
 <div class="header">
  <div class="container">
   <nav class="navbar navbar-expand-lg navbar-light">
     <div class="container-fluid">
      <hI><a class="navbar-brand" id="tor" href="#">THE RESGEN</a></hI>
      <button
       class="navbar-toggler"
       type="button"
       data-bs-toggle="collapse"
       data-bs-target="#navbarNav"
       aria-controls="navbarNav"
       aria-expanded="false"
       aria-label="Toggle navigation"
       <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
       ul class="navbar-nav">
        class="nav-item">
          <a class="nav-link active" aria-current="page" href="welcome.php"
           >Home</a
        class="nav-item">
          <a class="nav-link" href="#aboutus">about</a>
        class="nav-item">
          <a class="nav-link" href="filling.php">resumegen</a>
        <a class="nav-link" href="logout.php">logout</a>
```

```
class="nav-item">
         <a class="nav-link" href="login.php">login</a>
        class="nav-item">
         <a class="nav-link" href="#contactus">contact us</a>
        </div>
   </div>
  </nav>
 </div>
</div>
<div
 id \hbox{="carousel} \hbox{\sf Example} \hbox{\sf Captions"}
 class="carousel slide"
 data-bs-ride="carousel"
 <div class="carousel-indicators">
  <button
   type="button"
   data-bs-target="#carouselExampleCaptions"
   data-bs-slide-to="0"
   class="active"
   aria-current="true"
   aria-label="Slide I"
  ></button>
  <button
   type="button"
   data-bs-target="#carouselExampleCaptions"
   data-bs-slide-to="I"
   aria-label="Slide 2"
  ></button>
  <button
```

```
type="button"
  data-bs-target="#carouselExampleCaptions"
  data-bs-slide-to="2"
  aria-label="Slide 3"
 ></button>
 <button
  type="button"
  data-bs-target="#carouselExampleCaptions"
  data-bs-slide-to="3"
  aria-label="Slide 4"
 ></button>
</div>
<div class="carousel-inner">
 <div class="carousel-item active">
  <img
   src="C:\Users\Sinchana\OneDrive\Desktop\project\img\picspucs\slide I.jpg"
   class="d-block w-100"
   alt="img"
  />
  <div class="carousel-caption d-none d-md-block">
   <h5>want to land in your dream job?</h5>
   Some representative placeholder content for the first slide.
  </div>
 </div>
 <div class="carousel-item">
  <img
   src="C:\Users\Sinchana\OneDrive\Desktop\project\img\picspucs\slide2.jpg"
   class="d-block w-100"
   alt="...img"
  />
  <div class="carousel-caption d-none d-md-block">
   <h5>Second slide label</h5>
   Some representative placeholder content for the second slide.
  </div>
 </div>
```

```
<div class="carousel-item">
    <img
     src="C:\Users\Sinchana\OneDrive\Desktop\project\img\picspucs\slide3.jpg"
     class="d-block w-100"
     alt="...img"
   />
    <div class="carousel-caption d-none d-md-block">
     <h5>Third slide label</h5>
     Some representative placeholder content for the third slide.
  </div>
 </div>
 <button
  class="carousel-control-prev"
  type="button"
  data-bs-target="#carouselExampleCaptions"
  data-bs-slide="prev"
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Previous</span>
 </button>
 <button
  class="carousel-control-next"
  type="button"
  data-bs-target="#carouselExampleCaptions"
  data-bs-slide="next"
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Next</span>
 </button>
</div>
<!--for about us-->
<div class="aboutus">
 <figure class="text-center">
```

```
<blookquote class="blockquote">
              <h2 id="aboutus"><strong>ABOUT US</strong></h2>
            </blockquote></figure>
         <h4 class="h22">Lorem ipsum, dolor sit amet consectetur adipisicing elit. Officia rem dolor nulla laboriosam ab
sunt repellat est maxime quam corporis excepturi consequatur natus labore, placeat quis obcaecati exercitationem
repellendus hic at error? Ipsum mollitia minus id eum et at eaque voluptatibus laudantium nemo labore aliquid fugit,
necessitatibus nihil similique culpa quidem in? Hic tenetur ea error deserunt numquam, blanditiis nemo eveniet in
aperiam aliquid ex, fuga doloremque magni sed aspernatur atque voluptatum esse obcaecati? Necessitatibus fuga,
suscipit voluptates eum quaerat similique in adipisci veritatis, dignissimos corporis recusandae? Illo perferendis fugit
qui, quaerat consequatur atque nobis, voluptate libero, facere eum officiis.</h4>
      </div>
<!--button-->
      <a class="btn btn-dark" href="filling.php" role="button" >build now</a>
<!--quote-->
     <figure class="text-center">
        <br/>

            <h3><strong>USE RESUME BUILDER</strong></h3>
        </blockquote>
        <h5> <figcaption class="blockquote-footer">
           build your resume and get started in career, just enter the required detaild and your perfect resume will be
ready in minutes<cite title="Source Title">Source Title</cite>
         </figcaption></h5>
      </figure>
 <!--cards-->
      <div class="card">
         <div class="row">
            <div class="col-sm-4">
              <div class="card" >
                 <img src="C:\Users\Sinchana\OneDrive\Desktop\project\img\picspucs\temall.jpg" class="card-img-top"</pre>
alt="...img">
                 <div class="card-body">
                      <h4>STEP I</h4> select template of your choice
```

```
<a class="btn btn-dark" href="templets.php" role="button" >choose now</a>
                        </div>
                    </div>
                </div>
                <div class="col-sm-4">
                    <div class="card" >
                        <img src="C:\Users\Sinchana\OneDrive\Desktop\project\img\picspucs\fill.jpg" class="card-img-top"</pre>
alt="...img">
                        <div class="card-body">
                            <h4>STEP 2</h4>just fill in the blanks
                         , as simple as that
                        </div>
                    </div>
                </div>
                <div class="col-sm-4">
                    <div class="card" >
                        <img src="C:\Users\Sinchana\OneDrive\Desktop\project\img\picspucs\R (1).png" class="card-img-top"
alt="...img">
                        <div class="card-body">
                           <h4>STEP 3</h4>download your resume in PDF format
                        </div>
                    </div>
                </div>
           </div>
        </div>
<!--quote-->
       <figure class="text-center">
           <br/>

                if you cant make it good,atleast make it look good!.
           </blockquote>
            <figcaption class="blockquote-footer">
               <a class="btn btn-dark" href="filling.php" role="button" >build now</a>
               create resume <cite title="Source Title">get started</cite>
            </figcaption>
```

```
</figure>
<!--why us-->
        <figure>
             <br/>

                 <h1>why choose our website?</h1>
             </blockquote>
        </figure>
<!--steps-->
        <div class="container">
             <div class="row">
                 <div class="col">
                      <img src="C:\Users\Sinchana\OneDrive\Desktop\staycool\pics\pucs\step I.jpg" class="img-thumbnail"</pre>
alt="...img">
                 </div>
                 <div class="col">
                    <P> <hI>FREE OF COST</hI> obcaecati corrupti exercitationem mollitia expedita, eos velit asperiores ab
iusto iste et explicabo, maiores blanditiis!</P>
                 </div>
             </div>
        </div>
        <div class="container">
             <div class="row">
                 <div class="col">
                      <img src="C:\Users\Sinchana\OneDrive\Desktop\staycool\pics\pucs\step2.jpg" class="img-thumbnail"</pre>
alt="..img.">
                  </div>
                 <div class="col">
                    <P> <HI>SAVE YOUR MONEY</HI> obcaecati corrupti exercitationem mollitia expedita, eos velit
asperiores ab iusto iste et explicabo, maiores blanditiis!</P>
                  </div>
             </div>
```

```
</div>
  <div class="container">
    <div class="row">
     <div class="col">
      <img src="C:\Users\Sinchana\OneDrive\Desktop\staycool\pics\pucs\step3.jpg" class="img-thumbnail"</pre>
alt="...img">
     </div>
     <div class="col">
      <P><h1> HASSEL FREE!</H1> obcaecati corrupti exercitationem mollitia expedita, eos velit asperiores ab
iusto iste et explicabo, maiores blanditiis!</P>
     </div>
    </div>
  </div>
<!--contactus-->
  <form class="first" method="POST" action="loginpage.php">
    <h1 id="contactus" >CONTACT US </h1>
    <input type="text" placeholder="your name " />
    <input type="text" placeholder="your email " />
   <input type="text" placeholder="write to us" />
   <input type="submit" value="SEND" />
   </form>
<!--footer-->
   <div class="text-center bg-light text-dark">
    <hI>THE resumegen</hI>
   </div>
```

```
hr
```

```
<div class="container text-center default-color text-light">
 <div class="row">
  <div class="col text-center">
   <hI><a href="#"><i></i></a>stay connected</hI>
  </div>
  <div class="col text-center">
   <hI><a href="#"><i></i></a>support </hI>
  </div>
  <div class="col text-center">
   <hI><a href="#"><i></i></a>find us here</hI>
  </div>
 </div>
</div>
<hr>
<footer>
 <div class="container text-center default-color">
 <div class="container text-center text-dark">
   <div class="row">
    <div class="col text-center">
     p><a href="#"><i class="fa fa-facebook fa-2x "></i>facebook</a>
     <a href="#"><i class="fa fa-instagram fa-2x"></i></a>instagram
     <a href="#"><i class="fa fa-twitter fa-2x"></i></a>twitter
     p><a href="#"><i class="fa fa-home fa-2x" ></i></a>home
     p><a href="#"><i class="fa fa-linkedin fa-2x"></i></a>linkedin
```

```
</div>
       <div class="col text-center">
      <a href="#"></a>contact us
      p><a href="#"></a>FAQ
      p><a href="#"></a>polices
      <a href="#"></a>contact support
      <a href="#"></a>partners
       </div>
       <div class="col text-center">
       Dans une résidence de 1995, cet appartement d'une superficie de 88.5M2 (84,10M2 loi Carrez) est situé
dans une rue calme entre les stations de métro Richard-Lenoir, Saint Ambroise, chemin vert. Au 2nd étag
       </div>
      </div>
    </div>
    </div>
   </footer>
  <!-- Option I: Bootstrap Bundle with Popper -->
  <script
   src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
   integrity = "sha384-ka75k0Gln4gmtz2MlQnikTIwXgYsOg+OMhuP+llRH9sENBO0LRn5q+8nbTov4+Ip" \\
   crossorigin="anonymous"
  ></script>
 </body>
</html>
```

```
CSS FILE :stylesheet.css
 body{
 margin: 0;
 padding: 0;
 font-family: sans-serif;
 background:rgb(199, 219, 218);
}
.first{
 width: 300px;
 padding: 40px;
 text-align: center;
 top:50%;
 left: 50%;
 padding-left: 600px;
}
.first h I {
 color: whitesmoke;
 text-transform: uppercase;
 font-weight: 500;
 padding:4px;
 background-color: rgb(7, 96, 99);
}
hl:hover{
 color: turquoise;
}
.first input[type="text"],.first input[type="password"]{
```

```
border:0;
 background: none;
 display: block;
 text-align: center;
 border: 2px solid rgb(88, 206, 214);
 padding: 14px 10px;
 margin: 20px auto;
 border-radius: 30px;
 color: white;
 outline: none;
 width: 200px;
 transition: 0.25s;
}
.first input[type="text"]:focus, .first input[type="password"]:focus{
 width: 280px;
 border-color: turquoise;
}
.first input[type="submit"]{
 border:0;
 background: none;
 display: block;
 text-align: center;
 border: 2px solid turquoise;
 padding: 14px 10px;
 margin: 20px auto;
 border-radius: 30px;
 color: white;
 outline: none;
 width: 220px;
 transition: 0.25s;
 cursor: pointer;
```

```
}
.first input[type="submit"]:hover{
 color: whitesmoke;
 background: turquoise;
.form-check-label{
 color: whitesmoke;
 font-family: sans-serif;
}
a{
 color: rgb(121, 117, 117);
}
a:hover{
 color:mediumturquoise
}
LOGIN PAGE:
<?php
//This script will handle login
session_start();
// check if the user is already logged in
if(isset($_SESSION['username']))
{
   header("location: welcome.php");
   exit;
}
require_once "config.php";
$username = $password = "";
$err = "";
```

```
// if request method is post
if ($ SERVER['REQUEST METHOD'] == "POST"){
  if(empty(trim($_POST['username'])) || empty(trim($_POST['password'])))
  {
     $err = "Please enter username + password";
  }
  else{
     $username = trim($_POST['username']);
     $password = trim($_POST['password']);
  }
if(empty($err))
{
  $sql = "SELECT id, username, password FROM users WHERE username = ?";
  $stmt = mysqli prepare($conn, $sql);
  mysqli_stmt_bind_param($stmt, "s", $param_username);
  $param_username = $username;
  // Try to execute this statement
  if(mysqli_stmt_execute($stmt)){
     mysqli_stmt_store_result($stmt);
     if(mysqli_stmt_num_rows($stmt) == 1)
          {
             mysqli_stmt_bind_result($stmt, $id, $username, $hashed_password);
            if(mysqli_stmt_fetch($stmt))
            {
               if(password_verify($password, $hashed_password))
                  // this means the password is corrct. Allow user to login
                  session start();
                  $ SESSION["username"] = $username;
                  SESSION["id"] = id;
```

```
$_SESSION["loggedin"] = true;
                  //Redirect user to welcome page
                  header("location: welcome.php");
               }
             }
          }
  }
}
}
?>
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8"/>
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>loginpage</title>
  <link rel="stylesheet" href="stylesheet.css">
 </head>
 <body>
```

```
<form class="first" method="POST" action="">
   <hl>login</hl>
   username:<input type="text"name="username" id="username" placeholder="username" />
   <input type="password" id="password" name="password" placeholder="password" />
   <input type="submit" value="login" />
   <div class="d-flex justify-content-around align-items-center mb-4">
    <!-- Checkbox -->
     <div class="form-check">
      <input
       class="form-check-input"
       type="checkbox"
       value=""
       id="form | Example3"
       checked
      />
   <label class="form-check-label" for="form|Example3"> Remember me </label><br>
    <a href="signup.php">SIGN UP</a>
    <a href="logout.php">LOGOUT</a>
   <a href="#">Forgot password?</a>
  </form>
 </body>
</html>
<?php
```

```
echo("hello");
echo("hello");
echo("hello");
echo("hello");
echo("hello");
echo("hello");
echo("hello");
echo("hello");
echo("hello");
?>
LOGIN PAGE CSS
.col a{
   display: inline-block;
   background: black;
  padding: 20px 155px;
   color: ghostwhite;
   box-shadow: black;
   font-family: Georgia, 'Times New Roman', Times, serif;
   text-align: center;
   text-decoration: none;
}
span a:hover{
   background-color: floralwhite;
   color:black;
}
.paddingblack{
   background-color: black;
}
body{
```

```
margin: 0;
   padding: 0;
   font-family: sans-serif;
   background:rgb(255, 255, 255);
}
.first{
   width: 300px;
   padding: 40px;
   text-align: center;
   background:black;
   position: absolute;
   top:50%;
   left: 50%;
   transform: translate(-50%,-50%);
}
.first h I {
   color: whitesmoke;
   text-transform: uppercase;
   font-weight: 500;
}
hl:hover{
   color: turquoise;
}
.first input[type="text"],.first input[type="password"],.first input[type="email"]{
   border:0;
   background: none;
   display: block;
   text-align: center;
   border: 2px solid rgb(88, 206, 214);
   padding: 14px 10px;
   margin: 20px auto;
   border-radius: 30px;
```

```
color: white;
   outline: none;
   width: 200px;
   transition: 0.25s;
}
.first input[type="text"]:focus, .first input[type="password"]:focus{
   width: 280px;
   border-color: turquoise;
}
.first input[type="submit"]{
   border:0;
   background: none;
   display: block;
   text-align: center;
   border: 2px solid turquoise;
   padding: 14px 10px;
   margin: 20px auto;
   border-radius: 30px;
   color: white;
   outline: none;
   width: 220px;
   transition: 0.25s;
   cursor: pointer;
}
.first input[type="submit"]:hover{
   color: whitesmoke;
   background: turquoise;
}
```

```
.form-check-label{
  color: whitesmoke;
  font-family: sans-serif;
}
a{
  color: rgb(255, 255, 255);
}
a:hover{
  color:mediumturquoise
}
SIGN UP PAGE:SIGNUP.PHP
<?php
require_once "config.php";
$username= $password =$confirm_password ="";
$username_err =$password_err =$confirm_password ="";
if ($_SERVER['REQUEST_METHOD'] == "POST"){
 // Check if username is empty
 if(empty(trim($_POST["username"]))){
    $username_err = "Username cannot be blank";
 }
 else{
    $sql = "SELECT id FROM users WHERE username = ?";
    $stmt = mysqli_prepare($conn, $sql);
    if($stmt)
      mysqli_stmt_bind_param($stmt, "s", $param_username);
```

```
// Set the value of param username
      $param_username = trim($_POST['username']);
      // Try to execute this statement
      if(mysqli_stmt_execute($stmt)){
         mysqli_stmt_store_result($stmt);
         if(mysqli_stmt_num_rows($stmt) == 1)
            $username_err = "This username is already taken";
         }
         else{
            $username = trim($_POST['username']);
         }
      }
      else{
         echo "Something went wrong";
      }
    }
 }
 mysqli_stmt_close($stmt);
// Check for password
if(empty(trim($_POST['password']))){
 $password_err = "Password cannot be blank";
}
elseif(strlen(trim($_POST['password'])) < 5){
 $password_err = "Password cannot be less than 5 characters";
}
else{
 $password = trim($_POST['password']);
}
// Check for confirm password field
```

```
if(trim($_POST['password']) != trim($_POST['confirm_password'])){
 $password_err = "Passwords should match";
}
// If there were no errors, go ahead and insert into the database
if(empty($username_err) && empty($password_err) && empty($confirm_password_err))
 $sql = "INSERT INTO users (username, password) VALUES (?, ?)";
 $stmt = mysqli_prepare($conn, $sql);
 if ($stmt)
 {
    mysqli_stmt_bind_param($stmt, "ss", $param_username, $param_password);
    // Set these parameters
    $param username = $username;
    $param_password = password_hash($password, PASSWORD_DEFAULT);
    // Try to execute the query
    if (mysqli_stmt_execute($stmt))
    {
      header("location: login.php");
    }
    else{
      echo "Something went wrong... cannot redirect!";
    }
 }
 mysqli_stmt_close($stmt);
}
mysqli_close($conn);
}
```

```
?>
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8"/>
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>loginpage</title>
  <link rel="stylesheet" href="stylesheet.css">
 </head>
 <body>
  <form class="first" method="POST" action="">
   <hI >SIGN UP</hI>
   email:<input type="text"name="username" id="username" placeholder="username" />
   password:<input type="password" name="password" id="password" placeholder="password" />
   confirm_password:<input type="password" name="confirm_password" id="confirm_password"</p>
placeholder="confirm_password" />
   <input type="submit" value="sign up" />
  </form>
 </body>
```

```
</html>
LOGOUT PAGE CODE:logout.php
<?php
session_start();
$_SESSION = array();
session_destroy();
header("location: login.php");
?>
Templets page code:templets.php
<!doctype html>
<html lang="en">
 <head>
  <!-- Required meta tags -->
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- Bootstrap CSS -->
  k href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-IBmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSUIoBoqyl2QvZ6jIW3"
crossorigin="anonymous">
  <title>templets</title>
 </head>
 <body>
  <h3> CHOOSE THE TEMPLET WHICH SUITS YOUR PROFESSION BEST</h3>
  <h3> based on education, skills, experience</h3>
<div class="first">
  <div class="container">
```

```
<div class="row">
     <div class="col">
      <div class="card" >
        <img src="C:\xampp\htdocs\project\img\picspucs\tem I.jpg" class="card-img-top" alt="...img">
        <div class="card-body">
         <h5 class="card-title">WEB DEVELOPER</h5>
         highlights your tech skills
         <a href="filling.php" class="btn btn-primary">get this</a>
        </div>
      </div>
     </div>
     <div class="col">
      <div class="card" >
        <img src="C:\xampp\htdocs\project\img\picspucs\tem2.jpg" class="card-img-top" alt="...img">
        <div class="card-body">
         <h5 class="card-title">designer</h5>
         concentrates on your designing skills
         <a href="filling.php" class="btn btn-primary">get this</a>
        </div>
      </div>
     </div>
     <div class="col">
      <div class="card" >
        <img src="C:\xampp\htdocs\project\img\picspucs\tem3.jpg" class="card-img-top" alt="...img">
        <div class="card-body">
         <h5 class="card-title">engineer</h5>
          !!!!
         <a href="filling.php" class="btn btn-primary">get this</a>
        </div>
      </div>
     </div>
    </div>
   </div>
</div>
<div class="second">
```

```
<div class="container">
    <div class="row">
     <div class="col">
      <div class="card" >
        <img src="C:\xampp\htdocs\project\img\picspucs\Screenshot (848).png" class="card-img-top" alt="...img">
        <div class="card-body">
         <h5 class="card-title">interior designing</h5>
         this style suits your profession best
         <a href="filling.php" class="btn btn-primary">get this</a>
        </div>
       </div>
     </div>
     <div class="col">
      <div class="card" >
        <img src="C:\xampp\htdocs\project\img\picspucs\tem5.jpg" class="card-img-top" alt="...img">
        <div class="card-body">
         <h5 class="card-title">architect</h5>
         for people who want to highlight their educatinal skills
         <a href="filling.php" class="btn btn-primary">get this</a>
        </div>
      </div>
     </div>
     <div class="col">
      <div class="card" >
        <img src="C:\xampp\htdocs\project\img\picspucs\tem6.jpg" class="card-img-top" alt="...img">
        <div class="card-body">
         <h5 class="card-title">dentist</h5>
         this is best for people who have experience
         <a href="filling.php" class="btn btn-primary">get this</a>
        </div>
      </div>
     </div>
    </div>
   </div>
</div>
```

```
</div>
<div class="container">
<a href="filling.html" class="btn btn-primary">next</a>
<br>
<hr>
<a href="welcome.html" class="btn btn-primary">back</a>
</div>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-</pre>
ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+llRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>
 </body>
</html>
Filling page for resume:filling.php
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"</pre>
integrity="sha384-IBmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSUIoBoqyl2QvZ6jIW3"
crossorigin="anonymous">
</head>
<body>
  <div class="row no-gutters">
```

```
<div class="col no-gutters">
        <h3>PERSONAL INFORMATION</h3>
       <div class="perinfo">
          <label for="name">NAME: </label>
          <input type="text" name="" id="name" placeholder="enter your name" class="form-control">
       </div>
       <div class="perinfo">
          <label for="phone">PHONE NO: </label>
          <input type="text" name="" id="phone no" placeholder="enter your phone no" class="form-control">
        </div>
        <div class="perinfo">
          <label for="address">ADDRESS: </label>
          <textarea type="text" name="" id="address" placeholder="enter your address" class="form-
control"></textarea>
        </div>
       <div class="perinfo">
          <label for="name">ABOUT: </label>
          <textarea type="text" name="" id="about" placeholder="enter your address" class="form-
control"></textarea>
        </div>
        <div class="perinfo">
          <label for="email">EMAIL ID: </label>
          <input type="email" name="" id="email" placeholder="enter your email id" class="form-control">
       </div>
       <div class="perinfo">
          <label for="linkdin">LINKDIN ID: </label>
          <input type="email" name="" id="linkdin" placeholder="enter your linkdin id" class="form-control">
        </div>
        <div class="perinfo">
          <label for="dob">NAME: </label>
          <input type="date" name="" id="dob" placeholder="enter your dob" class="form-control">
        </div>
```

```
<div class="leftside"></div>
     </div>
     <div class="col no-gutters">
        <h3>PROFESSIONAL INFORMATION</h3>
       <div class="perinfo">
          <label for="work experience">WORKEXPERIENCE : </label>
          <textarea type="text" name="" id="workexp" placeholder="workexperience" class="form-
control"></textarea>
        </div>
       <div class="perinfo">
          <label for="skills">SKILLS: </label>
          <textarea type="" name="" id="skills" placeholder="what are your skills" class="form-
control"></textarea>
       </div>
       <div class="perinfo">
          <label for="eduq">EDUCATIONAL QUALIFICATION: </label>
          <textarea type="text" name="" id="eduq" placeholder="educational qualification" class="form-
control"></textarea>
        </div>
       <div class="perinfo">
          <label for="intrests">INTRESTS : </label>
          <textarea type="text" name="" id="intrests" placeholder="what are your other intrests" class="form-
control"></textarea>
        </div>
       <div class="perinfo">
          <label for="intrests"> OTHER INTRESTS : </label>
          <textarea type="text" name="" id="intrests" placeholder="what are your other intrests" class="form-
control"></textarea>
        </div>
       <div class="perinfo">
          <label for="intrests"> UPLOAD YOUR PHOTO : </label>
          <textarea type="file" name="" id="intrests" placeholder="upload your photo" class="form-
control"></textarea>
        </div>
```

```
<div class="rightside"></div>
</div>
</div>
</body>
</html>
```

## Filling stylesheet:filling.css

```
.center{
   text-align: center;
}
.leftside, .rightside{
   height: 100vh;
   width: 100%;
}
*{
   margin: 0;
   padding: 0;
}
```

## **CONFIGURE: CONFIG.PHP**

```
<?php
```

This file contains database configuration assuming you are running mysql using user "root" and password ""

\*/

```
define('DB_SERVER', 'localhost');
define('DB_USERNAME', 'root');
define('DB_PASSWORD', ");
define('DB_NAME', 'project');
// Try connecting to the Database
$conn = mysqli_connect(DB_SERVER, DB_USERNAME, DB_PASSWORD, DB_NAME);
//Check the connection
if(sconn == false)
  dir('Error: Cannot connect');
}
?>
<hl>hello</hl>
BIBLIOGRAPHY
https://www.w3schools.com
https://www.geeksforgeeksorg
https://freefrontend.com
https://www.takeiteasyengineers.com
https://css-tricks.com
https://dev.to/mychi darko/php-tips-and-tricks-4kpn
```

