

Master Thesis



Czech  
Technical  
University  
in Prague

**F3**

Faculty of Electrical Engineering

## Part localization for robotic manipulation

**César Sinchiguano**

Supervisor: Dr Gaël Pierre Écorchard.  
May 2019



## Acknowledgements

I would like to express my sincere gratitude to my supervisor, Dr Gaël Pierre Écorchard for his patient guidance and good predisposition to help on my thesis...

## Declaration

I hereby declare that the presented work was developed independently and that I have listed all sources of information used within it in accordance with methodical instructions for observing the ethical principles in the preparation of university theses.

Prague, . May 2019

## Abstract

The new generation of so-called collaborative robots allow the use of small robotic arms without them being isolated from human workers. Such an example of the collaborative robot is the YuMi robot, dual 7-axis arms robot designed for precise manipulation of small parts and available in the lab of Intelligent and Mobile Robotics, CIIRC.

For further acceptance of such robots in the industry, some methods and sensors systems have to be developed to allow them to pick parts without the position of the part being known in advance, just as humans do. The thesis is focussed on the implementation of an algorithm for localization of the known parts. In addition to the localization, part of the work consists of calibrating the camera relatively to the robot and developing methods to obtain the ground truth position of parts. ...

### Keywords:

**Supervisor:** Dr Gaël Pierre Écorchard.  
Czech Institute of Informatics, Robotics,  
and Cybernetics, Office  
B-323, Jugoslávských partyzánů 3,  
160 00 Prague 6

## Abstrakt

Nová generace takzvaných spolupracujících robotů umožňuje použití malých robotických zbraní bez toho, aby byli izolováni od lidských pracovníků. Takovým příkladem spolupracujícího robota je robot YuMi, dvojité 7-osý robot určený pro přesnou manipulaci s malými částmi a dostupný v laboratoři Inteligentní a mobilní robotika CIIRC. Pro další přijetí takových robotů v průmyslu je třeba vyvinout některé metody a systémy snímačů, které by jim umožnily vybírat části bez předchozího znát umístění části, stejně jako lidé. Práce je zaměřena na implementaci algoritmu pro lokalizaci známých částí. Vedle lokalizace se část práce skládá z kalibrace kamery relativě k robotovým a devolopíngovým metodám pro získání pozemské pravdivé pozici dílů. ...

### Klíčová slova:

# Contents

<b>1 Introduction</b>	<b>1</b>
1.1 Motivation . . . . .	1
1.2 Thesis Outline . . . . .	3
<b>Bibliography</b>	<b>5</b>



## Figures

## Tables

1.1 An example of the social event on a webpage .....	3
--	---

# Chapter 1

## Introduction

Within this chapter, the reader receive an outline of the general context which surrounds this thesis. Starting with the research motivation and the target goal, a summary of the thesis' structure follows. And finally, an overview of related work is presented.

### 1.1 Motivation

Besides the obvious application of WE in the search engine, there are also so-called vertical web services where WE is widely used too. Such websites allow to explore and work with the information on a specific topic. Such services usually do not produce the content by themselves, and rather they automatically collect the data from various sources, processes this data in some way and present to the user in the appealing form. Such services also called *aggregators*. A broad list of aggregators topics includes news, retail other advertisements, reviews, flight tickets, videos and pictures, recipes, social networks and many other. The list is very extensive, virtually for any subject discussed and presented on the Internet there are aggregators exist which try to grasp all other sources into one.

Aggregators are usually very popular because they provide the user with the big database, rich functionality, flexibility and instant updates, what helps a user to save time. Due to popularity of aggregator the 'original' content maker is becoming popular too and therefore the content maker has resources to produce new interesting content. The other side of this practice is traffic reduction on the original content maker websites. It happens for example if the aggregator is unfair and doesn't show the source of information.

The relationship between aggregators and original source makers today reminds the problem of chicken and egg. That's why search engines are very accurate with automatic extraction at the moment of showing the result for the search query. If Google shows you the correct answer right when you type the question, the website with this particular answer where Google took the information from will lose the user. Since this site loses the user, it also loses monetizing and resources to produce the 'correct answers' in future; hence

Google will lose the sources of correct answers. That's the reason why WE among Internet industry players is a controversial topic.

In the research area, WE is typically used in the tasks related to natural language processing and text mining. The reason for this is that the web page content is the semi-structured text mixed with the HTML markdown. Many research project centered around the analysis of various news sources as news articles, tweets, social networks, etc. Some of the possible tasks are sentiment analysis of news, topic recognition, summarization.

Some projects aim to build the system which collects huge amount of data, extract entities from them, determine relationships between them and my answer on human-language question (IBM Watson [?], Calais by Reuters [?], Wolfram Language [?]).

The extraction of data from the web page is closely linked with the Document Object Model (DOM) processing and implies the understanding of the web page structure from the 'browser point of view'.

In this way, WE is becoming a quite interesting, actual and challenging task. It includes both the technical background for the data retrieving and manipulation as well as theoretical background for the reasonable model building. This thesis includes all necessary parts of this task.

In this thesis, we won't solve the problem of identifying if the event announcement is placed on the web page since it is the task from Information Retrieval field. We assume that the page already has an event and we want to find and extract the structured information about it (i.e. extract four items above). On the picture 1.1 you can see a typical example of the page where four main event components are circled in red.

We consider *the webpage* as the rendered page where primary JavaScript already executed (it may be executed in future if the user interacts with a page). Such page has several important components: DOM tree, corresponding CSS, HTML code, resources (e.g. images) and rendered picture which the browser displays us.

For a webpage, we will collect all web elements from a DOM tree, and four of them would be components we need to extract. We will collect more than two hundreds features for every web element and build the model which distinguishes an event components from all other elements. In our problem we will consider four one-vs-all classifiers where each of them will detect associated event component.



SUMMER + FALL + WINTER + SPRING  
**EVENTS**  
IN THE PARKS ALL YEAR ROUND

Download the free  
**My Chi Parks™** app now!

Available on the  
App Store

Google play

CHICAGO  
Parks  
CHICAGO PARK SYSTEM

Home / Events - Details

Find an Event

By Park

Date and time

Friday, June 21, 2013 from 7:30 PM - 9:30 PM

Park:

None selected

Location

Mozart Park  
2036 N. Avers Ave.  
Chicago, Illinois 60647  
(312) 742-7535

Category:

None selected

By Community

By Zip Code

Description

Fee: Free

Age Range: 3 and up

Drum Circles attract drummers of all ages, levels, and genres to create music together. Come out and play with beats, rhythms and more. Open community drum circle.

The **Night Out in the Parks** series will make parks a safe haven and a hub of positive activity on summer evenings and weekends. We encourage community members to bring their family and friends, pack a picnic basket and spend the day with us in the park. Planned activities may include art projects, music, dance, drum circle, theatre, a magic show or other fun-filled activities.

Figure 1.1: An example of the social event on a webpage

## 1.2 Thesis Outline

The thesis consists of 8 chapters, ?? and ??. The current chapter briefly describes the idea of the thesis and motivation for the task of web extraction. Chapter ?? covers necessary web concepts for this work: webpage, DOM, XPath, Microdata semantic markup, etc. Chapter ?? refers to an overview of state of the art Web Extraction techniques, overview of complementary problems from IE and related work. In Chapter ?? we explain the structure of our system together with the description of its main components. The method which we propose for the collecting of the training dataset will be discussed in details in Chapter ??.

Last three chapters are devoted to an iterative technical process of the dataset analysis. In Chapter ?? we will do several cleaning procedures in order to make the dataset reliable. In Chapter ?? we show the visualization and precise analysis of the extracted features and its relationships. In Chapter ?? we will build and evaluate several classification models. ?? will sum up our most valuable contributions and propose ideas for further work. hi

Lorep ipsum [1]





## Bibliography

- [1] J. Doe. *Book on foobar*. Publisher X, 2300.