## Operating Systems Fall 2018 Hw No. 2

(Due on Oct. 11)

ID / NAME : 2014310407 / 이준혁(Lee JunHyuk)

1. Read the programming project in the textbook p. 94 - p. 98, Part II. Report the screen shot of the result of 'dmesg' of the two cases. (50)


```
pengsasm@pengsasm-VirtualBox: ~/OS_HW2
File Edit View Search Terminal Help
pengsasm@pengsasm-VirtualBox:~/OS_HW2$ sudo rmmod birthday
pengsasm@pengsasm-VirtualBox:~/OS_HW2$ dmesg
[ 2173.523331] birthday: loading out-of-tree module taints kernel.
  2173.523521] Loading Module
 2173.523523] year : 1995
month : 12
                 day :16
                 year : 1997
                 month : 11
                 day :17
                 year : 1999
month : 10
                 day :18
                 year : 2001
                 month: 9
                 day :19
                 year : 2003
                 month: 8
                 day :20
  2244.409133] Removing Module
pengsasm@pengsasm-VirtualBox:~/OS_HW2$
```

- After inserting the module


```
pengsasm@pengsasm-VirtualBox: ~/OS_HW2
                                                                                                                File Edit View Search Terminal Help
pengsasm@pengsasm-VirtualBox:~/OS_HW2$ sudo insmod birthday.ko
pengsasm@pengsasm-VirtualBox:~/OS_HW2$ dmesg
[ 2173.523331] birthday: loading out-of-tree module taints kernel.
  2173.523521] Loading Module
 2173.523523] year : 1995
month : 12
                 day :16
  2173.523523] year : 1997
                 month : 11
                 day :17
                 year : 1999
month : 10
                 day :18
                 year : 2001
                 month: 9
                 day :19
                 year : 2003
month : 8
                 day :20
pengsasm@pengsasm-VirtualBox:~/OS_HW2$
```

- After deleting the module

## 2. Textbook exercise 3.3 (p. 148). (15)



3. Textbook exercise 3.5 (p. 149). Answer the problem by executing the code of Figure 3.31. Use the command ps—ael to show the information of the process. (15)



16 forks are invoked

If each fork function is invoked, then it creates the child process. That means the number of the processes are doubled. Since there are 4 fork function call, the total number of the processes are 2 \* 2 \* 2 \* 2 = 16

4. Textbook exercise 3.6 (p. 149). (20)


If the execlp is called, address space of the process is replaced by the parameter in execlp; in here, "PATH/bin/ls" will be the location. And this function does not return unless the errors are occurred. So, if child process is run normally, then "Line J" is never printed. It is only printed when the error occurs in child process; more explicitly, in execlp

- 5. Textbook exercise 3.7 (p. 149). (20)
- A: It is the return value of fork for child process; it is zero
- B: It is the pid number of child process
- C: It is the return value of fork for parent process; it is the pid of child process
- D: It is the pid number of parent process
- A: 0
- B: 2603
- C: 2603
- D: 2600


6. Textbook exercise 3.12 (p. 151). (30)

```
pengsasm@pengsasm-VirtualBox: ~/OS_HW2
File Edit View Search Terminal Help
#include <stdlib.h>
#include <stdio.h>
#include <sys/types.h>
#include <unistd.h>
int main()
        pid_t pid;
        pid = fork();
        if(pid < 0)</pre>
                fprintf(stderr, "Fokr Failed");
                return 1;
        else if(pid == 0)
                exit(0);
        else
        {
                sleep(90);
        return 0;
```


- Source code



Zombie process is made



Kill the zombie process by terminating parent process



- After killing it