

Langflow API Test case Generator

API access for chat input/output for generating test cases in postman (without any custom input)

Imported cURL request

Input Postman Request

The screenshot displays a Postman API client interface. At the top, the request method is set to **POST** and the URL is `http://localhost:7860/api/v1/run/53e0ec7b-8503-4d82-b67f-ef793848bf7a`. The **Body** tab is selected, showing a raw JSON payload:

```
1 {
2   "output_type": "chat",
3   "input_type": "chat",
4   "input_value": "Generate test cases for netbanking"
5 }
```

Below the request, the response is shown with a status of **200 OK**. The response body is a JSON object:

```
8 {
9   "outputs": [
10     {
11       "results": {
12         "message": {
13           "text_key": "text",
14           "data": {
15             "timestamp": "2026-05-31 10:54:10 UTC",
16             "sender": "Machine",
17             "sender_name": "AI",
18             "session_id": "53e0ec7b-8503-4d82-b67f-ef793848bf7a",
19             "context_id": "",
20             "text": "TC_NT_001\nTitle: Successful login with valid credentials\nPreconditions: User is not logged in\nSteps:\n1. Enter valid username and password\n2. Click on login button\n3. Wait for authentication response\n4. Verify successful login\nExpected Result: User is logged in and dashboard is displayed\n\nTC_NT_002\nTitle: Invalid login with incorrect credentials\nPreconditions: User is not logged in\nSteps:\n1. Enter invalid username and password\n2. Click on login button\n3. Wait for authentication response\n4. Verify error message\nExpected Result: Error message is displayed indicating incorrect credentials\n\nTC_NT_003\nTitle: Login with expired password\nPreconditions: User has expired password\nSteps:\n1. Enter expired password\n2. Click on login button\n3. Wait for authentication response\n4. Verify error message\nExpected Result: Error message is displayed indicating incorrect credentials"

```

With Customization of Groq Inputs

Postman Input request

POST

http://localhost:7860/api/v1/run/53e0ec7b-8503-4d82-b67f-ef793848bf7a

Docs

Params

Authorization

Headers 10

Body

Scripts

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

```
1  {
2
3      "output_type": "chat",
4      "input_type": "chat",
5      "input_value": "Generate test cases for netbanking",
6      "tweaks": {
7          "GroqModel-4eTU0": {
8              "api_key": "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",
9              "max_tokens": 4000,
10             "model_name": "llama-3.1-8b-instant",
11             "temperature": 0.1
12         }
13     }
14 }
```

Langflow API Test case generator

http://localhost:7860/api/v1/run/53e0ec7b-8503-4d82-b67f-ef793848bf7a?stream=false

Save

Share

POST

http://localhost:7860/api/v1/run/53e0ec7b-8503-4d82-b67f-ef793848bf7a

Send

Docs

Params

Authorization

Headers 10

Body

Scripts

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Schema

Beautify

```
6      "GroqModel-4eTU0": {
7          "api_key": "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",
8          "max_tokens": 4000,
9          "model_name": "llama-3.1-8b-instant",
10         "temperature": 0.1
11     }
```

Body

Cookies

Headers 4

Test Results

200 OK

1.61 s

10.14 KB

Save Response

{ } JSON

Preview

Visualize

```
5      "inputs": {
6          "input_value": "Generate test cases for netbanking"
7      },
8      "outputs": [
9          {
10             "results": {
11                 "message": {
12                     "text_key": "text",
13                     "data": {
14                         "timestamp": "2026-05-31 12:17:41 UTC",
15                         "sender": "Machine",
16                         "sender_name": "AI",
17                         "session_id": "53e0ec7b-8503-4d82-b67f-ef793848bf7a",
18                         "context_id": "",
19                         "text": "TC_NT_001\nTitle: Successful login with valid credentials\nPreconditions: User is not logged in\nSteps:\n1. Enter valid username and password\n2. Click on login button\n3. System authenticates user credentials\n4. User is redirected to dashboard\nExpected Result: User is logged in successfully and dashboard is displayed\nTC_NT_002\nTitle: Invalid login with incorrect credentials\nPreconditions: User is not logged in\nSteps:\n1. Enter invalid username and password\n2. Click on login button\n3. System checks user credentials\n4. User is redirected to login page\nExpected Result: User is not logged in and an error message is displayed\nTC_NT_003\nTitle: User login after password reset\nPreconditions: User has reset their password\nSteps:\n1. User logs out\n2. User logs in with new password\nExpected Result: User is successfully logged in with the new password\nTC_NT_004\nTitle: User login with expired session\nPreconditions: User session has expired\nSteps:\n1. User attempts to log in\nExpected Result: User is redirected to login page and prompted to re-authenticate\nTC_NT_005\nTitle: Concurrent login attempts\nPreconditions: User is attempting multiple logins simultaneously\nSteps:\n1. User enters credentials and clicks login\n2. User immediately clicks login again\nExpected Result: System handles concurrent requests appropriately without crashing or locking out the user\nTC_NT_006\nTitle: Login with special characters in credentials\nPreconditions: User has special characters in username or password\nSteps:\n1. User enters credentials with special characters\n2. User clicks login\nExpected Result: System correctly handles special characters and either logs the user in or returns an appropriate error message\nTC_NT_007\nTitle: Login with empty fields\nPreconditions: User leaves username or password field empty\nSteps:\n1. User clicks login without filling in fields\nExpected Result: System displays an error message indicating that fields cannot be empty\nTC_NT_008\nTitle: Login with SQL injection attempts\nPreconditions: User attempts to inject malicious SQL code\nSteps:\n1. User enters SQL injection payload in username or password\n2. User clicks login\nExpected Result: System rejects the attempt and displays a security warning or error message\nTC_NT_009\nTitle: Login with excessively long credentials\nPreconditions: User enters a very long username or password\nSteps:\n1. User clicks login\nExpected Result: System handles long inputs gracefully without crashing and returns an appropriate error message\nTC_NT_010\nTitle: Login with non-ASCII characters\nPreconditions: User enters usernames or passwords with non-ASCII characters\nSteps:\n1. User clicks login\nExpected Result: System correctly encodes and processes non-ASCII characters\nTC_NT_011\nTitle: Login with trailing spaces\nPreconditions: User enters credentials with trailing spaces\nSteps:\n1. User clicks login\nExpected Result: System trims whitespace and either logs the user in or returns an error message\nTC_NT_012\nTitle: Login with mixed case sensitivity\nPreconditions: System is case-sensitive for credentials\nSteps:\n1. User enters credentials with mixed case\n2. User clicks login\nExpected Result: System correctly handles case sensitivity\nTC_NT_013\nTitle: Login with special characters in session ID\nPreconditions: Session ID contains special characters\nSteps:\n1. User attempts to log in with a specific session ID\nExpected Result: System correctly handles special characters in the session ID\nTC_NT_014\nTitle: Login with a very long session ID\nPreconditions: Session ID is excessively long\nSteps:\n1. User attempts to log in\nExpected Result: System handles long session IDs without crashing\nTC_NT_015\nTitle: Login with a session ID from a different user\nPreconditions: Session ID belongs to another user\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not for the current user\nTC_NT_016\nTitle: Login with a session ID from a different device\nPreconditions: Session ID was created on another device\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not for the current device\nTC_NT_017\nTitle: Login with a session ID from a different browser\nPreconditions: Session ID was created in another browser\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not for the current browser\nTC_NT_018\nTitle: Login with a session ID from a different IP address\nPreconditions: Session ID was created from a different IP\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current IP\nTC_NT_019\nTitle: Login with a session ID from a different user agent\nPreconditions: Session ID was created with a different user agent\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current user agent\nTC_NT_020\nTitle: Login with a session ID from a different referrer\nPreconditions: Session ID was created from a different referrer\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current referrer\nTC_NT_021\nTitle: Login with a session ID from a different referer\nPreconditions: Session ID was created from a different referer\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current referer\nTC_NT_022\nTitle: Login with a session ID from a different host\nPreconditions: Session ID was created from a different host\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current host\nTC_NT_023\nTitle: Login with a session ID from a different port\nPreconditions: Session ID was created from a different port\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current port\nTC_NT_024\nTitle: Login with a session ID from a different protocol\nPreconditions: Session ID was created from a different protocol\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current protocol\nTC_NT_025\nTitle: Login with a session ID from a different domain\nPreconditions: Session ID was created from a different domain\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current domain\nTC_NT_026\nTitle: Login with a session ID from a different subdomain\nPreconditions: Session ID was created from a different subdomain\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current subdomain\nTC_NT_027\nTitle: Login with a session ID from a different path\nPreconditions: Session ID was created from a different path\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current path\nTC_NT_028\nTitle: Login with a session ID from a different query string\nPreconditions: Session ID was created from a different query string\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current query string\nTC_NT_029\nTitle: Login with a session ID from a different fragment\nPreconditions: Session ID was created from a different fragment\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current fragment\nTC_NT_030\nTitle: Login with a session ID from a different user agent string\nPreconditions: Session ID was created from a different user agent string\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current user agent string\nTC_NT_031\nTitle: Login with a session ID from a different referrer policy\nPreconditions: Session ID was created from a different referrer policy\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current referrer policy\nTC_NT_032\nTitle: Login with a session ID from a different referer policy\nPreconditions: Session ID was created from a different referer policy\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current referer policy\nTC_NT_033\nTitle: Login with a session ID from a different host name\nPreconditions: Session ID was created from a different host name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current host name\nTC_NT_034\nTitle: Login with a session ID from a different port number\nPreconditions: Session ID was created from a different port number\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current port number\nTC_NT_035\nTitle: Login with a session ID from a different protocol scheme\nPreconditions: Session ID was created from a different protocol scheme\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current protocol scheme\nTC_NT_036\nTitle: Login with a session ID from a different domain name\nPreconditions: Session ID was created from a different domain name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current domain name\nTC_NT_037\nTitle: Login with a session ID from a different subdomain name\nPreconditions: Session ID was created from a different subdomain name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current subdomain name\nTC_NT_038\nTitle: Login with a session ID from a different path name\nPreconditions: Session ID was created from a different path name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current path name\nTC_NT_039\nTitle: Login with a session ID from a different query string name\nPreconditions: Session ID was created from a different query string name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current query string name\nTC_NT_040\nTitle: Login with a session ID from a different fragment name\nPreconditions: Session ID was created from a different fragment name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current fragment name\nTC_NT_041\nTitle: Login with a session ID from a different user agent string name\nPreconditions: Session ID was created from a different user agent string name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current user agent string name\nTC_NT_042\nTitle: Login with a session ID from a different referrer policy name\nPreconditions: Session ID was created from a different referrer policy name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current referrer policy name\nTC_NT_043\nTitle: Login with a session ID from a different referer policy name\nPreconditions: Session ID was created from a different referer policy name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current referer policy name\nTC_NT_044\nTitle: Login with a session ID from a different host name\nPreconditions: Session ID was created from a different host name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current host name\nTC_NT_045\nTitle: Login with a session ID from a different port number\nPreconditions: Session ID was created from a different port number\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current port number\nTC_NT_046\nTitle: Login with a session ID from a different protocol scheme\nPreconditions: Session ID was created from a different protocol scheme\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current protocol scheme\nTC_NT_047\nTitle: Login with a session ID from a different domain name\nPreconditions: Session ID was created from a different domain name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current domain name\nTC_NT_048\nTitle: Login with a session ID from a different subdomain name\nPreconditions: Session ID was created from a different subdomain name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current subdomain name\nTC_NT_049\nTitle: Login with a session ID from a different path name\nPreconditions: Session ID was created from a different path name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current path name\nTC_NT_050\nTitle: Login with a session ID from a different query string name\nPreconditions: Session ID was created from a different query string name\nSteps:\n1. User attempts to log in\nExpected Result: System rejects the attempt as it's not from the current query string name\nTC_NT_051\nTitle: Login with a session ID from a different fragment name\nPreconditions: Session ID was created from a different fragment name\nSteps:\n1. User attempts to log in\nExpected Result:
```

Jira User story with custom input

POST

http://localhost:7860/api/v1/run/a48fc4aa-b48b-4b07-b716-5ac9e8768e97

Send

DocsParamsAuthorizationHeaders 10BodyScriptsTestsSettings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Schema

Beautify

15

}

BodyCookiesHeaders 4Test Results

200 OK • 3.99 s • 17.77 KB

Save Response

{ } JSON

PreviewVisualize

8"outputs": [
9 {
10 "results": {
11 "text": {
12 "text_key": "text",
13 "data": {
14 "text": "**User Story Review Summary*\n\n**Parameter** | **Description** | **Score (out of 20)
\n-----|-----|-----\n\nClarity** | The story is clear
but lacks detailed acceptance criteria. | 16\n\n**Completeness** | Preconditions not clearly
mentioned. | 14\n\n**Business Value Alignment** | Strong healthcare relevance and compliance
focus. | 19\n\n**Testability** | Can be tested through Jira API query automation. |
17\n\n**Technical Feasibility** | Technically feasible with Jira API integration. |
18\n\n**Overall Score:** 84 / 100\n\n**Improvement Areas:***\n\n1. **Add explicit acceptance
criteria for API query results:** Define clear conditions for successful query execution,
such as expected status codes, response formats, and error handling.\n2. **Specify
validation rules for API response data:** Outline rules for validating the structure and
content of the API response, including data types, formats, and constraints.\n3. **Include
system actor details for API query workflow:** Define the roles and responsibilities of
system actors involved in the API query workflow, including authentication, authorization,
and data exchange.\n4. **Enhance clarity on API query parameters:** Provide detailed
explanations of the API query parameters, including their purpose, data types, and
acceptable values.\n5. **Improve completeness of API query documentation:** Ensure that all
relevant information about the API query is documented, including preconditions,