

DAY-2

S01: DOM to Selenium Code

The screenshot shows a REST client interface with the following details:

- URL:** `https://api.groq.com/openai/v1/chat/completions`
- Method:** `POST`
- Body Type:** `raw` (selected)
- Request Body:**

```
the selenium java code. Instructions: Do not use ID if the value h
code and no explanations needed"

6      }
7    ],
8    "model": "openai/gpt-oss-120b",
9    "temperature": 0.1,
10   "include_reasoning": true
11 }
```
- Status:** `200 OK`
- Response Body (JSON):**

```
{
  "queue_time": 0.054301256,
  "prompt_tokens": 227,
  "prompt_time": 0.009741798,
  "completion_tokens": 768,
  "completion_time": 1.624754011,
  "total_tokens": 995,
  "total_time": 1.6344958090000001,
  "completion_tokens_details": {
    "reasoning_tokens": 391
  },
  "usage_breakdown": null,
  "system_fingerprint": "fp_45f51928b5",
  "x_groq": {
    "id": "req_01ks211811fsgbdc3rts4fg2x8",
    "seed": 1729257477
  }
}
```

```
import org.openqa.selenium.By;

import org.openqa.selenium.WebDriver;

import org.openqa.selenium.WebElement;

import org.openqa.selenium.chrome.ChromeDriver;
```

```
public class LeadFormExtraction {  
    public static void main(String[] args) {  
        // Set path to chromedriver if necessary  
        // System.setProperty("webdriver.chrome.driver", "/path/to/chromedriver");  
  
        WebDriver driver = new ChromeDriver();  
        driver.get("https://your-application-url.com"); // replace with actual URL  
  
        // Locate input fields using their IDs (no numbers in the ID values)  
        WebElement companyNameInput =  
driver.findElement(By.id("createLeadForm_companyName"));  
  
        WebElement lastNameInput =  
driver.findElement(By.id("createLeadForm_lastName"));  
  
        WebElement firstNameInput =  
driver.findElement(By.id("createLeadForm_firstName"));  
  
        // Locate the submit button without using its numeric ID  
        WebElement submitButton = driver.findElement(  
            By.cssSelector("input.smallSubmit[type='submit'][value='Create Lead']"));  
  
        // Retrieve and print the current value of each field  
        System.out.println("Company Name field value: " +  
companyNameInput.getAttribute("value"));  
  
        System.out.println("Last Name field value: " + lastNameInput.getAttribute("value"));  
        System.out.println("First Name field value: " + firstNameInput.getAttribute("value"));  
        System.out.println("Submit button text: " + submitButton.getAttribute("value"));
```

```

// (Optional) Interact with the fields

// companyNameInput.sendKeys("Acme Corp");

// lastNameInput.sendKeys("Doe");

// firstNameInput.sendKeys("John");

// submitButton.click();

driver.quit();

}

}

```

S02: Text from image url

The screenshot shows a REST client interface with a POST request to `https://api.groq.com/openai/v1/chat/completions`. The request body is raw JSON, containing an image URL from Amazon Media. The response is a 200 OK status with a JSON body containing a single choice with an assistant role and an Arabic message.

Request:

```

{
  "type": "image_url",
  "image_url": {
    "url": "https://m.media-amazon.com/images/I/71S5VX9v70L._SX3000_.jpg"
  }
}

```

Response:

```

{
  "choices": [
    {
      "index": 0,
      "message": {
        "role": "assistant",
        "content": "وصلت الآن عروض رأس السنة \n اجعل 2026 عامك"
      },
      "logprobs": null,
      "finish_reason": "stop"
    }
  ],
  "usage": {
    "queue_time": 0.288284145,
    "prompt_tokens": 1627,
    "prompt_time": 0.07668736,
    "completion_tokens": 20,
    "completion_time": 0.045041056,
    "total_tokens": 1647
  }
}

```

Image



"وصلت الآن\عروض رأس السنة\اجعل 2026 عامك" translate it to english

Here's the English translation:

"Make 2026 your year

New Year offers

Arrived now"

👍 👎 📄 📱 🔊 🔄 ✎ Edit in a page

S03: Weather Web search

Initial attempt as it is in the request

POST ▼ Send

Docs Params Authorization Headers 10 Body Scripts Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON ▼ Schema Br

```
1 {
2   "model": "openai/gpt-oss-20b",
3   "messages": [
4     {
5       "role": "user",
6       "content": "weather in chennai for jan 11 2026.Instructions:Only the temperatue for the date asked no
                    probability or text and source from web with link no extriat text or markdown Give accurately with Web sear
                    no Halluciantion "
7     }
8   ]
}
```

Body Cookies 1 Headers 20 Test Results 🔄 400 Bad Request • 584 ms • 938 B • 🔍 📄 Save Respo

{} JSON ▼ ▶ Preview 🔍 Debug with AI ▼ 🔄 ≡ 🔍 |

```
1 {
2   "error": {
3     "message": "Tool choice is none, but model called a tool",
4     "type": "invalid_request_error",
5     "code": "tool_use_failed",
6     "failed_generation": "{\"name\": \"web.run\", \"arguments\": {\"query\": \"Chennai Jan 11 2026 weather
                        forecast\", \"topn\": 10, \"source\": \"news\"}}\"
7   }
8 }
```

Modified the content with instructions

GenAI-May-Home Work > S03-WebSearch-HW

POST

https://api.groq.com/openai/v1/chat/completions

Send

Docs

Params

Authorization

Headers 10

Body

Scripts

Tests

Settings

Cooki

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Schema

Beautify

```
1 {
2   "model": "openai/gpt-oss-20b",
3   "messages": [
4     {
5       "role": "user",
6       "content": "Chennai weather January 11 2026.Instructions:Only the temperatue for the date asked no probability
or text and source from web with link no extrat text or markdown Give accurately with Web search no
Halluciantion "
7     }
8   ]
9 }
```

Body

Cookies 1

Headers 20

Test Results

200 OK

460 ms

1.36 KB

Save Response

{}

JSON

Preview

Visualize

```
9   "message": {
10     "role": "assistant",
11     "content": "I'm sorry, but I can't provide that.",
12     "reasoning": "The user wants the temperature for Chennai on January 11, 2026. They want only the
temperature, no probability or text, and a source from web with link, no extra text or markdown.
This is a future date (2026). As of now, we cannot provide actual future weather, because it's not
known. We must not hallucinate. According to policy, we cannot provide uncertain data. The user
specifically requests only the temperature and a source link. But no source can provide that. We
must refuse or explain we cannot provide it. The user wants \"no probability or text\" - but we
need to provide a refusal. We must refuse. The best approach: According to policy, we should
refuse to provide inaccurate future weather. So we refuse."
13   },
14   "logprobs": null,
15   "finish_reason": "stop"
16 }
```

S04: Multilingual

Tamil

GenAI-May-Home Work > S04- MultiLingual-HW

Save

Share

POST

https://api.groq.com/openai/v1/chat/completions

Send

DocsParamsAuthorizationHeaders 10BodyScriptsTestsSettings

Cookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

Schema

Beautify

1

{

2

"model": "llama-3.3-70b-versatile",

3

"messages": [

4

{"role": "system", "content": "You are an API Specialist. Always respond in the same language as the user."},

5

{"role": "user", "content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று சொல்லுங்கள்."}

6

]

BodyCookies 1Headers 20Test Results

200 OK4.79 s1.99 KB

Save Response

{}

JSON

Preview

Visualize

8

"index": 0,

9

"message": {

10

"role": "assistant",

11

"content": "வணக்கம்! நன்றி உங்களுக்கு மிகவும் நன்றி!\n\nAPI என்பது பல நிரல்களுக்கு இடையே தகவல்களை பரிமாற்ற பயன்படும் ஒரு தொழில்நுட்பம். இப்போது, இந்த API-ஐ பயன்படுத்துவதற்கான படிகளைப் பார்ப்போம்:\n\n1. **பதிவு செய்தல்**: முதலில், உங்களுக்கு API பயன்பாட்டுக்கான ஒரு கணக்கை உருவாக்க வேண்டும். இது பொதுவாக இணையதளத்தில் ஒரு படிவத்தை நிரப்புவதன் மூலம் செய்யப்படுகிறது.\n\n2. குறியீடு பெறுதல்: பதிவு செய்த பிறகு, உங்களுக்கு ஒரு ஒத்துழைப்புக் குறியீடு (API key) வழங்கப்படும். இந்தக் குறியீடு உங்கள் நிரலுடன் API-ஐ ஒத்துழைக்க பயன்படும்.\n\n3. **ஆவணங்களைப் படித்தல்**: API-ஐப் பயன்படுத்துவதற்கு முன், அதன் ஆவணங்களைப் படிக்க வேண்டும். இது உங்களுக்கு எவ்வாறு அணுகவேண்டும், என்ன தரவுகளை அனுப்ப வேண்டும், மற்றும் எதிர்பார்க்கக்கூடிய பதில்கள் பற்றி தகவல்களை வழங்கும்.\n\n4. **API அழைப்புகள் செய்தல்**: பின்னர், நீங்கள் தங்கள் நிரலிலிருந்து API-ஐ அழைக்கலாம். இது பொதுவாக ஒரு HTTP கோரிக்கை (request) அனுப்புவதன் மூலம் செய்யப்படுகிறது, அது தேவையான தரவுகள் மற்றும் உங்கள் API குறியீடு அடங்கும்.\n\n5. **பதிலைப் பகுப்பாய்வு செய்தல்**: ஒருமுறை நீங்கள் API-ஐ அழைத்தவுடன், நீங்கள் ஒரு பதிலைப் பெறுவீர்கள். இந்தப் பதில் பெரும்பாலும் JSON அல்லது XML வடிவில் இருக்கும். நீங்கள் இந்தப் பதிலைப் பகுப்பாய்வு செய்து, தேவையான தரவுகளை உங்க நிரலில் பயன்படுத்தலாம்.\n\nஇந்த படிகளைப் பின்பற்றுவதன் மூலம், நீங்கள் இந்த API-ஐ வெற்றிகரமாகப் பயன்படுத்தும் முயற்சிகளை மேற்கொள்ளலாம். உங்களுக்கு மேலும் உதவி தேவைப்பட்டால், தயங்காதீர்கள், உங்களுக்கு உதவ வேண்டும்!"

French

GenAI-May-Home Work > S04- MultiLingual-HW

SaveShare

POSThttps://api.groq.com/openai/v1/chat/completionsSend

DocsParamsAuthorizationHeaders 10BodyScriptsTestsSettingsCookies

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

SchemaBeautify

```
1 {
2   "model": "llama-3.3-70b-versatile",
3   "messages": [
4     {"role": "system", "content": "You are an API Specialist. Always respond in the same language as the user."},
5     {"role": "user", "content": "Merci beaucoup ! Expliquez-moi comment utiliser cette API."}
6   ]
7 }
```

BodyCookies 1Headers 20Test Results200 OK • 1.74 s • 1.7 KBSave Response

JSONPreviewVisualize

```
8   "index": 0,
9   "message": {
10     "role": "assistant",
11     "content": "De rien ! Je serais ravi de vous aider à utiliser cette API.\n\nTout d'abord, il est
important de comprendre les bases de l'API. Une API (Application Programming Interface) est un
ensemble de règles et de protocoles qui permettent à des applications différentes de communiquer
entre elles.\n\nPour utiliser cette API, vous devrez suivre les étapes suivantes :\n\n1.
**Inscrire votre application** : vous devrez créer un compte et enregistrer votre application pour
obtenir une clé API. Cette clé est unique et vous permettra d'accéder à l'API.\n2. **Comprendre
les endpoints** : les endpoints sont les points de terminaison de l'API qui vous permettent
d'effectuer des actions spécifiques, comme créer, lire, mettre à jour ou supprimer des données.
Vous devrez étudier la documentation de l'API pour comprendre les endpoints disponibles et comment
les utiliser.\n3. **Authentifier vos requêtes** : pour accéder à l'API, vous devrez authentifier
vos requêtes en utilisant la clé API que vous avez obtenue lors de l'inscription de votre
application.\n4. **Envoyer des requêtes** : une fois que vous avez compris les endpoints et que
vous avez authentifié vos requêtes, vous pouvez commencer à envoyer des requêtes à l'API pour
effectuer des actions spécifiques.\n\nQuel type d'actions souhaitez-vous effectuer avec cette
API ? Êtes-vous intéressé par la lecture de données, la création de nouvelles données ou autre
chose ? Je serai heureux de vous fournir plus de détails et de vous aider à démarrer."
```