

```
>> LS_Regression
```

```
RMSE for Multi Variate Regression: 3.308447, Goodness of fit for Multi Variate
Regression: 80.615025%, RMSE for Least Squares Regression: 3.308447, Goodness of fit for
Least Squares Regression: 80.615025%, Goodness of fit for Bayesian Least Squares
Regression: 81.204603%, RMSE for Bayesian Least Squares Regression: 3.071978,
A =
```

```
2.3673e-13
```

```
B =
```

```
1.4979
```

Distribution	Mean	Std	CI95	Positive	
Intercept	0	70.7107	[-141.273, 141.273]	0.500	t (0.00, 57.74^2, 6)
s-EMG11	0	2.2361e+05	[-446742.939, 446742.939]	0.500	t (0.00, 182574.19^2, 6)
s-EMG12	0	2.2361e+05	[-446742.939, 446742.939]	0.500	t (0.00, 182574.19^2, 6)
Sigma2	0.5000	0.5000	[0.138, 1.616]	1.000	IG(3.00, 1)

```
Method: Analytic posterior distributions
```

```
Number of observations: 1350
```

```
Number of predictors: 3
```

```
Log marginal likelihood: -3672.52
```

Distribution	Mean	Std	CI95	Positive	
Intercept	-9.1086	0.7589	[-10.596, -7.621]	0.000	t (-9.11, 0.76^2, 1.4e+03)
s-EMG11	3.6583e+06	2.8193e+05	[3105623.665, 4210953.075]	1.000	t (3658288.37, 281725.28^2, 1.4e+03)
s-EMG12	3.1276e+05	18198.1923	[277083.313, 348429.972]	1.000	t (312756.64, 18184.77^2, 1.4e+03)
Sigma2	12.9641	0.4986	[12.023, 13.977]	1.000	IG(678.00, 0.00011)

Distribution	Mean	Std	CI95	Positive	
--------------	------	-----	------	----------	--

```

Intercept | -9.1086          0.7589          [-10.596, -7.621]          0.000    t (-9.11, ✓
0.76^2, 1.4e+03)
s-EMG11   |  3.6583e+06          2.8193e+05  [3105623.665, 4210953.075]          1.000    t ✓
(3658288.37, 281725.28^2, 1.4e+03)
s-EMG12   |  3.1276e+05  18198.1923          [277083.313, 348429.972]          1.000    t ✓
(312756.64, 18184.77^2, 1.4e+03)
Sigma2    |  12.9641          0.4986          [12.023, 13.977]          1.000    IG ✓
(678.00, 0.00011)

```

```
>> LS_Regression
```

```

RMSE for Multi Variate Regression: 1.619250, Goodness of fit for Multi Variate ✓
Regression: 93.902129%, RMSE for Least Squares Regression: 1.619250, Goodness of fit for ✓
Least Squares Regression: 93.902129%, Goodness of fit for Bayesian Least Squares ✓
Regression: 95.141332%, RMSE for Bayesian Least Squares Regression: 1.731407,
A =

```

```
3.6446e-11
```

```
B =
```

```
1.4979
```

```

| Mean      Std          CI95          Positive ✓
Distribution
-----
Intercept |  0      70.7107      [-141.273, 141.273]      0.500    t (0.00, 57.74^2, ✓
6)
s-EMG1    |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG2    |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG3    |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG4    |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG5    |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG6    |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG7    |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG8    |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG9    |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG10   |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓
^2, 6)
s-EMG11   |  0      2.2361e+05  [-446742.939, 446742.939]      0.500    t (0.00, 182574.19 ✓

```

```

^2, 6)
s-EMG12 | 0          2.2361e+05 [-446742.939, 446742.939]    0.500    t (0.00, 182574.19✓
^2, 6)
Sigma2   | 0.5000    0.5000          [ 0.138,  1.616]          1.000    IG(3.00,  1)

```

Method: Analytic posterior distributions
Number of observations: 1350
Number of predictors: 13
Log marginal likelihood: -2293.69

Distribution	Mean	Std	CI95	Positive	
Intercept	-1.0256	0.3957	[-1.801, -0.250]	0.005	t✓
(-1.03, 0.40^2, 1.4e+03)					
s-EMG1	14787.8233	7076.0703	[916.831, 28658.816]	0.982	t✓
(14787.82, 7070.85^2, 1.4e+03)					
s-EMG2	-61227.9603	7621.2738	[-76167.698, -46288.223]	0.000	t✓
(-61227.96, 7615.65^2, 1.4e+03)					
s-EMG3	82738.8104	3884.0057	[75125.119, 90352.502]	1.000	t✓
(82738.81, 3881.14^2, 1.4e+03)					
s-EMG4	33149.2384	2047.9803	[29134.649, 37163.828]	1.000	t✓
(33149.24, 2046.47^2, 1.4e+03)					
s-EMG5	64112.0140	4540.1417	[55212.121, 73011.907]	1.000	t✓
(64112.01, 4536.79^2, 1.4e+03)					
s-EMG6	-5.1987e+05	34810.2542	[-588110.302, -451635.464]	0.000	t✓
(-519872.88, 34784.57^2, 1.4e+03)					
s-EMG7	2.7963e+05	26458.2333	[227762.858, 331493.301]	1.000	t✓
(279628.08, 26438.71^2, 1.4e+03)					
s-EMG8	42047.7003	6105.3774	[30079.526, 54015.875]	1.000	t✓
(42047.70, 6100.87^2, 1.4e+03)					
s-EMG9	42559.9712	4642.5030	[33459.422, 51660.520]	1.000	t✓
(42559.97, 4639.08^2, 1.4e+03)					
s-EMG10	-1.0353e+05	11151.4950	[-125392.653, -81672.821]	0.000	t✓
(-103532.74, 11143.27^2, 1.4e+03)					
s-EMG11	2.0680e+05	1.3074e+05	[-49484.671, 463089.570]	0.943	t✓
(206802.45, 130644.42^2, 1.4e+03)					
s-EMG12	47987.1014	10124.8282	[28139.727, 67834.476]	1.000	t✓
(47987.10, 10117.36^2, 1.4e+03)					
Sigma2	1.5922	0.0612	[1.477, 1.717]	1.000	IG✓
(678.00, 0.00093)					

Distribution	Mean	Std	CI95	Positive	
Intercept	-1.0256	0.3957	[-1.801, -0.250]	0.005	t✓
(-1.03, 0.40^2, 1.4e+03)					

s-EMG1		14787.8233	7076.0703	[916.831, 28658.816]	0.982	t✓
(14787.82, 7070.85^2, 1.4e+03)						
s-EMG2		-61227.9603	7621.2738	[-76167.698, -46288.223]	0.000	t✓
(-61227.96, 7615.65^2, 1.4e+03)						
s-EMG3		82738.8104	3884.0057	[75125.119, 90352.502]	1.000	t✓
(82738.81, 3881.14^2, 1.4e+03)						
s-EMG4		33149.2384	2047.9803	[29134.649, 37163.828]	1.000	t✓
(33149.24, 2046.47^2, 1.4e+03)						
s-EMG5		64112.0140	4540.1417	[55212.121, 73011.907]	1.000	t✓
(64112.01, 4536.79^2, 1.4e+03)						
s-EMG6		-5.1987e+05	34810.2542	[-588110.302, -451635.464]	0.000	t✓
(-519872.88, 34784.57^2, 1.4e+03)						
s-EMG7		2.7963e+05	26458.2333	[227762.858, 331493.301]	1.000	t✓
(279628.08, 26438.71^2, 1.4e+03)						
s-EMG8		42047.7003	6105.3774	[30079.526, 54015.875]	1.000	t✓
(42047.70, 6100.87^2, 1.4e+03)						
s-EMG9		42559.9712	4642.5030	[33459.422, 51660.520]	1.000	t✓
(42559.97, 4639.08^2, 1.4e+03)						
s-EMG10		-1.0353e+05	11151.4950	[-125392.653, -81672.821]	0.000	t✓
(-103532.74, 11143.27^2, 1.4e+03)						
s-EMG11		2.0680e+05	1.3074e+05	[-49484.671, 463089.570]	0.943	t✓
(206802.45, 130644.42^2, 1.4e+03)						
s-EMG12		47987.1014	10124.8282	[28139.727, 67834.476]	1.000	t✓
(47987.10, 10117.36^2, 1.4e+03)						
Sigma2		1.5922	0.0612	[1.477, 1.717]	1.000	IG✓
(678.00, 0.00093)						

>>