Cucumber Report

Start : Mar 20, 12:42:08.418 PM

End : Mar 20, 12:54:26.208 PM

Duration : 12 m 17.790 s

Features	Scenarios	Steps
PASSED - 1	PASSED - 13	PASSED - 59
FAILED - 1	FAILED - 68	FAILED - 68
SKIPPED - 0	SKIPPED - 0	SKIPPED - 117

2

81

244

Pass %

50 %

16 %

24 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Graph	32.550 s	13	13	0	0	39	39	0	0
Tree Data Structure	11 m 45.213 s	68	0	68	0	205	20	68	117

#	Feature Name	Scenario Name
1	*Tree Data Structure*	*Verify that user is able to navigate to Tree data structure page*
2		*Verify that user is able to navigate to Tree Data Structures page*
3		*Verify that user is able to navigate to Overview of Trees page*
4		*Verify that user is able to navigate to try Editor page for Overview of Trees page*
5		*Verify that user receives error when click on Run button without entering code in Overview of Trees TryEditor page*
6		*Verify that user receives error for invalid python code in Overview of Trees TryEditor page*
7		*Verify that user is able to see output for valid python code in Overview of Trees TryEditor page*
8		*Verify that user is able to navigate to Practice Questions inthe Trees Data Structure page*
9		*Verify that user is able to navigate to Terminologies page*

#	Feature Name	Scenario Name
10	*Tree Data Structure*	*Verify that user is able to navigate to try Editor page for Terminologies page*
11		*Verify that user receives error when click on Run button without entering code in Terminologies TryEditor page*
12		*Verify that user receives error for invalid python code in Terminologies TryEditor page*
13		*Verify that user is able to see output for valid python code in Terminologies TryEditor page*
14		*Verify that user is able to navigate to Types of Trees page*
15		*Verify that user is able to navigate to try Editor page for Types of Trees page*
16		*Verify that user receives error when click on Run button without entering code in Types of Trees TryEditor page*
17		*Verify that user receives error for invalid python code in Types of Tree TryEditor page*

#	Feature Name	Scenario Name
18	Tree Data Structure	Verify that user is able to see output for valid python code in Types of Trees TryEditor page
19		Verify that user is able to navigate to Tree Traversal page
20		Verify that user is able to navigate to try Editor page for Tree Traversal page
21		Verify that user receives error when click on Run button without entering code in Tree Travesal TryEditor page
22		Verify that user receives error for invalid python code in Tree Traversal TryEditor page
23		Verify that user is able to see output for valid python code in Tree Traversal TryEditor page
24		Verify that user is able to navigate to Traversals-Illustration page
25		Verify that user is able to navigate to TryEditor page for Traversals-Illustration page

#	Feature Name	Scenario Name
26	Tree Data Structure	Verify that user receives error when click on Run button without entering code in Traversals-Illustration TryEditor page
27		Verify that user receives error for invalid python code in Traversals-Illustration TryEditor page
28		Verify that user is able to see output for valid python code in Traversals-Illustration TryEditor page
29		Verify that user is able to navigate to Binary trees page
30		Verify that user is able to navigate to try Editor page for Binary trees page
31		Verify that user receives error when click on Run button without entering code in Binary trees TryEditor page
32		Verify that user receives error for invalid python code in Binary trees TryEditor page
33		Verify that user is able to see output for valid python code in Binary trees TryEditor page
34		Verify that user is able to navigate to Types of Binary trees page

| #	Feature Name	Scenario Name
35	*Tree Data Structure*	*Verify that user is able to navigate to try Editor page for Types of Binary Trees page*
36		*Verify that user receives error when click on Run button without entering code in Types of Binary Trees TryEditor page*
37		*Verify that user receives error for invalid python code in Types of Binary Trees TryEditor page*
38		*Verify that user is able to see output for valid python code in Types of Binary Trees TryEditor page*
39		*Verify that user is able to navigate to Implementation in Python page*
40		*Verify that user is able to navigate to try Editor page for Implementation in Python page*
41		*Verify that user receives error when click on Run button without entering code in Implementation in Python TryEditor page*
42		*Verify that user receives error for invalid python code in Implementation in Python TryEditor page*

#	Feature Name	Scenario Name
43	*Tree Data Structure*	*Verify that user is able to see output for valid python code in Implementation in Python TryEditor page*
44		*Verify that user is able to navigate to Binary Tree Traversals page*
45		*Verify that user is able to navigate to Try Editor page for Binary Tree Traversals page*
46		*Verify that user receives error when click on Run button without entering code in Binary Tree Traversals TryEditor page*
47		*Verify that user receives error for invalid python code in Binary Tree Traversals TryEditor page*
48		*Verify that user is able to see output for valid python code in Binary Tree Traversals TryEditor page*
49		*Verify that user is able to navigate to Implementation of Binary Trees page*
50		*Verify that user is able to navigate to try Editor page for Implementation of Binary Trees page*

| #	Feature Name	Scenario Name
51	Tree Data Structure	Verify that user receives error when click on Run button without entering code in Implementation of Binary Trees TryEditor page
52		Verify that user receives error for invalid python code in Implementation of Binary Trees TryEditor page
53		Verify that user is able to see output for valid python code in Implementation of Binary Trees TryEditor page
54		Verify that user is able to navigate to Applications of Binary trees page
55		Verify that user is able to navigate to try Editor page for Applications of Binary trees page
56		Verify that user receives error when click on Run button without entering code in Applications of Binary trees TryEditor page
57		Verify that user receives error for invalid python code in Applications of Binary trees TryEditor page
58		Verify that user is able to see output for valid python code in Applications of Binary trees TryEditor page

#	Feature Name	Scenario Name
59	Tree Data Structure	Verify that user is able to navigate to Binary Search Trees page
60		Verify that user is able to navigate to try Editor page for Binary Search Trees page
61		Verify that user receives error when click on Run button without entering code in Binary Search Trees TryEditor page
62		Verify that user receives error for invalid python code in Binary Search Trees TryEditor page
63		Verify that user is able to see output for valid python code in Binary Search Trees TryEditor page
64		Verify that user is able to navigate to Implementation Of BST page
65		Verify that user is able to navigate to try Editor page for Implementation Of BST page
66		Verify that user receives error when click on Run button without entering code in Implementation Of BST TryEditor page

| #	Feature Name	Scenario Name
67	*Tree Data Structure*	*Verify that user receives error for invalid python code in Implementation Of BST TryEditor page*
68		*Verify that user is able to see output for valid python code in Implementation Of BST TryEditor page*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Graph	13	13	0	0	1	1	0	0
@Tree	68	0	68	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Graph	13	13	0	0	32.550 s
2	Tree Data Structure	68	0	68	0	11 m 45.213 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Graph	Verify that user is able to navigate to Graph data structure page	3	3	0	0	6.050 s
2		Verify that user is able to navigate to Graph Data Structures page	3	3	0	0	0.674 s
3		Verify that user is able to navigate to Graph page of Graph-Data structures page	3	3	0	0	1.329 s
4		Verify that user is able to navigate to Try Editor page of Graph	3	3	0	0	3.243 s
5		Verify that user receives an error when clicking on Run button without entering code in Graph Try Editor page	3	3	0	0	1.405 s
6		Verify that user receives an error for invalid Python code in Graph Try Editor page	3	3	0	0	4.338 s
7		Verify that user is able to see output for valid Python code in Graph Try Editor page	3	3	0	0	3.804 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Graph	Verify that user is able to navigate to Practice Questions in the Graph Data Structure page	3	3	0	0	1.260 s
9		Verify that user is able to navigate to Graph Representations page	3	3	0	0	1.102 s
10		Verify that user is able to navigate to Try Editor page for the Graph Representations page	3	3	0	0	0.381 s
11		Verify that user receives an error when clicking on Run button without entering code in Try Editor page of Graph *	3	3	0	0	1.179 s
12		Verify that user receives an error for invalid Python code in Try Editor page of Graph Representations	3	3	0	0	4.267 s
13		Verify that user is able to see output for valid Python code in Try Editor page of Graph Representations	3	3	0	0	3.303 s
14	Tree Data Structure	Verify that user is able to navigate to Tree data structure page	4	0	1	3	11.228 s

*The feature name and/or scenario name has been cropped to fit in the available space.*

#	Feature Name	Scenario Name	T	P	F	S	Duration
15	Tree Data Structure	Verify that user is able to navigate to Tree Data Structures page	3	2	1	0	0.589 s
16		Verify that user is able to navigate to Overview of Trees page	3	1	1	1	10.070 s
17		Verify that user is able to navigate to try Editor page for Overview of Trees page	3	1	1	1	10.034 s
18		Verify that user receives error when click on Run button without entering code in Overview of Trees TryEditor page	3	0	1	2	10.505 s
19		Verify that user receives error for invalid python code in Overview of Trees TryEditor page	3	0	1	2	10.512 s
20		Verify that user is able to see output for valid python code in Overview of Trees TryEditor page	3	0	1	2	10.495 s
21		Verify that user is able to navigate to Practice Questions inthe Trees Data Structure page	3	0	1	2	10.491 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
22		*Verify that user is able to navigate to Terminologies page*	3	1	1	1	10.206 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
23	Tree Data Structure	Verify that user is able to navigate to try Editor page for Terminologies page	3	1	1	1	10.017 s
24		Verify that user receives error when click on Run button without entering code in Terminologies TryEditor page	3	0	1	2	10.465 s
25		Verify that user receives error for invalid python code in Terminologies TryEditor page	3	0	1	2	10.506 s
26		Verify that user is able to see output for valid python code in Terminologies TryEditor page	3	0	1	2	10.503 s
27		Verify that user is able to navigate to Types of Trees page	3	1	1	1	10.151 s
28		Verify that user is able to navigate to try Editor page for Types of Trees page	3	1	1	1	10.054 s
29		Verify that user receives error when click on Run button without entering code in Types of Trees TryEditor page	3	0	1	2	10.512 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30		*Verify that user receives error for invalid python code in Types of Tree TryEditor page*	3	0	1	2	10.582 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
31	Tree Data Structure	Verify that user is able to see output for valid python code in Types of Trees TryEditor page	3	0	1	2	10.481 s
32		Verify that user is able to navigate to Tree Traversal page	3	1	1	1	10.683 s
33		Verify that user is able to navigate to try Editor page for Tree Traversal page	3	0	1	2	10.589 s
34		Verify that user receives error when click on Run button without entering code in Tree Travesal TryEditor page	3	0	1	2	10.581 s
35		Verify that user receives error for invalid python code in Tree Traversal TryEditor page	3	0	1	2	10.675 s
36		Verify that user is able to see output for valid python code in Tree Traversal TryEditor page	3	0	1	2	10.512 s
37		Verify that user is able to navigate to Traversals-Illustration page	3	1	1	1	10.488 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
38		Verify that user is able to navigate to TryEditor page for Traversals-Illustration page	3	0	1	2	10.567 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
39	Tree Data Structure	Verify that user receives error when click on Run button without entering code in Traversals-Illustration TryEditor *	3	0	1	2	10.456 s
40		Verify that user receives error for invalid python code in Traversals-Illustration TryEditor page	3	0	1	2	10.501 s
41		Verify that user is able to see output for valid python code in Traversals-Illustration TryEditor page	3	0	1	2	10.568 s
42		Verify that user is able to navigate to Binary trees page	3	1	1	1	10.521 s
43		Verify that user is able to navigate to try Editor page for Binary trees page	3	1	1	1	10.089 s
44		Verify that user receives error when click on Run button without entering code in Binary trees TryEditor page	3	0	1	2	10.478 s
45		Verify that user receives error for invalid python code in Binary trees TryEditor page	3	0	1	2	10.491 s

The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
46		*Verify that user is able to see output for valid python code in Binary trees TryEditor page*	3	0	1	2	10.529 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
47	Tree Data Structure	Verify that user is able to navigate to Types of Binary trees page	3	1	1	1	10.208 s
48		Verify that user is able to navigate to try Editor page for Types of Binary Trees page	3	1	1	1	10.058 s
49		Verify that user receives error when click on Run button without entering code in Types of Binary Trees TryEditor *	3	0	1	2	10.577 s
50		Verify that user receives error for invalid python code in Types of Binary Trees TryEditor page	3	0	1	2	10.568 s
51		Verify that user is able to see output for valid python code in Types of Binary Trees TryEditor page	3	0	1	2	10.524 s
52		Verify that user is able to navigate to Implementation in Python page	3	1	1	1	10.565 s
53		Verify that user is able to navigate to try Editor page for Implementation in Python page	3	0	1	2	10.556 s

*The feature name and/or scenario name has been cropped to fit in the available space.*

#	Feature Name	Scenario Name	T	P	F	S	Duration
54	Tree Data Structure	Verify that user receives error when click on Run button without entering code in Implementation in Python TryEdi *	3	0	1	2	10.526 s
55		Verify that user receives error for invalid python code in Implementation in Python TryEditor page	3	0	1	2	10.621 s
56		Verify that user is able to see output for valid python code in Implementation in Python TryEditor page	3	0	1	2	10.576 s
57		Verify that user is able to navigate to Binary Tree Traversals page	3	1	1	1	10.226 s
58		Verify that user is able to navigate to Try Editor page for Binary Tree Traversals page	3	0	1	2	10.502 s
59		Verify that user receives error when click on Run button without entering code in Binary Tree Traversals TryEditor *	3	0	1	2	10.537 s
60		Verify that user receives error for invalid python code in Binary Tree Traversals TryEditor page	3	0	1	2	10.541 s

** The feature name and/or scenario name has been cropped to fit in the available space.*

#	Feature Name	Scenario Name	T	P	F	S	Duration
61	Tree Data Structure	Verify that user is able to see output for valid python code in Binary Tree Traversals TryEditor page	3	0	1	2	10.521 s
62		Verify that user is able to navigate to Implementation of Binary Trees page	3	1	1	1	10.582 s
63		Verify that user is able to navigate to try Editor page for Implementation of Binary Trees page	3	0	1	2	10.546 s
64		Verify that user receives error when click on Run button without entering code in Implementation of Binary Trees *	3	0	1	2	10.542 s
65		Verify that user receives error for invalid python code in Implementation of Binary Trees TryEditor page	3	0	1	2	10.526 s
66		Verify that user is able to see output for valid python code in Implementation of Binary Trees TryEditor page	3	0	1	2	10.647 s
67		Verify that user is able to navigate to Applications of Binary trees page	3	1	1	1	10.841 s

The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
68	Tree Data Structure	Verify that user is able to navigate to try Editor page for Applications of Binary trees page	3	0	1	2	10.535 s
69		Verify that user receives error when click on Run button without entering code in Applications of Binary trees *	3	0	1	2	10.648 s
70		Verify that user receives error for invalid python code in Applications of Binary trees TryEditor page	3	0	1	2	10.571 s
71		Verify that user is able to see output for valid python code in Applications of Binary trees TryEditor page	3	0	1	2	10.625 s
72		Verify that user is able to navigate to Binary Search Trees page	3	1	1	1	10.926 s
73		Verify that user is able to navigate to try Editor page for Binary Search Trees page	3	0	1	2	10.588 s
74		Verify that user receives error when click on Run button without entering code in Binary Search Trees TryEditor page	3	0	1	2	10.561 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
75	Tree Data Structure	Verify that user receives error for invalid python code in Binary Search Trees TryEditor page	3	0	1	2	10.590 s
76		Verify that user is able to see output for valid python code in Binary Search Trees TryEditor page	3	0	1	2	10.578 s
77		Verify that user is able to navigate to Implementation Of BST page	3	1	1	1	10.803 s
78		Verify that user is able to navigate to try Editor page for Implementation Of BST page	3	0	1	2	10.572 s
79		Verify that user receives error when click on Run button without entering code in Implementation Of BST TryEditor *	3	0	1	2	10.572 s
80		Verify that user receives error for invalid python code in Implementation Of BST TryEditor page	3	0	1	2	10.565 s
81		Verify that user is able to see output for valid python code in Implementation Of BST TryEditor page	3	0	1	2	10.599 s

* The feature name and/or scenario name has been cropped to fit in the available space.

Graph

PASSED	DURATION - 32.550 s	Scenarios		Steps	
/ 12:42:08.418 PM // 12:42:40.968 PM /		Total - 13		Total - 39	
		Pass - 13	13	Pass - 39	39
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Verify that user is able to navigate to Graph data structure page

PASSED	DURATION - 6.050 s		Steps	
/ 12:42:08.420 PM // 12:42:14.470 PM /			Total - 3	
			Pass - 3	3
Graph			Fail - 0	
@Graph			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Sign in with valid credentials.	PASSED	5.627 s
2	When The user clicks the Getting Started button in Graph Panel	PASSED	0.399 s
3	Then The user should be directed to Graph Data Structure Page	PASSED	0.015 s

Verify that user is able to navigate to Graph Data Structures page

PASSED	DURATION - 0.674 s		Steps	
/ 12:42:14.548 PM // 12:42:15.222 PM /			Total - 3	
			Pass - 3	3
Graph			Fail - 0	
@Graph			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Signed in.	PASSED	0.293 s
2	When The user selects Graph item from the drop down menu.	PASSED	0.371 s
3	Then The user should land in Graph Data Structure Page	PASSED	0.010 s

Verify that user is able to navigate to Graph page of Graph-Data structures page

PASSED	DURATION - 1.329 s		Steps	
/ 12:42:15.249 PM // 12:42:16.578 PM /			Total - 3	
			Pass - 3	
Graph			Fail - 0	3
			Skip - 0	
@Graph				

#	Step / Hook Details	Status	Duration
1	Given The user is in the Graph data structure page after Sign in	PASSED	0.743 s
2	When The user clicks Graph link	PASSED	0.566 s
3	Then The user should be redirected to Graph page of Graph-Data structures	PASSED	0.019 s

Verify that user is able to navigate to Try Editor page of Graph

PASSED	DURATION - 3.243 s		Steps	
/ 12:42:16.593 PM // 12:42:19.836 PM /			Total - 3	
			Pass - 3	
Graph			Fail - 0	3
			Skip - 0	
@Graph				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Graph page	PASSED	0.841 s
2	When The user clicks Try Here button in Graph page	PASSED	2.342 s
3	Then The user should be redirected to a page having a Try Editor with a Run button to test	PASSED	0.058 s

Verify that user receives an error when clicking on Run button without entering code in Graph Try Editor page

PASSED	DURATION - 1.405 s		Steps	
/ 12:42:19.852 PM // 12:42:21.257 PM /			Total - 3	
			Pass - 3	
Graph			Fail - 0	
			Skip - 0	
@Graph				

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.166 s
2	When The user clicks the Run button without entering the code in the Editor	PASSED	0.231 s
3	Then The user should see an error message in an alert window	PASSED	0.008 s

Verify that user receives an error for invalid Python code in Graph Try Editor page

PASSED	DURATION - 4.338 s		Steps	
/ 12:42:21.265 PM // 12:42:25.603 PM /			Total - 3	
			Pass - 3	
Graph			Fail - 0	
			Skip - 0	
@Graph				

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.021 s
2	When The user writes invalid code in the Editor and clicks the Run button	PASSED	3.296 s
3	Then The user should see an error message in an alert window	PASSED	0.020 s

Verify that user is able to see output for valid Python code in Graph Try Editor page

PASSED	DURATION - 3.804 s
/ 12:42:25.616 PM // 12:42:29.420 PM /	
Graph	
@Graph	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.482 s
2	When The user writes valid code in the Editor and clicks the Run button	PASSED	2.285 s
3	Then The user should see output in the console	PASSED	0.034 s

Verify that user is able to navigate to Practice Questions in the Graph Data Structure page

PASSED	DURATION - 1.260 s
/ 12:42:29.433 PM // 12:42:30.693 PM /	
Graph	
@Graph	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Graph page after Sign in	PASSED	0.973 s
2	When The user clicks Practice Questions link	PASSED	0.269 s
3	Then The user should be redirected to Practice page	PASSED	0.013 s

Verify that user is able to navigate to Graph Representations page

PASSED	*DURATION - 1.102 s*

/ 12:42:30.702 PM // 12:42:31.804 PM /

Graph

@Graph

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is in the Graph data structure page after Sign in	PASSED	0.417 s
2	When The user clicks Graph Representations link	PASSED	0.678 s
3	Then The user should be redirected to Graph Representations page	PASSED	0.006 s

Verify that user is able to navigate to Try Editor page for the Graph Representations page

PASSED	*DURATION - 0.381 s*

/ 12:42:31.810 PM // 12:42:32.191 PM /

Graph

@Graph

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Graph Representations page	PASSED	0.008 s
2	When The user clicks Try Here button in the Graph Representations page	PASSED	0.342 s
3	Then The user should be redirected to a page having a Try Editor with a Run button to test	PASSED	0.030 s

Verify that user receives an error when clicking on Run button without entering code in Try Editor page of Graph Representations

PASSED	*DURATION - 1.179 s*
/ 12:42:32.197 PM // 12:42:33.376 PM /	
Graph	
@Graph	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	0.980 s
2	When The user clicks the Run button without entering the code in the Editor	PASSED	0.195 s
3	Then The user should see an error message in an alert window	PASSED	0.003 s

Verify that user receives an error for invalid Python code in Try Editor page of Graph Representations

PASSED	*DURATION - 4.267 s*
/ 12:42:33.385 PM // 12:42:37.652 PM /	
Graph	
@Graph	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.035 s
2	When The user writes invalid code in the Editor and clicks the Run button	PASSED	3.226 s
3	Then The user should see an error message in an alert window	PASSED	0.004 s

Verify that user is able to see output for valid Python code in Try Editor page of Graph Representations

PASSED	DURATION - 3.303 s
/ 12:42:37.665 PM // 12:42:40.968 PM /	
Graph	
@Graph	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	PASSED	1.048 s
2	When The user writes valid code in the Editor and clicks the Run button	PASSED	2.242 s
3	Then The user should see output in the console	PASSED	0.011 s

Tree Data Structure

FAILED	DURATION - 11 m 45.213 s
/ 12:42:40.995 PM // 12:54:26.208 PM /	

Scenarios
Total - 68
Pass - 0
Fail - 68
Skip - 0

68

Steps
Total - 205
Pass - 20
Fail - 68
Skip - 117

205

Verify that user is able to navigate to Tree data structure page

FAILED	DURATION - 11.228 s
/ 12:42:40.995 PM // 12:42:52.223 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Sign in	FAILED	11.223 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css		

| #	Step / Hook Details	Status	Duration

	selector","selector":"#id_username"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=id, value=id_username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.sendKeys(Unknown Source)
	    at pageObjects.TreePage.clickLogin(TreePage.java:164)
	    at StepDefinitions.TreeSteps.the_user_is_in_the_home_page_after_sign_in(TreeSteps.java:40)
	    at ?.The user is in the Home page after Sign in(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree. feature:7)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks the Getting Started button in Tree Panel	SKIPPED	0.000 s
3	And The user select Tree item from the drop down menu	SKIPPED	0.001 s
4	Then The user be directed to Tree Data Structure Page	SKIPPED	0.000 s

Verify that user is able to navigate to Tree Data Structures page

FAILED	*DURATION - 0.589 s*
/ 12:42:52.236 PM // 12:42:52.825 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Home page after signed in	PASSED	0.129 s
2	When The user selects Tree item from the drop-down menu	PASSED	0.438 s
3	Then The user should land on the Tree Data Structure page	FAILED	0.021 s

	java.lang.AssertionError: expected [NumpyNinja] but found [Tree]
	    at org.testng.Assert.fail(Assert.java:111)
	    at org.testng.Assert.failNotEquals(Assert.java:1578)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	    at org.testng.Assert.assertEquals(Assert.java:132)
	    at org.testng.Assert.assertEquals(Assert.java:656)
	    at org.testng.Assert.assertEquals(Assert.java:666)
	    at StepDefinitions.TreeSteps.the_user_should_land_on_the_tree_data_structure_page(TreeSteps.java:74)
	    at ?.The user should land on the Tree Data Structure page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:15)
	 * Not displayable characters are replaced by '?'.		

Verify that user is able to navigate to Overview of Trees page

FAILED	*DURATION - 10.070 s*
/ 12:42:52.835 PM // 12:43:02.905 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.006 s

#	Step / Hook Details	Status	Duration
2	When The user clicks Overview of Trees link	FAILED	10.063 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	    at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	    at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	    at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	    at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	    at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	    at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)
	    at StepDefinitions.TreeSteps.the_user_clicks_overview_of_trees_link(TreeSteps.java:86)
	    at ?.The user clicks Overview of Trees link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.		

#	Step / Hook Details	Status	Duration
	feature:19) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to Overview of Trees page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Overview of Trees page

FAILED	DURATION - 10.034 s
/ 12:43:02.913 PM // 12:43:12.947 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on the Overview of Trees page	PASSED	0.007 s
2	When The user clicks Try Here button in the Overview of Trees page	FAILED	10.025 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)		
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)		
	at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)		
	at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)		
	at pageObjects.TreePage.overviewOfTreesTryHere(TreePage.java:204)		
	at StepDefinitions.TreeSteps.the_user_clicks_try_here_button_in_the_overview_of_trees_page(TreeSteps.java:101)		
	at ?.The user clicks Try Here button in the Overview of Trees page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:24)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a TryEditor page with a Run button to test.	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Overview of Trees TryEditor page

FAILED	DURATION - 10.505 s
/ 12:43:12.960 PM // 12:43:23.465 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page.	FAILED	10.504 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/		

#	Step / Hook Details	Status	Duration

	webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	  at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	  at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	  at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	  at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	  at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)
	  at StepDefinitions.TreeSteps.the_user_is_on_the_try_editor_page(TreeSteps.java:114)
	  at ?.The user is on the TryEditor page.(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:28)
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
2	When The user clicks the Run button without entering code in the TryEditor.	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Overview of Trees TryEditor page

FAILED	DURATION - 10.512 s
/ 12:43:23.475 PM // 12:43:33.987 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.508 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:33) * Not displayable characters are replaced by '?'.		
2	When The user writes invalid code in the TryEditor and clicks the Run button.	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Overview of Trees TryEditor page

FAILED	DURATION - 10.495 s			Steps
/ 12:43:34.002 PM // 12:43:44.497 PM /				Total - 3
				Pass - 0
Tree Data Structure				Fail - 1
@Tree				Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.494 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

| #	Step / Hook Details	Status	Duration
	[1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:38) * Not displayable characters are replaced by '?'.		
2	When The user writes valid code in the TryEditor and clicks the Run button.	SKIPPED	0.001 s
3	Then The user should see output in the Output console.	SKIPPED	0.000 s

Verify that user is able to navigate to Practice Questions inthe Trees Data Structure page

FAILED	DURATION - 10.491 s

/ 12:43:44.505 PM // 12:43:54.996 PM /

Tree Data Structure

@Tree

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page after signing in	FAILED	10.489 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

| #	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tree_page_after_signing_in(TreeSteps.java:174) at ?.The user is on the Tree page after signing in(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:43) * Not displayable characters are replaced by '?'.		
2	When The user clicks Practice Questions link of the Tree data structure	SKIPPED	0.000 s
3	Then The user should be redirected to Practice page of the Tree data structure	SKIPPED	0.000 s

Verify that user is able to navigate to Terminologies page

FAILED	DURATION - 10.206 s
/ 12:43:55.006 PM // 12:44:05.212 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.008 s
2	When The user clicks Terminologies link	FAILED	10.197 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Terminologies"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Terminologies}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941},		

#	Step / Hook Details	Status	Duration
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageObjects.TreePage.Terminoligies(TreePage.java:240) at StepDefinitions.TreeSteps.the_user_clicks_terminologies_link(TreeSteps.java:191) at ?.The user clicks Terminologies link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:49) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to Terminologies page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Terminologies page

FAILED	DURATION - 10.017 s		Steps	
/ 12:44:05.220 PM // 12:44:15.237 PM /			Total - 3	
Tree Data Structure			Pass - 1	
			Fail - 1	
@Tree			Skip - 1	

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Terminologies page	PASSED	0.010 s
2	When The user clicks Try Here button in the Terminologies page	FAILED	10.006 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[@href='/tryEditor']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageObjects.TreePage.TryHereButton(TreePage.java:209)
	    at StepDefinitions.TreeSteps.the_user_clicks_try_here_button_in_the_terminologies_page(TreeSteps.java:206)
	    at ?.The user clicks Try Here button in the Terminologies page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/ resources/Features/Tree.feature:54)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Terminologies TryEditor page

FAILED	DURATION - 10.465 s
/ 12:44:15.244 PM // 12:44:25.709 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.460 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
   at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)

| #	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:58) * Not displayable characters are replaced by '?'.		
2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.001 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.001 s

Verify that user receives error for invalid python code in Terminologies TryEditor page

FAILED	DURATION - 10.506 s
/ 12:44:25.717 PM // 12:44:36.223 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.503 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

| #	Step / Hook Details	Status	Duration

	1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	   at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	   at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	   at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	   at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	   at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	   at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)
	   at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133)
	   at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:63)
	* Not displayable characters are replaced by '?'.		

2	When The user writes invalid code in the TryEditor and clicks the Run button	SKIPPED	0.001 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Terminologies TryEditor page

FAILED	DURATION - 10.503 s

/ 12:44:36.232 PM // 12:44:46.735 PM /

Tree Data Structure

@Tree

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.502 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)

| #	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:68) * Not displayable characters are replaced by '?'.		
2	When The user writes valid code in the TryEditor and clicks the Run button	SKIPPED	0.001 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Types of Trees page

FAILED	DURATION - 10.151 s		Steps	
/ 12:44:46.741 PM // 12:44:56.892 PM /			Total - 3	
Tree Data Structure			Pass - 1	3
@Tree			Fail - 1	
			Skip - 1	

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.007 s
2	When The user clicks Types of Trees link	FAILED	10.143 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Types of Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Types of Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration

	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageObjects.TreePage.TypesofTrees(TreePage.java:244)
	    at StepDefinitions.TreeSteps.the_user_clicks_types_of_trees_link(TreeSteps.java:256)
	    at ?.The user clicks Types of Trees link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:74)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to Types of Trees page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Types of Trees page

FAILED	DURATION - 10.054 s
/ 12:44:56.900 PM // 12:45:06.954 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Types of Trees page	PASSED	0.004 s
2	When The user clicks Try Here button in the Types of Trees page	FAILED	10.048 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[@href='/tryEditor']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageObjects.TreePage.TryHereButton(TreePage.java:209)
	    at StepDefinitions.TreeSteps.the_user_clicks_try_here_button_in_the_types_of_trees_page(TreeSteps.java:272)
	    at ?.The user clicks Try Here button in the Types of Trees page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cumber/src/test/resources/Features/Tree.feature:79)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Types of Trees TryEditor page

FAILED	DURATION - 10.512 s

/ 12:45:06.961 PM // 12:45:17.473 PM /

Tree Data Structure

@Tree

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.510 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
    at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
    at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)

| #	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:83) * Not displayable characters are replaced by '?'.		
2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Types of Tree TryEditor page

FAILED	DURATION - 10.582 s
/ 12:45:17.481 PM // 12:45:28.063 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.580 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

| #	Step / Hook Details	Status	Duration

	1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	    at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	    at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	    at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	    at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	    at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	    at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)
	    at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133)
	    at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:88)
	* Not displayable characters are replaced by '?'.		

2	When The user writes invalid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.001 s

Verify that user is able to see output for valid python code in Types of Trees TryEditor page

FAILED	DURATION - 10.481 s
/ 12:45:28.070 PM // 12:45:38.551 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.480 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
   at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)

| #	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:93) * Not displayable characters are replaced by '?'.		
2	When The user writes valid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Tree Traversal page

FAILED	DURATION - 10.683 s		Steps	
/ 12:45:38.558 PM // 12:45:49.241 PM /			Total - 3	
			Pass - 1	
Tree Data Structure			Fail - 1	3
			Skip - 1	
@Tree				

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.006 s
2	When The user clicks Tree Traversal link	FAILED	10.676 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Tree Traversals"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration

	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageObjects.TreePage.TreeTraversals(TreePage.java:248)
	  at StepDefinitions.TreeSteps.the_user_clicks_tree_traversal_link(TreeSteps.java:279)
	  at ?.The user clicks Tree Traversal link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:99)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to Tree Traversal page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Tree Traversal page

FAILED	DURATION - 10.589 s
/ 12:45:49.247 PM // 12:45:59.836 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Traversal page	FAILED	10.587 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Tree Traversals"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageObjects.TreePage.TreeTraversals(TreePage.java:248)
	  at StepDefinitions.TreeSteps.the_user_is_on_the_tree_traversal_page(TreeSteps.java:291)
	  at ?.The user is on the Tree Traversal page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:103)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks Try Here button in the Tree Traversal page	SKIPPED	0.000 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Tree Travesal TryEditor page

FAILED	DURATION - 10.581 s
/ 12:45:59.845 PM // 12:46:10.426 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Try Editor page	FAILED	10.581 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Tree Traversals"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
   at pageObjects.TreePage.TreeTraversals(TreePage.java:248)

| #	Step / Hook Details	Status	Duration
	at StepDefinitions.TreeSteps.the_user_is_on_the_try_Editor_page(TreeSteps.java:303) at ?.The user is on the Try Editor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:108) * Not displayable characters are replaced by '?'.		
2	When The user clicks the Run button without entering code in the Editor	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Tree Traversal TryEditor page

FAILED	DURATION - 10.675 s		Steps
/ 12:46:10.433 PM // 12:46:21.108 PM /			Total - 3 Pass - 0 Fail - 1 Skip - 2
Tree Data Structure			
@Tree			

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.674 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)		
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)		
	at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)		
	at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)		
	at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)		
	at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133)		
	at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:113)		
	* Not displayable characters are replaced by '?'.		
2	When The user writes invalid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Tree Traversal TryEditor page

FAILED	DURATION - 10.512 s		Steps	
/ 12:46:21.117 PM // 12:46:31.629 PM /			Total - 3	
			Pass - 0	
Tree Data Structure			Fail - 1	3
			Skip - 2	
@Tree				

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.511 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	  at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	  at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	  at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	  at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	  at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)
	  at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133)
	  at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.		

#	Step / Hook Details	Status	Duration
	feature:118) * Not displayable characters are replaced by '?'.		
2	When The user writes valid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Traversals-Illustration page

FAILED	DURATION - 10.488 s
/ 12:46:31.637 PM // 12:46:42.125 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.006 s
2	When The user clicks Traversals-Illustration link	FAILED	10.481 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Traversals-Illustration"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Traversals-Illustration}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)		
	at pageObjects.TreePage.Traversal_Illustration(TreePage.java:252)		
	at StepDefinitions.TreeSteps.the_user_clicks_traversals_illustration_link(TreeSteps.java:317)		
	at ?.The user clicks Traversals-Illustration link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:124)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to Traversals-Illustration page	SKIPPED	0.000 s

Verify that user is able to navigate to TryEditor page for Traversals-Illustration page

FAILED	DURATION - 10.567 s
/ 12:46:42.131 PM // 12:46:52.698 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Traversals-Illustration page	FAILED	10.566 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Traversals-Illustration"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Traversals-Illustration}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

| #	Step / Hook Details	Status	Duration

	1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at pageObjects.TreePage.Traversal_Illustration(TreePage.java:252)
	   at StepDefinitions.TreeSteps.the_user_is_on_the_traversals_illustration_page(TreeSteps.java:329)
	   at ?.The user is on the Traversals-Illustration page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:128)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks Try Here button in the Traversals-Illustration page	SKIPPED	0.000 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Traversals-Illustration TryEditor page

FAILED	DURATION - 10.456 s		Steps	
/ 12:46:52.705 PM // 12:47:03.161 PM /			Total - 3	
Tree Data Structure			Pass - 0 Fail - 1 Skip - 2	3
@Tree				

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.455 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.		

#	Step / Hook Details	Status	Duration
	feature:133) * Not displayable characters are replaced by '?'.		
2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.001 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Traversals-Illustration TryEditor page

FAILED	DURATION - 10.501 s
/ 12:47:03.171 PM // 12:47:13.672 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.500 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:138) * Not displayable characters are replaced by '?'.		
2	When The user writes invalid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Traversals-Illustration TryEditor page

FAILED	DURATION - 10.568 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2
/ 12:47:13.677 PM // 12:47:24.245 PM /			
Tree Data Structure			
@Tree			

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.567 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	  at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	  at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	  at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	  at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	  at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)
	  at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133)
	  at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree. feature:143)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When The user writes valid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Binary trees page

FAILED	DURATION - 10.521 s		Steps	
/ 12:47:24.251 PM // 12:47:34.772 PM /			Total - 3	
			Pass - 1	
Tree Data Structure			Fail - 1	
			Skip - 1	
@Tree				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.007 s
2	When The user clicks Binary trees link	FAILED	10.514 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageObjects.TreePage.Binary_Trees(TreePage.java:256) at StepDefinitions.TreeSteps.the_user_clicks_binary_trees_link(TreeSteps.java:341) at ?.The user clicks Binary trees link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:149) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to Binary trees page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Binary trees page

FAILED	DURATION - 10.089 s		Steps
/ 12:47:34.778 PM // 12:47:44.867 PM /			Total - 3
			Pass - 1
Tree Data Structure			Fail - 1
			Skip - 1
@Tree			

#	Step / Hook Details	Status	Duration
1	Given The user is on the Binary trees page	PASSED	0.010 s
2	When The user clicks Try Here button in the Binary trees page	FAILED	10.075 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[@href='/tryEditor']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration

	true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at pageObjects.TreePage.TryHereButton(TreePage.java:209)
	   at StepDefinitions.TreeSteps.the_user_clicks_try_here_button_in_the_binary_trees_page(TreeSteps.java:356)
	   at ?.The user clicks Try Here button in the Binary trees page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:154)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Binary trees TryEditor page

FAILED	DURATION - 10.478 s
/ 12:47:44.885 PM // 12:47:55.363 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.475 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview		

#	Step / Hook Details	Status	Duration

	of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	  at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	  at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	  at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	  at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	  at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)
	  at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133)
	  at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:158)
	* Not displayable characters are replaced by '?'.		

| #	Step / Hook Details	Status	Duration
2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Binary trees TryEditor page

FAILED	DURATION - 10.491 s
/ 12:47:55.369 PM // 12:48:05.860 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.489 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:163) * Not displayable characters are replaced by '?'.		
2	When The user writes invalid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Binary trees TryEditor page

FAILED	DURATION - 10.529 s
/ 12:48:05.864 PM // 12:48:16.393 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.528 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	  at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	  at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	  at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	  at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	  at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)
	  at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133)
	  at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:168)
	* Not displayable characters are replaced by '?'.		

2	When The user writes valid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Types of Binary trees page

FAILED	DURATION - 10.208 s
/ 12:48:16.399 PM // 12:48:26.607 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.007 s
2	When The user clicks Types of Binary trees link	FAILED	10.199 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Types of Binary Trees"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Types of Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageObjects.TreePage.TypesOfBinaryTrees(TreePage.java:260) at StepDefinitions.TreeSteps.the_user_clicks_types_of_binary_trees_link(TreeSteps.java:362) at ?.The user clicks Types of Binary trees link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:174) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to Types of Binary trees page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Types of Binary Trees page

FAILED	DURATION - 10.058 s
/ 12:48:26.615 PM // 12:48:36.673 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Types of Binary Trees page	PASSED	0.007 s
2	When The user clicks Try Here button in the Types of Binary Trees page	FAILED	10.051 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[@href='/tryEditor']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageObjects.TreePage.TryHereButton(TreePage.java:209) at StepDefinitions.TreeSteps.the_user_clicks_try_here_button_in_the_types_of_binary_trees_page(TreeSteps.java:377) at ?.The user clicks Try Here button in the Types of Binary Trees page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:179) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Types of Binary Trees TryEditor page

FAILED	DURATION - 10.577 s		Steps	
/ 12:48:36.681 PM // 12:48:47.258 PM /			Total - 3	
Tree Data Structure			Pass - 0 Fail - 1 Skip - 2	3
@Tree				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Try Editor page	FAILED	10.576 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Tree Traversals"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir:		

| #	Step / Hook Details	Status	Duration

	C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageObjects.TreePage.TreeTraversals(TreePage.java:248)
	  at StepDefinitions.TreeSteps.the_user_is_on_the_try_Editor_page(TreeSteps.java:303)
	  at ?.The user is on the Try Editor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:183)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks the Run button without entering code in the Editor	SKIPPED	0.001 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Types of Binary Trees TryEditor page

FAILED	DURATION - 10.568 s
/ 12:48:47.266 PM // 12:48:57.834 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.568 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
    at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
    at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)

| #	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:188) * Not displayable characters are replaced by '?'.		
2	When The user writes invalid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Types of Binary Trees TryEditor page

FAILED	DURATION - 10.524 s

/ 12:48:57.842 PM // 12:49:08.366 PM /

Tree Data Structure

@Tree

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.522 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

| #	Step / Hook Details	Status	Duration

	1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	    at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	    at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	    at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	    at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	    at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	    at pageObjects.TreePage.overviewOfTrees(TreePage.java:198)
	    at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133)
	    at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:193)
	* Not displayable characters are replaced by '?'.		

2	When The user writes valid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Outpt console	SKIPPED	0.000 s

Verify that user is able to navigate to Implementation in Python page

FAILED	DURATION - 10.565 s

/ 12:49:08.376 PM // 12:49:18.941 PM /

Tree Data Structure

@Tree

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.009 s
2	When The user clicks Implementation in Python link	FAILED	10.555 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation in Python"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation in Python}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)

| #	Step / Hook Details	Status	Duration
	at pageObjects.TreePage.ImplementationInPython(TreePage.java:264) at StepDefinitions.TreeSteps.the_user_clicks_implementation_in_python_link(TreeSteps.java:389) at ?.The user clicks Implementation in Python link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:199) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to Implementation in Python page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Implementation in Python page

FAILED	DURATION - 10.556 s		Steps
			Total - 3
/ 12:49:18.947 PM // 12:49:29.503 PM /			Pass - 0
			Fail - 1
Tree Data Structure			Skip - 2
@Tree			3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation in Python page	FAILED	10.556 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation in Python"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation in Python}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageObjects.TreePage.ImplementationInPython(TreePage.java:264) at StepDefinitions.TreeSteps.the_user_is_on_the_implementation_in_python_page(TreeSteps.java:401) at ?.The user is on the Implementation in Python page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:203) * Not displayable characters are replaced by '?'.		
2	When The user clicks Try Here button in the Implementation in Python page	SKIPPED	0.000 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Implementation in Python TryEditor page

FAILED	DURATION - 10.526 s
/ 12:49:29.509 PM // 12:49:40.035 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.526 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo...,		

#	Step / Hook Details	Status	Duration
	se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e 　　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) 　　at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) 　　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) 　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) 　　at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source) 　　at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) 　　at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) 　　at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) 　　at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) 　　at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) 　　at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) 　　at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) 　　at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) 　　at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) 　　at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) 　　at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) 　　at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:208) * Not displayable characters are replaced by '?'.		
2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Implementation in Python TryEditor page

FAILED	DURATION - 10.621 s

/ 12:49:40.042 PM // 12:49:50.663 PM /

Tree Data Structure

@Tree

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.619 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
    at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
    at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:213) * Not displayable characters are replaced by '?'.		
2	When The user writes invalid code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

## Verify that user is able to see output for valid python code in Implementation in Python TryEditor page

FAILED	DURATION - 10.576 s
/ 12:49:50.670 PM // 12:50:01.246 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	FAILED	10.575 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Overview of Trees']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=xpath, value=//a[text()='Overview of Trees']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

| #	Step / Hook Details	Status	Duration
	1ede9b3d14343b702b45d45c252abf5e 　　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) 　　at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) 　　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) 　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) 　　at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source) 　　at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) 　　at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) 　　at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) 　　at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) 　　at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) 　　at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) 　　at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) 　　at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) 　　at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) 　　at pageObjects.TreePage.overviewOfTrees(TreePage.java:198) 　　at StepDefinitions.TreeSteps.the_user_is_on_the_tryEditor_page(TreeSteps.java:133) 　　at ?.The user is on the TryEditor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:218) * Not displayable characters are replaced by '?'.		
2	When The user writes valid code in the TryEditor and clicks the Run button	SKIPPED	0.001 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Binary Tree Traversals page

FAILED	DURATION - 10.226 s
/ 12:50:01.252 PM // 12:50:11.478 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.009 s
2	When The user clicks Binary Tree Traversals link	FAILED	10.216 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Tree Traversals"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)

#	Step / Hook Details	Status	Duration
	at pageObjects.TreePage.BinaryTreeTraversals(TreePage.java:268) at StepDefinitions.TreeSteps.the_user_clicks_binary_tree_traversals_link(TreeSteps.java:412) at ?.The user clicks Binary Tree Traversals link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:224) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to Binary Tree Traversals page	SKIPPED	0.000 s

Verify that user is able to navigate to Try Editor page for Binary Tree Traversals page

FAILED	DURATION - 10.502 s		Steps	
/ 12:50:11.483 PM // 12:50:21.985 PM /			Total - 3 Pass - 0 Fail - 1 Skip - 2	3
Tree Data Structure				
@Tree				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Binary Tree Traversals page	FAILED	10.501 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Tree Traversals"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)		
	at pageObjects.TreePage.BinaryTreeTraversals(TreePage.java:268)		
	at StepDefinitions.TreeSteps.the_user_is_on_the_binary_tree_traversals_page(TreeSteps.java:424)		
	at ?.The user is on the Binary Tree Traversals page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:228)		
	* Not displayable characters are replaced by '?'.		
2	When The user clicks the Try Here button	SKIPPED	0.000 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Binary Tree Traversals TryEditor page

FAILED	DURATION - 10.537 s
/ 12:50:21.993 PM // 12:50:32.530 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Tree Traversals	FAILED	10.536 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Tree Traversals"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo...,		

#	Step / Hook Details	Status	Duration

	se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at pageObjects.TreePage.BinaryTreeTraversals(TreePage.java:268)
	   at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_binary_tree_traversals(TreeSteps.java:437)
	   at ?.The user is in the TryEditor page for Binary Tree Traversals(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:233)
	 * Not displayable characters are replaced by '?'.		

2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Binary Tree Traversals TryEditor page

FAILED	DURATION - 10.541 s		Steps	
/ 12:50:32.539 PM // 12:50:43.080 PM /			Total - 3 Pass - 0 Fail - 1 Skip - 2	3
Tree Data Structure				
@Tree				

| #	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Tree Traversals	FAILED	10.540 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Tree Traversals"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageObjects.TreePage.BinaryTreeTraversals(TreePage.java:268)
	  at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_binary_tree_traversals(TreeSteps.java:437)
	  at ?.The user is in the TryEditor page for Binary Tree Traversals(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:238)
	* Not displayable characters are replaced by '?'.		

2	When The user writes invalid python codein the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Binary Tree Traversals TryEditor page

FAILED	DURATION - 10.521 s

/ 12:50:43.087 PM // 12:50:53.608 PM /

Tree Data Structure

@Tree

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Tree Traversals	FAILED	10.519 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Tree Traversals"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Tree Traversals}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageObjects.TreePage.BinaryTreeTraversals(TreePage.java:268)		

#	Step / Hook Details	Status	Duration
	at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_binary_tree_traversals(TreeSteps.java:437) at ?.The user is in the TryEditor page for Binary Tree Traversals(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:243) * Not displayable characters are replaced by '?'.		
2	When The user writes valid python code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Implementation of Binary Trees page

FAILED	DURATION - 10.582 s
/ 12:50:53.618 PM // 12:51:04.200 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.507 s
2	When The user clicks the Implementation of Binary Trees link	FAILED	10.074 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation of Binary Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation of Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)		
	at pageObjects.TreePage.ImplementationOfBinaryTrees(TreePage.java:272)		
	at StepDefinitions.TreeSteps.the_user_clicks_the_implementation_of_binary_trees_link(TreeSteps.java:478)		
	at ?.The user clicks the Implementation of Binary Trees link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:249)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to the Implementation of Binary Trees page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Implementation of Binary Trees page

FAILED	DURATION - 10.546 s
/ 12:51:04.208 PM // 12:51:14.754 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation of Binary Trees page	FAILED	10.546 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation of Binary Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation of Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

| #	Step / Hook Details	Status	Duration

	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageObjects.TreePage.ImplementationOfBinaryTrees(TreePage.java:272)
	    at StepDefinitions.TreeSteps.the_user_is_on_the_implementation_of_binary_trees_page(TreeSteps.java:490)
	    at ?.The user is on the Implementation of Binary Trees page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:253)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks the Try Here button	SKIPPED	0.000 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Implementation of Binary Trees TryEditor page

FAILED	DURATION - 10.542 s		Steps	
/ 12:51:14.764 PM // 12:51:25.306 PM /			Total - 3	
Tree Data Structure			Pass - 0 Fail - 1 Skip - 2	3
@Tree				

| #	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation of Binary Trees	FAILED	10.540 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation of Binary Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation of Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	    at pageObjects.TreePage.ImplementationOfBinaryTrees(TreePage.java:272)
	    at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_implementation_of_binary_trees(TreeSteps.java:497)
	    at ?.The user is in the TryEditor page for Implementation of Binary Trees(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:258)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.001 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Implementation of Binary Trees TryEditor page

FAILED	DURATION - 10.526 s

/ 12:51:25.322 PM // 12:51:35.848 PM /

Tree Data Structure

@Tree

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation of Binary Trees	FAILED	10.525 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation of Binary Trees"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation of Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
   at pageObjects.TreePage.ImplementationOfBinaryTrees(TreePage.java:272)

| #	Step / Hook Details	Status	Duration
	at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_implementation_of_binary_trees(TreeSteps.java:497) at ?.The user is in the TryEditor page for Implementation of Binary Trees(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:263) * Not displayable characters are replaced by '?'.		
2	When The user writes invalid python code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Implementation of Binary Trees TryEditor page

FAILED	DURATION - 10.647 s
/ 12:51:35.855 PM // 12:51:46.502 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation of Binary Trees	FAILED	10.643 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation of Binary Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation of Binary Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageObjects.TreePage.ImplementationOfBinaryTrees(TreePage.java:272) at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_implementation_of_binary_trees(TreeSteps.java:497) at ?.The user is in the TryEditor page for Implementation of Binary Trees(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:268) * Not displayable characters are replaced by '?'.		
2	When The user writes valid python code and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Applications of Binary trees page

FAILED	DURATION - 10.841 s
/ 12:51:46.511 PM // 12:51:57.352 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.500 s
2	When The user clicks the Applications of Binary trees link	FAILED	10.339 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Binary trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Applications of Binary trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo...,		

#	Step / Hook Details	Status	Duration

	se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	    at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	    at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	    at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	    at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	    at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	    at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	    at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	    at pageObjects.TreePage.ApplicationOfBinaryTrees(TreePage.java:277)
	    at StepDefinitions.TreeSteps.the_user_clicks_the_applications_of_binary_trees_link(TreeSteps.java:532)
	    at ?.The user clicks the Applications of Binary trees link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:274)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to the Applications of Binary trees page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Applications of Binary trees page

FAILED	DURATION - 10.535 s
/ 12:51:57.364 PM // 12:52:07.899 PM /	
Tree Data Structure	
@Tree	

Steps

Total - 3

Pass - 0

Fail - 1

Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Binary trees page	FAILED	10.533 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Binary trees"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Applications of Binary trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)

  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)

  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)

  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)

  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)

  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)

  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)

  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)

  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)

  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)

  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)

  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)

  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)

  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)

  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)

  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

  at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)

  at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)

| #	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.ApplicationOfBinaryTrees(TreePage.java:277) at StepDefinitions.TreeSteps.the_user_is_on_the_applications_of_binary_trees_page(TreeSteps.java:544) at ?.The user is on the Applications of Binary trees page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:278) * Not displayable characters are replaced by '?'.		
2	When The user clicks the Try Here button	SKIPPED	0.000 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.001 s

Verify that user receives error when click on Run button without entering code in Applications of Binary trees TryEditor page

FAILED	DURATION - 10.648 s		Steps	
/ 12:52:07.907 PM // 12:52:18.555 PM /			Total - 3	
Tree Data Structure			Pass - 0	
			Fail - 1	
@Tree			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Applications of Binary trees	FAILED	10.647 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Binary trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Applications of Binary trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

| #	Step / Hook Details	Status	Duration

	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	  at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	  at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	  at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	  at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	  at pageObjects.TreePage.ApplicationOfBinaryTrees(TreePage.java:277)
	  at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_applications_of_binary_trees(TreeSteps.java:551)
	  at ?.The user is in the TryEditor page for Applications of Binary trees(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:283)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.001 s

Verify that user receives error for invalid python code in Applications of Binary trees TryEditor page

FAILED	DURATION - 10.571 s
/ 12:52:18.562 PM // 12:52:29.133 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Applications of Binary trees	FAILED	10.569 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Binary trees"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Applications of Binary trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
    at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
    at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)

| #	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474) at pageObjects.TreePage.ApplicationOfBinaryTrees(TreePage.java:277) at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_applications_of_binary_trees(TreeSteps.java:551) at ?.The user is in the TryEditor page for Applications of Binary trees(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:288) * Not displayable characters are replaced by '?'.		
2	When The user writes invalid python code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Applications of Binary trees TryEditor page

FAILED	DURATION - 10.625 s
/ 12:52:29.139 PM // 12:52:39.764 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Applications of Binary trees	FAILED	10.624 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Binary trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Applications of Binary trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

| #	Step / Hook Details	Status	Duration

	1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	  at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	  at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	  at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	  at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	  at pageObjects.TreePage.ApplicationOfBinaryTrees(TreePage.java:277)
	  at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_applications_of_binary_trees(TreeSteps.java:551)
	  at ?.The user is in the TryEditor page for Applications of Binary trees(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:293)
	* Not displayable characters are replaced by '?'.		

2	When The user writes valid python code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Binary Search Trees page

FAILED	DURATION - 10.926 s
/ 12:52:39.776 PM // 12:52:50.702 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.563 s
2	When The user clicks the Binary Search Trees link	FAILED	10.361 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Search Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Search Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at pageObjects.TreePage.BinarySearchTrees(TreePage.java:282) at StepDefinitions.TreeSteps.the_user_clicks_the_binary_search_trees_link(TreeSteps.java:558) at ?.The user clicks the Binary Search Trees link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:299) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to the Binary Search Trees page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Binary Search Trees page

FAILED	DURATION - 10.588 s
/ 12:52:50.713 PM // 12:53:01.301 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is on the Binary Search Trees page	FAILED	10.587 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Search Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Search Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageObjects.TreePage.BinarySearchTrees(TreePage.java:282) at StepDefinitions.TreeSteps.the_user_is_on_the_binary_search_trees_page(TreeSteps.java:570) at ?.The user is on the Binary Search Trees page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:303) * Not displayable characters are replaced by '?'.		
2	When The user clicks the Try Here button	SKIPPED	0.000 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.001 s

Verify that user receives error when click on Run button without entering code in Binary Search Trees TryEditor page

FAILED	DURATION - 10.561 s
/ 12:53:01.312 PM // 12:53:11.873 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| #	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Search Trees	FAILED	10.560 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Search Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Search Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration

	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageObjects.TreePage.BinarySearchTrees(TreePage.java:282)
	  at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_binary_search_trees(TreeSteps.java:577)
	  at ?.The user is in the TryEditor page for Binary Search Trees(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:308)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Binary Search Trees TryEditor page

FAILED	DURATION - 10.590 s		Steps	
/ 12:53:11.882 PM // 12:53:22.472 PM /			Total - 3	
			Pass - 0	
Tree Data Structure			Fail - 1	
			Skip - 2	
@Tree				

| #	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Search Trees	FAILED	10.587 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Search Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Search Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	  at pageObjects.TreePage.BinarySearchTrees(TreePage.java:282)
	  at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_binary_search_trees(TreeSteps.java:577)
	  at ?.The user is in the TryEditor page for Binary Search Trees(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:313)
	* Not displayable characters are replaced by '?'.		

2	When The user writes invalid python code in the TryEditor and clicks the Run button	SKIPPED	0.002 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Binary Search Trees TryEditor page

FAILED	DURATION - 10.578 s
/ 12:53:22.481 PM // 12:53:33.059 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Search Trees	FAILED	10.577 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Binary Search Trees"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Binary Search Trees}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at pageObjects.TreePage.BinarySearchTrees(TreePage.java:282)		

#	Step / Hook Details	Status	Duration
	at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_binary_search_trees(TreeSteps.java:577) at ?.The user is in the TryEditor page for Binary Search Trees(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:318) * Not displayable characters are replaced by '?'.		
2	When The user writes valid python code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Implementation Of BST page

FAILED	DURATION - 10.803 s
/ 12:53:33.065 PM // 12:53:43.868 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.515 s
2	When The user clicks the Implementation Of BST link	FAILED	10.287 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation Of BST"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation Of BST}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageObjects.TreePage.ImplementationOfBST(TreePage.java:286) at StepDefinitions.TreeSteps.the_user_clicks_the_implementation_of_bst_link(TreeSteps.java:584) at ?.The user clicks the Implementation Of BST link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:324) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to the Implementation Of BST page	SKIPPED	0.000 s

Verify that user is able to navigate to try Editor page for Implementation Of BST page

FAILED	DURATION - 10.572 s
/ 12:53:43.875 PM // 12:53:54.447 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation Of BST page	FAILED	10.570 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation Of BST"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation Of BST}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration

	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at pageObjects.TreePage.ImplementationOfBST(TreePage.java:286)
	   at StepDefinitions.TreeSteps.the_user_is_on_the_implementation_of_bst_page(TreeSteps.java:596)
	   at ?.The user is on the Implementation Of BST page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:328)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks the Try Here button	SKIPPED	0.001 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	SKIPPED	0.000 s

Verify that user receives error when click on Run button without entering code in Implementation Of BST TryEditor page

FAILED	DURATION - 10.572 s		Steps	
/ 12:53:54.456 PM // 12:54:05.028 PM /			Total - 3	
Tree Data Structure			Pass - 0 Fail - 1	3
@Tree			Skip - 2	

| #	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation Of BST	FAILED	10.571 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation Of BST"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation Of BST}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
	   at pageObjects.TreePage.ImplementationOfBST(TreePage.java:286)
	   at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_implementation_of_bst(TreeSteps.java:603)
	   at ?.The user is in the TryEditor page for Implementation Of BST(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:333)
	* Not displayable characters are replaced by '?'.		

2	When The user clicks the Run button without entering code in the TryEditor	SKIPPED	0.000 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user receives error for invalid python code in Implementation Of BST TryEditor page

FAILED	DURATION - 10.565 s

/ 12:54:05.035 PM // 12:54:15.600 PM /

Tree Data Structure

@Tree

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation Of BST	FAILED	10.562 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation Of BST"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation Of BST}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e

   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
   at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source)
   at pageObjects.TreePage.ImplementationOfBST(TreePage.java:286)

#	Step / Hook Details	Status	Duration
	at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_implementation_of_bst(TreeSteps.java:603) at ?.The user is in the TryEditor page for Implementation Of BST(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:338) * Not displayable characters are replaced by '?'.		
2	When The user writes invalid python code in the TryEditor and clicks the Run button	SKIPPED	0.001 s
3	Then The user should see an error message in a pop-up alert box	SKIPPED	0.000 s

Verify that user is able to see output for valid python code in Implementation Of BST TryEditor page

FAILED	DURATION - 10.599 s
/ 12:54:15.609 PM // 12:54:26.208 PM /	
Tree Data Structure	
@Tree	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation Of BST	FAILED	10.597 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation Of BST"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ede9b3d14343b702b45d45c252abf5e, findElement {using=link text, value=Implementation Of BST}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.90 (219ee74681fc..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58941/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1ede9b3d14343b702b45d45c252abf5e
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy39.click(Unknown Source) at pageObjects.TreePage.ImplementationOfBST(TreePage.java:286) at StepDefinitions.TreeSteps.the_user_is_in_the_try_editor_page_for_implementation_of_bst(TreeSteps.java:603) at ?.The user is in the TryEditor page for Implementation Of BST(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Tree.feature:343) * Not displayable characters are replaced by '?'.		
2	When The user writes valid python code in the TryEditor and clicks the Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s