Cucumber Report

| Start : Mar 21, 4:26:58.341 PM	End : Mar 21, 4:33:09.909 PM	Duration : 6 m 11.568 s
Features	Scenarios	Steps
PASSED - 2 FAILED - 1 SKIPPED - 0	PASSED - 75 FAILED - 13 SKIPPED - 0	PASSED - 234 FAILED - 13 SKIPPED - 18

3

88

265

66 %

85 %

88 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Data Structures - Introduction Navigation	40.898 s	7	7	0	0	21	21	0	0
Graph	2 m 4.653 s	13	0	13	0	39	8	13	18
Tree Data Structure	3 m 25.891 s	68	68	0	0	205	205	0	0

#	Feature Name	Scenario Name
1	*Graph*	*Verify that user is able to navigate to Graph data structure page*
2		*Verify that user is able to navigate to Graph Data Structures page*
3		*Verify that user is able to navigate to Graph page of Graph-Data structures page*
4		*Verify that user is able to navigate to Try Editor page of Graph*
5		*Verify that user receives an error when clicking on Run button without entering code in Graph Try Editor page*
6		*Verify that user receives an error for invalid Python code read from "pythonCode" and 1 in Graph Page*
7		*Verify that user is able to see output for valid Python code from "pythonCode" and 0 in Graph Page*
8		*Verify that user is able to navigate to Practice Questions in the Graph Data Structure page*
9		*Verify that user is able to navigate to Graph Representations page*

#	Feature Name	Scenario Name
10	*Graph*	*Verify that user is able to navigate to Try Editor page for the Graph Representations page*
11		*Verify that user receives an error when clicking on Run button without entering code in Try Editor page of Graph Representations*
12		*Verify that user receives an error for invalid Python code in Try Editor page of Graph Representations*
13		*Verify that user is able to see output for valid Python code in Try Editor page of Graph Representations*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@DsAlgo_Cucumber	88	75	13	0	3	2	1	0
@second	1	0	1	0	1	0	1	0
@first	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Data Structures - Introduction Navigation	7	7	0	0	40.898 s
2	Graph	13	0	13	0	2 m 4.653 s
3	Tree Data Structure	68	68	0	0	3 m 25.891 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Data Structures - Introduction Navigation	Verify that the user can navigate to Data Structures - Introduction page	3	3	0	0	8.137 s
2		Verify that the user is able to navigate to the Time Comlexity Page	3	3	0	0	1.309 s
3		Verify that user is able to navigate to Practice Questions page	3	3	0	0	1.975 s
4		Verify that user is able to navigate to try Editor page	3	3	0	0	4.860 s
5		Verify that user receives error when click on Run button without entering code	3	3	0	0	7.103 s
6		Verify that user receives an error for invalid Python code in Try Editor page of Time Complexity	3	3	0	0	9.437 s
7		Verify that user is able to see output for valid Python code in Try Editor page of Time Complexity	3	3	0	0	7.888 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Graph	Verify that user is able to navigate to Graph data structure page	3	0	1	2	11.761 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	Graph	Verify that user is able to navigate to Graph Data Structures page	3	2	1	0	1.018 s
10		Verify that user is able to navigate to Graph page of Graph-Data structures page	3	2	1	0	1.224 s
11		Verify that user is able to navigate to Try Editor page of Graph	3	1	1	1	11.298 s
12		Verify that user receives an error when clicking on Run button without entering code in Graph Try Editor page	3	0	1	2	11.245 s
13		Verify that user receives an error for invalid Python code read from "pythonCode" and 1 in Graph Page	3	0	1	2	11.200 s
14		Verify that user is able to see output for valid Python code from "pythonCode" and 0 in Graph Page	3	0	1	2	11.101 s
15		Verify that user is able to navigate to Practice Questions in the Graph Data Structure page	3	1	1	1	11.122 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
16	Graph	Verify that user is able to navigate to Graph Representations page	3	1	1	1	10.683 s
17		Verify that user is able to navigate to Try Editor page for the Graph Representations page	3	1	1	1	10.112 s
18		Verify that user receives an error when clicking on Run button without entering code in Try Editor page of Graph *	3	0	1	2	11.203 s
19		Verify that user receives an error for invalid Python code in Try Editor page of Graph Representations	3	0	1	2	11.213 s
20		Verify that user is able to see output for valid Python code in Try Editor page of Graph Representations	3	0	1	2	11.201 s
21	Tree Data Structure	Verify that user is able to navigate to Tree data structure page	4	4	0	0	5.605 s
22		Verify that user is able to navigate to Tree Data Structures page	3	3	0	0	1.032 s

The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
23		*Verify that user is able to navigate to Overview of Trees page*	3	3	0	0	1.603 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
24	Tree Data Structure	Verify that user is able to navigate to try Editor page for Overview of Trees page	3	3	0	0	0.988 s
25		Verify that user receives error when click on Run button without entering code in Overview of Trees TryEditor page	3	3	0	0	7.689 s
26		Verify that user receives error for invalid python code in Overview of Trees TryEditor page	3	3	0	0	8.630 s
27		Verify that user is able to see output for valid python code in Overview of Trees TryEditor page	3	3	0	0	8.444 s
28		Verify that user is able to navigate to Practice Questions inthe Trees Data Structure page	3	3	0	0	1.952 s
29		Verify that user is able to navigate to Terminologies page	3	3	0	0	1.424 s
30		Verify that user is able to navigate to try Editor page for Terminologies page	3	3	0	0	2.170 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
31		Verify that user receives error when click on Run button without entering code in Terminologies TryEditor page	3	3	0	0	7.352 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
32	Tree Data Structure	Verify that user receives error for invalid python code in Terminologies TryEditor page	3	3	0	0	8.474 s
33		Verify that user is able to see output for valid python code in Terminologies TryEditor page	3	3	0	0	9.187 s
34		Verify that user is able to navigate to Types of Trees page	3	3	0	0	1.749 s
35		Verify that user is able to navigate to try Editor page for Types of Trees page	3	3	0	0	2.269 s
36		Verify that user receives error when click on Run button without entering code in Types of Trees TryEditor page	3	3	0	0	7.651 s
37		Verify that user receives error for invalid python code in Types of Tree TryEditor page	3	3	0	0	8.661 s
38		Verify that user is able to see output for valid python code in Types of Trees TryEditor page	3	3	0	0	3.299 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
39		Verify that user is able to navigate to Tree Traversal page	3	3	0	0	1.646 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
40	Tree Data Structure	Verify that user is able to navigate to try Editor page for Tree Traversal page	3	3	0	0	2.204 s
41		Verify that user receives error when click on Run button without entering code in Tree Travesal TryEditor page for *	3	3	0	0	2.443 s
42		Verify that user receives error for invalid python code in Tree Traversal TryEditor page	3	3	0	0	3.034 s
43		Verify that user is able to see output for valid python code in Tree Traversal TryEditor page	3	3	0	0	3.072 s
44		Verify that user is able to navigate to Traversals-Illustration page	3	3	0	0	1.559 s
45		Verify that user is able to navigate to TryEditor page for Traversals-Illustration page	3	3	0	0	2.141 s
46		Verify that user receives error when click on Run button without entering code in Traversals-Illustration TryEditor *	3	3	0	0	2.160 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
47	Tree Data Structure	Verify that user receives error for invalid python code in Traversals-Illustration TryEditor page	3	3	0	0	3.635 s
48		Verify that user is able to see output for valid python code in Traversals-Illustration TryEditor page	3	3	0	0	3.389 s
49		Verify that user is able to navigate to Binary trees page	3	3	0	0	1.843 s
50		Verify that user is able to navigate to try Editor page for Binary trees page	3	3	0	0	1.849 s
51		Verify that user receives error when click on Run button without entering code in Binary trees TryEditor page	3	3	0	0	2.285 s
52		Verify that user receives error for invalid python code in Binary trees TryEditor page	3	3	0	0	3.222 s
53		Verify that user is able to see output for valid python code in Binary trees TryEditor page	3	3	0	0	3.076 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
54		*Verify that user is able to navigate to Types of Binary trees page*	3	3	0	0	1.598 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
55	Tree Data Structure	Verify that user is able to navigate to try Editor page for Types of Binary Trees page	3	3	0	0	1.874 s
56		Verify that user receives error when click on Run button without entering code in Types of Binary Trees TryEditor *	3	3	0	0	1.879 s
57		Verify that user receives error for invalid python code in Types of Binary Trees TryEditor page	3	3	0	0	3.004 s
58		Verify that user is able to see output for valid python code in Types of Binary Trees TryEditor page	3	3	0	0	3.020 s
59		Verify that user is able to navigate to Implementation in Python page	3	3	0	0	1.387 s
60		Verify that user is able to navigate to try Editor page for Implementation in Python page	3	3	0	0	1.722 s
61		Verify that user receives error when click on Run button without entering code in Implementation in Python TryEdi *	3	3	0	0	2.225 s

** The feature name and/or scenario name has been cropped to fit in the available space.*

#	Feature Name	Scenario Name	T	P	F	S	Duration
62	Tree Data Structure	Verify that user receives error for invalid python code in Implementation in Python TryEditor page	3	3	0	0	3.051 s
63		Verify that user is able to see output for valid python code in Implementation in Python TryEditor page	3	3	0	0	3.036 s
64		Verify that user is able to navigate to Binary Tree Traversals page	3	3	0	0	1.509 s
65		Verify that user is able to navigate to Try Editor page for Binary Tree Traversals page	3	3	0	0	1.887 s
66		Verify that user receives error when click on Run button without entering code in Binary Tree Traversals TryEditor *	3	3	0	0	2.131 s
67		Verify that user receives error for invalid python code in Binary Tree Traversals TryEditor page	3	3	0	0	3.036 s
68		Verify that user is able to see output for valid python code in Binary Tree Traversals TryEditor page	3	3	0	0	2.892 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
69	Tree Data Structure	Verify that user is able to navigate to Implementation of Binary Trees page	3	3	0	0	1.677 s
70		Verify that user is able to navigate to try Editor page for Implementation of Binary Trees page	3	3	0	0	2.008 s
71		Verify that user receives error when click on Run button without entering code in Implementation of Binary Trees *	3	3	0	0	2.194 s
72		Verify that user receives error for invalid python code in Implementation of Binary Trees TryEditor page	3	3	0	0	2.913 s
73		Verify that user is able to see output for valid python code in Implementation of Binary Trees TryEditor page	3	3	0	0	2.824 s
74		Verify that user is able to navigate to Applications of Binary trees page	3	3	0	0	1.713 s
75		Verify that user is able to navigate to try Editor page for Applications of Binary trees page	3	3	0	0	1.898 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
76	Tree Data Structure	Verify that user receives error when click on Run button without entering code in Applications of Binary trees *	3	3	0	0	2.068 s
77		Verify that user receives error for invalid python code in Applications of Binary trees TryEditor page	3	3	0	0	3.074 s
78		Verify that user is able to see output for valid python code in Applications of Binary trees TryEditor page	3	3	0	0	2.793 s
79		Verify that user is able to navigate to Binary Search Trees page	3	3	0	0	1.853 s
80		Verify that user is able to navigate to try Editor page for Binary Search Trees page	3	3	0	0	1.881 s
81		Verify that user receives error when click on Run button without entering code in Binary Search Trees TryEditor page	3	3	0	0	2.126 s
82		Verify that user receives error for invalid python code in Binary Search Trees TryEditor page	3	3	0	0	2.343 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
83	Tree Data Structure	Verify that user is able to see output for valid python code in Binary Search Trees TryEditor page	3	3	0	0	2.342 s
84		Verify that user is able to navigate to Implementation Of BST page	3	3	0	0	1.431 s
85		Verify that user is able to navigate to try Editor page for Implementation Of BST page	3	3	0	0	1.682 s
86		Verify that user receives error when click on Run button without entering code in Implementation Of BST TryEditor *	3	3	0	0	2.206 s
87		Verify that user receives error for invalid python code in Implementation Of BST TryEditor page	3	3	0	0	2.963 s
88		Verify that user is able to see output for valid python code in Implementation Of BST TryEditor page	3	3	0	0	2.684 s

* The feature name and/or scenario name has been cropped to fit in the available space.

Data Structures - Introduction Navigation

PASSED	DURATION - 40.898 s	Scenarios Total - 7 Pass - 7 Fail - 0 Skip - 0	Steps Total - 21 Pass - 21 Fail - 0 Skip - 0
/ 4:26:58.341 PM // 4:27:39.239 PM /			

Verify that the user can navigate to Data Structures - Introduction page

PASSED	DURATION - 8.137 s	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
/ 4:26:58.344 PM // 4:27:06.481 PM /		
Data Structures - Introduction Navigation		
@DsAlgo_Cucumber		

| #	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after logged in the DsAlgo portal	PASSED	4.334 s
2	When The user clicks on the Getting Started button in Data Structures Introduction	PASSED	1.271 s
3	Then The user should land in Data Structures Introduction Page	PASSED	0.018 s

Verify that the user is able to navigate to the Time Comlexity Page

PASSED	DURATION - 1.309 s	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
/ 4:27:06.557 PM // 4:27:07.866 PM /		
Data Structures - Introduction Navigation		
@DsAlgo_Cucumber		

#	Step / Hook Details	Status	Duration
1	Given The user is in the Data Structure Introduction page	PASSED	0.681 s
2	When The user clicks on the Time Complexity link	PASSED	0.592 s
3	Then The user should be able to land on the Time complexity page	PASSED	0.022 s

Verify that user is able to navigate to Practice Questions page

PASSED	DURATION - 1.975 s		Steps	
/ 4:27:07.895 PM // 4:27:09.870 PM /			Total - 3	
Data Structures - Introduction Navigation			Pass - 3	3
@DsAlgo_Cucumber			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is in the Time Complexity page	PASSED	1.460 s
2	When The user clicks the Practice Questions button	PASSED	0.485 s
3	Then The user should be redirected to Practice Questions of Data structures-Introduction	PASSED	0.017 s

Verify that user is able to navigate to try Editor page

PASSED	DURATION - 4.860 s		Steps	
/ 4:27:09.897 PM // 4:27:14.757 PM /			Total - 3	
Data Structures - Introduction Navigation			Pass - 3	3
@DsAlgo_Cucumber			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is in the Time Complexity page	PASSED	1.020 s
2	When The user clicks Try Here button	PASSED	3.718 s
3	Then The user should be redirected to a page having an try Editor with a Run button to test	PASSED	0.113 s

Verify that user receives error when click on Run button without entering code

PASSED	DURATION - 7.103 s
/ 4:27:14.773 PM // 4:27:21.876 PM /	
Data Structures - Introduction Navigation	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page.	PASSED	1.681 s
2	When The user clicks the Run Button without entering the code in the Editor	PASSED	5.400 s
3	Then The user should able to see an error message in alert window.	PASSED	0.013 s

Verify that user receives an error for invalid Python code in Try Editor page of Time Complexity

PASSED	DURATION - 9.437 s
/ 4:27:21.898 PM // 4:27:31.335 PM /	
Data Structures - Introduction Navigation	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page for the Time complexity page	PASSED	1.622 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the tryEditor and clicks on Run button	PASSED	7.798 s
3	Then The user should able to see an error message in alert window.	PASSED	0.008 s

Verify that user is able to see output for valid Python code in Try Editor page of Time Complexity

PASSED	*DURATION - 7.888 s*
/ 4:27:31.351 PM // 4:27:39.239 PM /	
Data Structures - Introduction Navigation	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the tryEditor page for the Time complexity page	PASSED	1.743 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the tryEditor and clicks on Run button	PASSED	6.073 s
3	Then The user should able to see output in the console.	PASSED	0.064 s

Graph

FAILED	*DURATION - 2 m 4.653 s*
/ 4:27:39.270 PM // 4:29:43.923 PM /	

Scenarios
Total - 13
Pass - 0
Fail - 13
Skip - 0

Steps
Total - 39
Pass - 8
Fail - 13
Skip - 18

Verify that user is able to navigate to Graph data structure page

FAILED	*DURATION - 11.761 s*
/ 4:27:39.270 PM // 4:27:51.031 PM /	
Graph	
@second @DsAlgo_Cucumber	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Sign in with valid credentials.	FAILED	11.726 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css		

#	Step / Hook Details	Status	Duration

	selector","selector":"#id_username"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=id_username, using=id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy42.sendKeys(Unknown Source)
	   at pageObjects.GraphPage.clickLogin(GraphPage.java:119)
	   at StepDefinitions.GraphSteps.the_user_is_in_the_home_page_after_sign_in_with_valid_credentials(GraphSteps.java:41)
	   at ?.The user is in the Home page after Sign in with valid credentials.(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:8)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.011 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

| #	Step / Hook Details	Status	Duration

	webauthn:virtualAuthenticators: true}
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	   at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		

2	When The user clicks the Getting Started button in Graph Panel	SKIPPED	0.000 s
3	Then The user should be directed to Graph Data Structure Page	SKIPPED	0.000 s

Verify that user is able to navigate to Graph Data Structures page

FAILED	DURATION - 1.018 s
/ 4:27:51.070 PM // 4:27:52.088 PM /	
Graph	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Signed in.	PASSED	0.190 s
2	When The user selects Graph item from the drop down menu.	PASSED	0.779 s
3	Then The user should land in Graph Data Structure Page	FAILED	0.034 s

	java.lang.AssertionError: expected [Graph] but found [NumpyNinja]
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)
	   at org.testng.Assert.assertEquals(Assert.java:656)
	   at org.testng.Assert.assertEquals(Assert.java:666)
	   at StepDefinitions.GraphSteps.the_user_should_land_in_graph_data_structure_page(GraphSteps.java:67)
	   at ?.The user should land in Graph Data Structure Page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:15)
	* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.006 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	   at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		

Verify that user is able to navigate to Graph page of Graph-Data structures page

FAILED	DURATION - 1.224 s
/ 4:27:52.108 PM // 4:27:53.332 PM /	
Graph	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the Graph data structure page after Sign in	PASSED	0.680 s
2	When The user clicks Graph link	PASSED	0.494 s
3	Then The user should be redirected to Graph page of Graph-Data structures	FAILED	0.022 s

	java.lang.AssertionError: expected [Graph] but found [NumpyNinja]
	   at org.testng.Assert.fail(Assert.java:111)
	   at org.testng.Assert.failNotEquals(Assert.java:1578)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:150)
	   at org.testng.Assert.assertEquals(Assert.java:132)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at StepDefinitions.GraphSteps.the_user_should_be_redirected_to_graph_page_of_graph_data_structures(GraphSteps.java:84) at ?.The user should be redirected to Graph page of Graph-Data structures(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:20) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.000 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		

### Verify that user is able to navigate to Try Editor page of Graph

FAILED	DURATION - 11.298 s		Steps	
/ 4:27:53.350 PM // 4:28:04.648 PM /			Total - 3	
			Pass - 1	
Graph			Fail - 1	
			Skip - 1	
@DsAlgo_Cucumber				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Graph page	PASSED	1.162 s
2	When The user clicks Try Here button in Graph page	FAILED	10.099 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=//a[@href='/tryEditor'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source)
	   at pageObjects.GraphPage.TryHereButton(GraphPage.java:149)
	   at StepDefinitions.GraphSteps.the_user_clicks_try_here_button_in_graph_page(GraphSteps.java:98)
	   at ?.The user clicks Try Here button in Graph page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/ Graph.feature:24)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

| #	Step / Hook Details	Status	Duration

	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	   at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		

3	Then The user should be redirected to a page having a Try Editor with a Run button to test	SKIPPED	0.000 s

Verify that user receives an error when clicking on Run button without entering code in Graph Try Editor page

FAILED	DURATION - 11.245 s
/ 4:28:04.675 PM // 4:28:15.920 PM /	
Graph	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	FAILED	11.220 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=//a[@href='/tryEditor'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source) at pageObjects.GraphPage.TryHereButton(GraphPage.java:149) at StepDefinitions.GraphSteps.the_user_is_in_the_try_editor_page(GraphSteps.java:113) at ?.The user is in the Try Editor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:28) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.000 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		
2	When The user clicks the Run button without entering the code in the Editor	SKIPPED	0.016 s
3	Then The user should see an error message in an alert window	SKIPPED	0.000 s

Verify that user receives an error for invalid Python code read from "pythonCode" and 1 in Graph Page

FAILED	DURATION - 11.200 s
/ 4:28:15.957 PM // 4:28:27.157 PM /	
Graph	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	FAILED	11.191 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=//a[@href='/tryEditor'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		

| #	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source) at pageObjects.GraphPage.TryHereButton(GraphPage.java:149) at StepDefinitions.GraphSteps.the_user_is_in_the_try_editor_page(GraphSteps.java:113) at ?.The user is in the Try Editor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:33) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button	SKIPPED	0.000 s
3	Then The user should see an error message in an alert window	SKIPPED	0.000 s

Verify that user is able to see output for valid Python code from "pythonCode" and 0 in Graph Page

FAILED	DURATION - 11.101 s		Steps
/ 4:28:27.178 PM // 4:28:38.279 PM /			Total - 3
			Pass - 0
Graph			Fail - 1
			Skip - 2
@DsAlgo_Cucumber			

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	FAILED	11.092 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=//a[@href='/tryEditor'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source)
	    at pageObjects.GraphPage.TryHereButton(GraphPage.java:149)
	    at StepDefinitions.GraphSteps.the_user_is_in_the_try_editor_page(GraphSteps.java:113)
	    at ?.The user is in the Try Editor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph. feature:42)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true,		

#	Step / Hook Details	Status	Duration

	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	    at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		

2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button	SKIPPED	0.001 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Verify that user is able to navigate to Practice Questions in the Graph Data Structure page

FAILED	DURATION - 11.122 s
/ 4:28:38.293 PM // 4:28:49.415 PM /	
Graph	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Graph page after Sign in	PASSED	1.022 s
2	When The user clicks Practice Questions link	FAILED	10.090 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Practice Questions"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=Practice Questions, using=link text}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration

	0bb70f4c99b4f6da09358be3f68984e5
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy42.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
	  at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:215)
	  at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:1024)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:570)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:560)
	  at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:265)
	  at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:727)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:474)
	  at pageObjects.GraphPage.PracticeQns(GraphPage.java:202)
	  at StepDefinitions.GraphSteps.the_user_clicks_practice_questions_link(GraphSteps.java:164)
	  at ?.The user clicks Practice Questions link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:52)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.001 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration

	webauthn:virtualAuthenticators: true}
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	    at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		

3	Then The user should be redirected to Practice page	SKIPPED	0.001 s

Verify that user is able to navigate to Graph Representations page

FAILED	DURATION - 10.683 s
/ 4:28:49.429 PM // 4:29:00.112 PM /	
Graph	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is in the Graph data structure page after Sign in	PASSED	0.627 s
2	When The user clicks Graph Representations link	FAILED	10.045 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Graph Representations"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=Graph Representations, using=link text}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source) at pageObjects.GraphPage.GraphRepresentationlink(GraphPage.java:197) at StepDefinitions.GraphSteps.the_user_clicks_graph_representations_link(GraphSteps.java:174) at ?.The user clicks Graph Representations link(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:57) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		
3	Then The user should be redirected to Graph Representations page	SKIPPED	0.001 s

Verify that user is able to navigate to Try Editor page for the Graph Representations page

FAILED	*DURATION - 10.112 s*	
/ 4:29:00.126 PM // 4:29:10.238 PM /		
Graph		
@DsAlgo_Cucumber		

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Graph Representations page	PASSED	0.011 s
2	When The user clicks Try Here button in the Graph Representations page	FAILED	10.084 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"}   (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=//a[@href='/tryEditor'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source) at pageObjects.GraphPage.TryHereButton(GraphPage.java:149) at StepDefinitions.GraphSteps.the_user_clicks_try_here_button_in_the_graph_representations_page(GraphSteps.java:189) at ?.The user clicks Try Here button in the Graph Representations page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:62) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		
3	Then The user should be redirected to a page having a Try Editor with a Run button to test	SKIPPED	0.000 s

Verify that user receives an error when clicking on Run button without entering code in Try Editor page of Graph Representations

FAILED	DURATION - 11.203 s
/ 4:29:10.259 PM // 4:29:21.462 PM /	
Graph	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	FAILED	11.175 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=//a[@href='/tryEditor'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source)
	  at pageObjects.GraphPage.TryHereButton(GraphPage.java:149)
	  at StepDefinitions.GraphSteps.the_user_is_in_the_try_editor_page(GraphSteps.java:113)
	  at ?.The user is in the Try Editor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph. feature:66)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.000 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true,		

#	Step / Hook Details	Status	Duration

	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334)
	   at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		

2	When The user clicks the Run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then The user should see an error message in an alert window	SKIPPED	0.000 s

Verify that user receives an error for invalid Python code in Try Editor page of Graph Representations

FAILED	DURATION - 11.213 s
/ 4:29:21.494 PM // 4:29:32.707 PM /	
Graph	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	FAILED	11.191 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=//a[@href='/tryEditor'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source) at pageObjects.GraphPage.TryHereButton(GraphPage.java:149) at StepDefinitions.GraphSteps.the_user_is_in_the_try_editor_page(GraphSteps.java:113) at ?.The user is in the Try Editor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:71) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then The user should see an error message in an alert window	SKIPPED	0.000 s

Verify that user is able to see output for valid Python code in Try Editor page of Graph Representations

FAILED	DURATION - 11.201 s
/ 4:29:32.722 PM // 4:29:43.923 PM /	
Graph	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 0
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given The user is in the Try Editor page	FAILED	11.171 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/tryEditor']"} (Session info: chrome=134.0.6998.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0bb70f4c99b4f6da09358be3f68984e5, findElement {value=//a[@href='/tryEditor'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56574}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56574/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0bb70f4c99b4f6da09358be3f68984e5
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy42.click(Unknown Source) at pageObjects.GraphPage.TryHereButton(GraphPage.java:149) at StepDefinitions.GraphSteps.the_user_is_in_the_try_editor_page(GraphSteps.java:113) at ?.The user is in the Try Editor page(file:///C:/Users/ashok/eclipse-workspace/DsAlgo_Cucumber/src/test/resources/Features/Graph.feature:80) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinitions.Hooks.takeScreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.29.0', revision: '5fc1ec94cb' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.89, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56560/devtoo..., se:cdpVersion: 134.0.6998.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:176) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:334) at StepDefinitions.Hooks.takeScreenshot(Hooks.java:40)		
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button	SKIPPED	0.000 s
3	Then The user should see output in the Output console	SKIPPED	0.000 s

Tree Data Structure

PASSED	DURATION - 3 m 25.891 s	Scenarios Total - 68 Pass - 68 Fail - 0 Skip - 0	68	Steps Total - 205 Pass - 205 Fail - 0 Skip - 0	205
/ 4:29:44.018 PM // 4:33:09.909 PM /					

Verify that user is able to navigate to Tree data structure page

PASSED	DURATION - 5.605 s
/ 4:29:44.018 PM // 4:29:49.623 PM /	
Tree Data Structure	
@DsAlgo_Cucumber @first	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the Home page after Sign in	PASSED	3.272 s
2	When The user clicks the Getting Started button in Tree Panel	PASSED	1.503 s
3	And The user select Tree item from the drop down menu	PASSED	0.798 s
4	Then The user be directed to Tree Data Structure Page	PASSED	0.017 s

Verify that user is able to navigate to Tree Data Structures page

PASSED	DURATION - 1.032 s
/ 4:29:49.646 PM // 4:29:50.678 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Home page after signed in	PASSED	0.250 s
2	When The user selects Tree item from the drop-down menu	PASSED	0.727 s
3	Then The user should land on the Tree Data Structure page	PASSED	0.047 s

Verify that user is able to navigate to Overview of Trees page

PASSED	DURATION - 1.603 s

/ 4:29:50.703 PM // 4:29:52.306 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.816 s
2	When The user clicks Overview of Trees link	PASSED	0.758 s
3	Then The user should be redirected to Overview of Trees page	PASSED	0.017 s

Verify that user is able to navigate to try Editor page for Overview of Trees page

PASSED	DURATION - 0.988 s

/ 4:29:52.327 PM // 4:29:53.315 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Overview of Trees page	PASSED	0.017 s
2	When The user clicks Try Here button in the Overview of Trees page	PASSED	0.842 s
3	Then The user should be redirected to a TryEditor page with a Run button to test.	PASSED	0.122 s

Verify that user receives error when click on Run button without entering code in Overview of Trees TryEditor page

PASSED	DURATION - 7.689 s		Steps
/ 4:29:53.336 PM // 4:30:01.025 PM /			Total - 3
			Pass - 3
Tree Data Structure			Fail - 0
@DsAlgo_Cucumber			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page.	PASSED	2.116 s
2	When The user clicks the Run button without entering code in the TryEditor.	PASSED	5.536 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.017 s

Verify that user receives error for invalid python code in Overview of Trees TryEditor page

PASSED	DURATION - 8.630 s		Steps
/ 4:30:01.046 PM // 4:30:09.676 PM /			Total - 3
			Pass - 3
Tree Data Structure			Fail - 0
@DsAlgo_Cucumber			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	2.057 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	6.547 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.014 s

Verify that user is able to see output for valid python code in Overview of Trees TryEditor page

PASSED	DURATION - 8.444 s

/ 4:30:09.692 PM // 4:30:18.136 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	2.011 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	6.357 s
3	Then The user should see output in the Output console	PASSED	0.065 s

Verify that user is able to navigate to Practice Questions inthe Trees Data Structure page

PASSED	DURATION - 1.952 s

/ 4:30:18.163 PM // 4:30:20.115 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree page after signing in	PASSED	1.441 s
2	When The user clicks Practice Questions link of the Tree data structure	PASSED	0.484 s
3	Then The user should be redirected to Practice page of the Tree data structure	PASSED	0.004 s

Verify that user is able to navigate to Terminologies page

PASSED	DURATION - 1.424 s
/ 4:30:20.134 PM // 4:30:21.558 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.773 s
2	When The user clicks Terminologies link	PASSED	0.630 s
3	Then The user should be redirected to Terminologies page	PASSED	0.013 s

Verify that user is able to navigate to try Editor page for Terminologies page

PASSED	DURATION - 2.170 s
/ 4:30:21.573 PM // 4:30:23.743 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Terminologies page	PASSED	1.301 s
2	When The user clicks Try Here button in the Terminologies page	PASSED	0.754 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.100 s

Verify that user receives error when click on Run button without entering code in Terminologies TryEditor page

PASSED	DURATION - 7.352 s

/ 4:30:23.762 PM // 4:30:31.114 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.973 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	5.344 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.017 s

Verify that user receives error for invalid python code in Terminologies TryEditor page

PASSED	DURATION - 8.474 s

/ 4:30:31.132 PM // 4:30:39.606 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.992 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	6.450 s
3	Then The user should see an error message in an pop-up alert box	PASSED	0.011 s

Verify that user is able to see output for valid python code in Terminologies TryEditor page

PASSED	*DURATION - 9.187 s*

/ 4:30:39.623 PM // 4:30:48.810 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	2.799 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	6.321 s
3	Then The user should see output in the Output console	PASSED	0.043 s

Verify that user is able to navigate to Types of Trees page

PASSED	*DURATION - 1.749 s*

/ 4:30:48.830 PM // 4:30:50.579 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.948 s
2	When The user clicks Types of Trees link	PASSED	0.779 s
3	Then The user should be redirected to Types of Trees page	PASSED	0.016 s

Verify that user is able to navigate to try Editor page for Types of Trees page

PASSED	*DURATION - 2.269 s*		
/ 4:30:50.602 PM // 4:30:52.871 PM /			
Tree Data Structure			
@DsAlgo_Cucumber			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Types of Trees page	PASSED	1.528 s
2	When The user clicks Try Here button in the Types of Trees page	PASSED	0.637 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.088 s

Verify that user receives error when click on Run button without entering code in Types of Trees TryEditor page

PASSED	*DURATION - 7.651 s*		
/ 4:30:52.884 PM // 4:31:00.535 PM /			
Tree Data Structure			
@DsAlgo_Cucumber			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	2.248 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	5.372 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.016 s

Verify that user receives error for invalid python code in Types of Tree TryEditor page

PASSED	DURATION - 8.661 s
/ 4:31:00.564 PM // 4:31:09.225 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	2.100 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	6.530 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.016 s

Verify that user is able to see output for valid python code in Types of Trees TryEditor page

PASSED	DURATION - 3.299 s
/ 4:31:09.246 PM // 4:31:12.545 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	2.063 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.187 s
3	Then The user should see output in the Output console	PASSED	0.038 s

Verify that user is able to navigate to Tree Traversal page

PASSED	*DURATION - 1.646 s*	
/ 4:31:12.563 PM // 4:31:14.209 PM /		
Tree Data Structure		
@DsAlgo_Cucumber		

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.891 s
2	When The user clicks Tree Traversal link	PASSED	0.731 s
3	Then The user should be redirected to Tree Traversal page	PASSED	0.012 s

Verify that user is able to navigate to try Editor page for Tree Traversal page

PASSED	*DURATION - 2.204 s*	
/ 4:31:14.259 PM // 4:31:16.463 PM /		
Tree Data Structure		
@DsAlgo_Cucumber		

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Traversal page	PASSED	1.270 s
2	When The user clicks Try Here button in the Tree Traversal page	PASSED	0.842 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.081 s

Verify that user receives error when click on Run button without entering code in Tree Travesal TryEditor page for Tree Tryeditor

PASSED	*DURATION - 2.443 s*

/ 4:31:16.480 PM // 4:31:18.923 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Try Editor page	PASSED	2.175 s
2	When The user clicks the Run button without entering code in the Editor	PASSED	0.249 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.009 s

Verify that user receives error for invalid python code in Tree Traversal TryEditor page

PASSED	*DURATION - 3.034 s*

/ 4:31:18.939 PM // 4:31:21.973 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.740 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.263 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.018 s

Verify that user is able to see output for valid python code in Tree Traversal TryEditor page

PASSED *DURATION - 3.072 s*	Steps
/ 4:31:21.999 PM // 4:31:25.071 PM /	Total - 3
Tree Data Structure	Pass - 3
	Fail - 0
@DsAlgo_Cucumber	Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.854 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.171 s
3	Then The user should see output in the Output console	PASSED	0.034 s

Verify that user is able to navigate to Traversals-Illustration page

PASSED *DURATION - 1.559 s*	Steps
/ 4:31:25.087 PM // 4:31:26.646 PM /	Total - 3
Tree Data Structure	Pass - 3
	Fail - 0
@DsAlgo_Cucumber	Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.822 s
2	When The user clicks Traversals-Illustration link	PASSED	0.714 s
3	Then The user should be redirected to Traversals-Illustration page	PASSED	0.012 s

Verify that user is able to navigate to TryEditor page for Traversals-Illustration page

#	Step / Hook Details	Status	Duration
1	Given The user is on the Traversals-Illustration page	PASSED	1.542 s
2	When The user clicks Try Here button in the Traversals-Illustration page	PASSED	0.516 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.070 s

Verify that user receives error when click on Run button without entering code in Traversals-Illustration TryEditor page

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.844 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.291 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.016 s

Verify that user receives error for invalid python code in Traversals-Illustration TryEditor page

| PASSED	DURATION - 3.635 s
/ 4:31:31.002 PM // 4:31:34.637 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	2.249 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.350 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.023 s

Verify that user is able to see output for valid python code in Traversals-Illustration TryEditor page

PASSED	DURATION - 3.389 s
/ 4:31:34.658 PM // 4:31:38.047 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	2.142 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.202 s
3	Then The user should see output in the Output console	PASSED	0.030 s

Verify that user is able to navigate to Binary trees page

PASSED	DURATION - 1.843 s
/ 4:31:38.067 PM // 4:31:39.910 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.845 s
2	When The user clicks Binary trees link	PASSED	0.974 s
3	Then The user should be redirected to Binary trees page	PASSED	0.008 s

Verify that user is able to navigate to try Editor page for Binary trees page

PASSED	DURATION - 1.849 s
/ 4:31:39.927 PM // 4:31:41.776 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Binary trees page	PASSED	1.187 s
2	When The user clicks Try Here button in the Binary trees page	PASSED	0.566 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.085 s

Verify that user receives error when click on Run button without entering code in Binary trees TryEditor page

PASSED	DURATION - 2.285 s
/ 4:31:41.799 PM // 4:31:44.084 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.966 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.292 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.013 s

Verify that user receives error for invalid python code in Binary trees TryEditor page

PASSED	DURATION - 3.222 s
/ 4:31:44.110 PM // 4:31:47.332 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.958 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.235 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.015 s

Verify that user is able to see output for valid python code in Binary trees TryEditor page

PASSED	*DURATION - 3.076 s*		Steps

/ 4:31:47.354 PM // 4:31:50.430 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.860 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.167 s
3	Then The user should see output in the Output console	PASSED	0.037 s

Verify that user is able to navigate to Types of Binary trees page

PASSED	*DURATION - 1.598 s*

/ 4:31:50.450 PM // 4:31:52.048 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.714 s
2	When The user clicks Types of Binary trees link	PASSED	0.857 s
3	Then The user should be redirected to Types of Binary trees page	PASSED	0.015 s

Verify that user is able to navigate to try Editor page for Types of Binary Trees page

PASSED	DURATION - 1.874 s		Steps	
/ 4:31:52.062 PM // 4:31:53.936 PM /			Total - 3	
			Pass - 3	
Tree Data Structure			Fail - 0	
			Skip - 0	
@DsAlgo_Cucumber				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Types of Binary Trees page	PASSED	1.288 s
2	When The user clicks Try Here button in the Types of Binary Trees page	PASSED	0.500 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.073 s

Verify that user receives error when click on Run button without entering code in Types of Binary Trees TryEditor page

PASSED	DURATION - 1.879 s		Steps	
/ 4:31:53.954 PM // 4:31:55.833 PM /			Total - 3	
			Pass - 3	
Tree Data Structure			Fail - 0	
			Skip - 0	
@DsAlgo_Cucumber				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Try Editor page	PASSED	1.582 s
2	When The user clicks the Run button without entering code in the Editor	PASSED	0.280 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.008 s

Verify that user receives error for invalid python code in Types of Binary Trees TryEditor page

PASSED	DURATION - 3.004 s
/ 4:31:55.848 PM // 4:31:58.852 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.833 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.150 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.011 s

Verify that user is able to see output for valid python code in Types of Binary Trees TryEditor page

PASSED	DURATION - 3.020 s
/ 4:31:58.866 PM // 4:32:01.886 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.746 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.229 s
3	Then The user should see output in the Output console	PASSED	0.034 s

Verify that user is able to navigate to Implementation in Python page

PASSED	DURATION - 1.387 s		Steps
/ 4:32:01.903 PM // 4:32:03.290 PM /			Total - 3
			Pass - 3
Tree Data Structure			Fail - 0
			Skip - 0
@DsAlgo_Cucumber			

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.781 s
2	When The user clicks Implementation in Python link	PASSED	0.584 s
3	Then The user should be redirected to Implementation in Python page	PASSED	0.012 s

Verify that user is able to navigate to try Editor page for Implementation in Python page

PASSED	DURATION - 1.722 s		Steps
/ 4:32:03.306 PM // 4:32:05.028 PM /			Total - 3
			Pass - 3
Tree Data Structure			Fail - 0
			Skip - 0
@DsAlgo_Cucumber			

#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation in Python page	PASSED	1.155 s
2	When The user clicks Try Here button in the Implementation in Python page	PASSED	0.489 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.068 s

Verify that user receives error when click on Run button without entering code in Implementation in Python TryEditor page

PASSED	DURATION - 2.225 s
/ 4:32:05.043 PM // 4:32:07.268 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.858 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.341 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.013 s

Verify that user receives error for invalid python code in Implementation in Python TryEditor page

PASSED	DURATION - 3.051 s
/ 4:32:07.288 PM // 4:32:10.339 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.783 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.247 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.012 s

Verify that user is able to see output for valid python code in Implementation in Python TryEditor page

PASSED	DURATION - 3.036 s			
/ 4:32:10.355 PM // 4:32:13.391 PM /			Steps	
Tree Data Structure			Total - 3 Pass - 3 Fail - 0 Skip - 0	
@DsAlgo_Cucumber				

#	Step / Hook Details	Status	Duration
1	Given The user is on the TryEditor page	PASSED	1.798 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.201 s
3	Then The user should see output in the Output console	PASSED	0.026 s

Verify that user is able to navigate to Binary Tree Traversals page

PASSED	DURATION - 1.509 s			
/ 4:32:13.411 PM // 4:32:14.920 PM /			Steps	
Tree Data Structure			Total - 3 Pass - 3 Fail - 0 Skip - 0	
@DsAlgo_Cucumber				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Tree Data Structure page after signing in	PASSED	0.746 s
2	When The user clicks Binary Tree Traversals link	PASSED	0.727 s
3	Then The user should be redirected to Binary Tree Traversals page	PASSED	0.013 s

Verify that user is able to navigate to Try Editor page for Binary Tree Traversals page

PASSED	DURATION - 1.887 s
/ 4:32:14.944 PM // 4:32:16.831 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Binary Tree Traversals page	PASSED	1.293 s
2	When The user clicks the Try Here button	PASSED	0.506 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.077 s

Verify that user receives error when click on Run button without entering code in Binary Tree Traversals TryEditor page

PASSED	DURATION - 2.131 s
/ 4:32:16.851 PM // 4:32:18.982 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Tree Traversals	PASSED	1.794 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.308 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.014 s

Verify that user receives error for invalid python code in Binary Tree Traversals TryEditor page

PASSED	DURATION - 3.036 s

/ 4:32:18.998 PM // 4:32:22.034 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Tree Traversals	PASSED	1.883 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.128 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.010 s

Verify that user is able to see output for valid python code in Binary Tree Traversals TryEditor page

PASSED	DURATION - 2.892 s

/ 4:32:22.047 PM // 4:32:24.939 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Tree Traversals	PASSED	1.678 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.162 s
3	Then The user should see output in the Output console	PASSED	0.039 s

Verify that user is able to navigate to Implementation of Binary Trees page

PASSED	DURATION - 1.677 s		
/ 4:32:24.963 PM // 4:32:26.640 PM /			
Tree Data Structure			
@DsAlgo_Cucumber			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.945 s
2	When The user clicks the Implementation of Binary Trees link	PASSED	0.704 s
3	Then The user should be redirected to the Implementation of Binary Trees page	PASSED	0.014 s

Verify that user is able to navigate to try Editor page for Implementation of Binary Trees page

PASSED	DURATION - 2.008 s		
/ 4:32:26.659 PM // 4:32:28.667 PM /			
Tree Data Structure			
@DsAlgo_Cucumber			

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation of Binary Trees page	PASSED	1.446 s
2	When The user clicks the Try Here button	PASSED	0.493 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.059 s

Verify that user receives error when click on Run button without entering code in Implementation of Binary Trees TryEditor page

PASSED	DURATION - 2.194 s
/ 4:32:28.684 PM // 4:32:30.878 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation of Binary Trees	PASSED	1.891 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.281 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.011 s

Verify that user receives error for invalid python code in Implementation of Binary Trees TryEditor page

PASSED	DURATION - 2.913 s
/ 4:32:30.899 PM // 4:32:33.812 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation of Binary Trees	PASSED	1.699 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.184 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.020 s

Verify that user is able to see output for valid python code in Implementation of Binary Trees TryEditor page

PASSED	DURATION - 2.824 s

/ 4:32:33.832 PM // 4:32:36.656 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation of Binary Trees	PASSED	1.723 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.057 s
3	Then The user should see output in the Output console	PASSED	0.034 s

Verify that user is able to navigate to Applications of Binary trees page

PASSED	DURATION - 1.713 s

/ 4:32:36.672 PM // 4:32:38.385 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.884 s
2	When The user clicks the Applications of Binary trees link	PASSED	0.777 s
3	Then The user should be redirected to the Applications of Binary trees page	PASSED	0.042 s

Verify that user is able to navigate to try Editor page for Applications of Binary trees page

PASSED	DURATION - 1.898 s		Steps

/ 4:32:38.400 PM // 4:32:40.298 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Binary trees page	PASSED	1.292 s
2	When The user clicks the Try Here button	PASSED	0.510 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.084 s

Verify that user receives error when click on Run button without entering code in Applications of Binary trees TryEditor page

PASSED	DURATION - 2.068 s		Steps

/ 4:32:40.311 PM // 4:32:42.379 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Applications of Binary trees	PASSED	1.701 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.337 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.016 s

Verify that user receives error for invalid python code in Applications of Binary trees TryEditor page

PASSED	DURATION - 3.074 s
/ 4:32:42.394 PM // 4:32:45.468 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Applications of Binary trees	PASSED	1.871 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.177 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.013 s

Verify that user is able to see output for valid python code in Applications of Binary trees TryEditor page

PASSED	DURATION - 2.793 s
/ 4:32:45.484 PM // 4:32:48.277 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Applications of Binary trees	PASSED	1.663 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.089 s
3	Then The user should see output in the Output console	PASSED	0.031 s

Verify that user is able to navigate to Binary Search Trees page

PASSED	DURATION - 1.853 s

/ 4:32:48.299 PM // 4:32:50.152 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.738 s
2	When The user clicks the Binary Search Trees link	PASSED	1.095 s
3	Then The user should be redirected to the Binary Search Trees page	PASSED	0.010 s

Verify that user is able to navigate to try Editor page for Binary Search Trees page

PASSED	DURATION - 1.881 s

/ 4:32:50.171 PM // 4:32:52.052 PM /

Tree Data Structure

@DsAlgo_Cucumber

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Binary Search Trees page	PASSED	1.339 s
2	When The user clicks the Try Here button	PASSED	0.463 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.066 s

Verify that user receives error when click on Run button without entering code in Binary Search Trees TryEditor page

PASSED	DURATION - 2.126 s
/ 4:32:52.065 PM // 4:32:54.191 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Search Trees	PASSED	1.807 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.298 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.008 s

Verify that user receives error for invalid python code in Binary Search Trees TryEditor page

PASSED	DURATION - 2.343 s
/ 4:32:54.204 PM // 4:32:56.547 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Search Trees	PASSED	1.715 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.607 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.013 s

Verify that user is able to see output for valid python code in Binary Search Trees TryEditor page

PASSED	DURATION - 2.342 s		Steps
/ 4:32:56.558 PM // 4:32:58.900 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0
Tree Data Structure			
@DsAlgo_Cucumber			

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Binary Search Trees	PASSED	1.759 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.555 s
3	Then The user should see output in the Output console	PASSED	0.019 s

Verify that user is able to navigate to Implementation Of BST page

PASSED	DURATION - 1.431 s		Steps
/ 4:32:58.906 PM // 4:33:00.337 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0
Tree Data Structure			
@DsAlgo_Cucumber			

| #	Step / Hook Details	Status	Duration
1	Given The user is in the Tree data structure page after sign in	PASSED	0.686 s
2	When The user clicks the Implementation Of BST link	PASSED	0.719 s
3	Then The user should be redirected to the Implementation Of BST page	PASSED	0.019 s

Verify that user is able to navigate to try Editor page for Implementation Of BST page

PASSED	DURATION - 1.682 s
/ 4:33:00.345 PM // 4:33:02.027 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Implementation Of BST page	PASSED	0.924 s
2	When The user clicks the Try Here button	PASSED	0.710 s
3	Then The user should be redirected to a TryEditor page with a Run button to test	PASSED	0.043 s

Verify that user receives error when click on Run button without entering code in Implementation Of BST TryEditor page

PASSED	DURATION - 2.206 s
/ 4:33:02.036 PM // 4:33:04.242 PM /	
Tree Data Structure	
@DsAlgo_Cucumber	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation Of BST	PASSED	1.926 s
2	When The user clicks the Run button without entering code in the TryEditor	PASSED	0.262 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.012 s

Verify that user receives error for invalid python code in Implementation Of BST TryEditor page

	PASSED	DURATION - 2.963 s		Steps	
	/ 4:33:04.247 PM // 4:33:07.210 PM /			Total - 3	
				Pass - 3	
	Tree Data Structure			Fail - 0	3
	@DsAlgo_Cucumber			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation Of BST	PASSED	1.916 s
2	When The user reads the invalid python code from excel "pythonCode" and 1 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	1.026 s
3	Then The user should see an error message in a pop-up alert box	PASSED	0.013 s

Verify that user is able to see output for valid python code in Implementation Of BST TryEditor page

	PASSED	DURATION - 2.684 s		Steps	
	/ 4:33:07.225 PM // 4:33:09.909 PM /			Total - 3	
				Pass - 3	
	Tree Data Structure			Fail - 0	3
	@DsAlgo_Cucumber			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is in the TryEditor page for Implementation Of BST	PASSED	1.861 s
2	When The user reads the valid python code from excel "pythonCode" and 0 and enters in the Editor and clicks on Run button for Tree Tryeditor	PASSED	0.792 s
3	Then The user should see output in the Output console	PASSED	0.022 s