

TrueCAT USER MANUAL

TrueCAT Version 7.0

Date: Sept 2019

Contents

	0
Purpose:	2
TrueCAT Home Screen:	2
Understanding Account Details in TrueCAT:	4
1. Summary Page:	4
2. Hurricane Peril	7
Visualizing data in TrueCAT:	9
1. Map Visualization:	9
2. Submit Different Types of jobs:	13
1. Add Event	13

Purpose:


The goal of the TrueCAT application is to allow underwriters and portfolio risk managers to have all the account data at their fingertips.

It allows underwriters to understand:

- Exposure data quality and its impact on loss estimates
- Executive summary based on AIR and BHSI view of risk
- Loss drivers based on AIR and BHSI view of risk across regions and perils
- Location loss drivers and hazard information
- Easily integrate different sources of data like CAT Risk flood, historical hurricane tracks etc. to better visualize/analyze the hazards
- Changes between different options and/or different years of exposure data
- Run various what-if or historical scenarios and understand the loss potential

This document will focus on introducing underwriters to basic TrueCAT workflow and key functionalities. We will generate different documents for specific functionalities later.

TrueCAT Home Screen:



Select Multiple Job	Portfolio Name	EDM Database	User Name	Creation Date	Visited Date	Vendor	Filter Name
	Bound AllAccounts May 2019	Bound_201905_BHSI_Exposure		13-07-2019	16-09-2019	AIR	
	Bound AllAccounts February 2019	Bound_201902_BHSI_Exposure		21-05-2019	16-09-2019	AIR	
	Bound AllAccounts May 2019_AccountId	Bound_201905_BHSI_Exposure		11-09-2019	13-09-2019	AIR	
	Bound AllAccounts February 2019_Aust	Bound_201902_BHSI_Exposure	Pratibha Kulkarni	06-09-2019	11-09-2019	AIR	Aust
	NCIUA 2019 HU	Bound_SpecialAccounts_2018_AZ_Exposure		10-07-2019	11-09-2019	AIR	
	ICAT EQ - February 2019	Bound_201902_BHSI_Exposure		13-05-2019	11-09-2019	AIR	
	ICAT WS - February 2019	Bound_201902_BHSI_Exposure		13-05-2019	10-09-2019	AIR	
	Bound AllAccounts February 2019_AccountName	Bound_201902_BHSI_Exposure		22-08-2019	09-09-2019	AIR	Acc1
	Catalytic EQ - February 2019	Bound_201902_BHSI_Exposure		13-05-2019	06-09-2019	AIR	
	Cabrillo-February 2019	Bound_201902_BHSI_Exposure		13-05-2019	06-09-2019	AIR	

This is an account tab, where you can select the account you are looking for.

Account Name	U/W Name	Branch Office	Exposure Year	Completion Date	Visited Date	BHSI Results	U/W Access	Vendor	Account Observations
Kimberly Clark Corporation_R3_CatEnA	Bruce Edwards	Retail - MW	2019	02-08-2019	16-09-2019	No	No	AIR	
Qube Property_ES	Kate Simicevic	Australia	2019	02-08-2019	16-09-2019	No	No	AIR	
Imperial Brands_ES	Paul Collins	Europe	2019	02-08-2019	11-09-2019	No	No	AIR	
Accenture Inc	Bruce Edwards	Retail - MW	2018	30-07-2019	11-09-2019	Yes	Yes	AIR	test
Wilson Portfolio Op2_ES	Alison McVeigh	Retail - NY	2019	30-07-2019	11-09-2019	Yes	Yes	AIR	Test
FLTPS Land Trust Agreement_ES	Neal den Exter	Builders Risk	2019	02-08-2019	01-01-0001	No	No	AIR	
FLTPS Land Trust Agreement_ES	Ashish Belambe	India	2019	02-08-2019	01-01-0001	No	No	AIR	
FLTPS Land Trust Agreement_OP2_ES	Neal den Exter	Builders Risk	2019	02-08-2019	01-01-0001	No	No	AIR	
FLTPS Land Trust Agreement_OP2_ES	Ashish Belambe	India	2019	02-08-2019	01-01-0001	No	No	AIR	
HE Deutschland Part1_ES	Alexander Moersch	Europe	2020	02-08-2019	01-01-0001	No	No	AIR	

The home screen will quickly show underwriters all the accounts that have been completed and transferred by the CAT analytics team. The accounts will be automatically filtered based on the underwriter name and visited date. All the accounts are listed here with the information you need to further visualize the exposure data.


These are few common functionalities of the grid which you will come across often while working with TrueCAT. All the columns have:

- 'Filter' functionality – Allows you to quickly filter any column
- Sort the column in ascending or descending order – allows you to sort column(s)
- Pin/unpin the columns – this will ensure the pinned column(s) will always be available to the left when you scroll the grid to right
- Column chooser – Click on the button (☰) and you will see a list of optional column heads which can be added alongside the earlier list. Click on the Heads which have cross besides them and they will be then visible on the screen. You can add these columns and click on "Update Grid" to get the information of those columns on the grid.

Tip: If you don't see the account you are looking for click on the Refresh button to refresh the account list. This will update this list with any of the new accounts that may have been transferred by the CAT team.

Following is the list of all the information (column wise heads) available here:

- Account Name – Name of the account used by CAT team
- Underwriter Name
- Branch Name
- Exposure Year based on the year of the policy
- Completion Date - Date of completion of an analysis
- Visited Date – Last date on which you visited/viewed this account
- BHSI Results - If this account considers to data generated from BHSI model, it will show “Yes” else “No”
- Account observation- This functionality enables you to add comments while viewing an account. You can see all comments for an account made by underwriter and CAT E&A team members



Understanding Account Details in TrueCAT:


This section of the document will focus on different TrueCAT sections and information available for you to analyze the exposure and loss information further. The data is visualized in Maps, Charts, Pivot and Grids and can be modified based on the account information to understand the loss drivers better.

All the functionalities which you would need to use TrueCAT are explained in the following pages.

1. Summary Page:


When you click on any account from the TrueCAT home screen, the summary page for that account will automatically show up. The summary page is designed to give you an access to all the important information such as TIV and location count breakdown by region, data quality measures, AIR/BHSI loss by peril and top location drivers for each peril on a single page. This will allow you to get a complete view of an account before deciding which peril(s) to focus additional analysis on.

The first page of TrueCAT shows the summary of all perils with the Geospatial, Chart and Grid visualization



Commented [BA1]: Check the spelling of visualize and “Other attributes of location” instead of “the account location”

All the functionalities which you would need to use in TrueCAT are explained in the following pages. The summary page gives access to all the important information such as TIV, location details, content value etc. for all the perils on a single page.



Ex. In the screenshot above you can see the TIV of this account for all the perils.

Default charts available in the summary section are:

- TIV distribution by modeled and non-modeled regions
- TIV distribution by address match
- TIV distribution by construction class
- TIV distribution by occupancy
- TIV distribution by coverage
- Ground up loss distribution by peril

This visualization is extremely helpful when one account needs to be assessed on the basis of Perils. Following is an overview of the visualization for an account based on individual perils.

Grid Visualization Per peril Location information

☒ Earthquake
 ☒ Hurricane
 ☒ Flood
 ☒ Tornado
 ☒ Fire
 ☒ Terrorism

35 items selected


	Account ID	Account Na...	L...	Location Numbe...	Location Name	Street...
☐	36	Wilson Portfolio	5105	23	Metro Place I II	907 S K
☐	36	Wilson Portfolio	5113	20	Waterford	4733 W
☐	36	Wilson Portfolio	5182	16	Woodhill	7200 W
☐	36	Wilson Portfolio	5120	5	Westchester	105 We
☐	36	Wilson Portfolio	5109	24	Pointe Vista I II	5455 Pc
☐	36	Wilson Portfolio	5116	2	Wellington	2900 Dr
☐	36	Wilson Portfolio	5128	12	Windermere I	9474 Wi

Grid option provides the location information of the account with geocoding. This information can be stored in excel by exporting the grid to your computer.

Tip: If you don't see the column(s) you are looking for, click on the "column head chooser" button and select the column(s). While empty columns will appear on the grid, make sure to click on "Update Grid" at the top of menu to populate them with the information.


2. Hurricane Peril

If the template is not changed then all the visualization remains the same for all the Perils. In case of Hurricane shape files of hazard event are constantly added in the database of TrueCAT and you can access it to visualize the intersection of the Hurricane path and account locations.




The most striking differences between earthquake and hurricane peril section are


- Hurricane path can be visualized in MAP mode
- Attribute list which is specific to Hazard changes with each peril.



The shape files for Hurricanes are received from USGS and NHU. You can use event year or event name to find the desired file.



In the above image we have chosen Hurricane Andrew 1992. Zoom on the selected/desired location to visualize the intersection of the hazard and location.




When clicked on the Hurricane path, a pop-up window opens. This window has the details of the hazard.

Visualizing data in TrueCAT:

This section of the document will focus on different visualization modules available in TrueCAT to understand the loss drivers better.

1. Map Visualization:




Select "Earthquake" from the drop-down option "Summary".

On the map visualization, you will find options on the left-hand side


- Cluster
- Heat map
- Filter
- Add event - *not available at Summary page*
- Concentration- Ring Analysis - *not available at Summary page*

- Draw Graphics- Custom shape analysis - *not available at Summary page*
- Exposed Limit Analysis- *Exposed Limit Analysis-not available at Summary page*



The cluster option allows you to visualize data in two formats- Clusters and heat map. The information which can be visualized in these formats

- TIV
- Location count
- GU AAL- Ground Up Average Annual Loss
- GR AAL- Gross Average Annual Loss



You can filter the data to visualize it in terms of a. Total Insured Value (TIV), b. Location Count, c. GU AAL, d. GR AAL. What this means is the "Data points" which you will visualize in cluster or heat format will be the one you have chosen in this dropdown named "Select data"


Click on "submit" to visualize.

How to zoom the Map?

There are multiple ways you can access the zoom feature in the map to drill down to the geographical area of interest

- Click on the cluster
- Zoom functionality in the map right bottom corner


- Zoom using the scroll of the mouse
- If you are trying to quickly get to the area of interest, you can also use "Draw rectangle" to zoom as shown below




After zoom level 16, the clusters will automatically disintegrated into icons.

- Red icons – for locations in the bound portfolio
- Blue icons – for locations in the account
- Green icons – For locations in account 2 used in the comparison mode only


The icon style represents an occupancy information used and can be seen in the appendix below.



You can use this button (Highlighted in Orange) to zoom a specific location. Select the "Specific Zoom" option and click on the desired location to zoom the location




Note: Make sure the zoom level is more than 16 to access the location details




The above screenshot shows account location when zoomed. When clicked on icon, you can access the account location details including the address, geocode, loss and policy details.

Additional Features available on Map:

Last 30 days major Earthquake data: Earthquake Real time earthquake data fetched from USGS




- **Distance calculation**
- **Filter – Map to Grid**
- **Zoom to default**
- **Download**
- **Full Screen**
- **Change map style:** Click on () this button to change the map Style to satellite mode.



2. Submit Different Types of jobs:


1. Add Event

On Map visualization 'Add Event' nothing but Shape analysis.




You can submit shape analysis by using below steps:

- Enter analysis Name
- Select Hazard File
- Select DR File



Map




Tip: Update hazard file will be available once user publish particular hazard file through True CAT using Publish Shape file module.

User Can upload new DR file from same pop up just by clicking on **+ Upload** button. DR file should be in .csv Format.

2. Concentration Analysis

To submit ring analysis, Chose Option2 from map visualization:



User can submit ring analysis with below steps:

1. Enter Analysis name
2. Select scale from dropdown like Meter or feet
3. Enter radius and damage ratio

Tip: User can submit Ring analysis using two mode:

1. Manual Mode
2. File Mode

Please find below screen for reference:

- **Manual Mode:**

Concentration Ring Analysis

DR Mode: ☒ Manual ☐ File

Map Extents:

Analysis Name:

Scale: Kilometer


Radius: 30

Damage Ratio: 50

60 70 90

80


- **File Mode:**



Tip: In file mode user need to upload DR file with Radius and damage ratio. To preview DR file, click on  from same pop up window.

3. Draw Graphics

User can submit analysis by drawing shape over particular cluster.



To submit custom shape analysis, please follow below steps:

. Draw shape over cluster

Enter damage ratio


Tip: User can submit custom shape analysis in two mode:

1. Manual Mode

2. File Mode


Please find below screen for reference:

Manual Mode:




File Mode:

In file mode, you can use exported shapes:




Once you import shapes over map visualization, Shapes will display on map. Now next step is to select damage ratio file and graphics to submit analysis.




3. Exposed Limit analysis:

1. Add the analysis name
2. Select the exposed limit file
3. Select the correct DR file
4. Click on Submit button



Then



Grid Visualization

This is the second type of visualization which is available with TrueCAT.

Let us go through column heads in Grid

TRUECAT Club Property_ES United States Dollar Earthquake

Grid Visualization

Policy Location

Location details of Account

Policy details of Account

1.To minimize view 2.To maximized view 3.To remove view from dashboard page

To remove filter

To update grid after adding column init.

To add grid columns

Layer Number	Company Share	Layer Amount	Attachment Point	Deductible Type Code...	Deductible	Deductible	GU AAL
1_ProgramLimit Xs Ded_Et	\$107.76M	\$107.76M	\$0.00	MI	\$13.90K	\$0.00	\$0.00
2_155.07MPo 155.07M Xs	\$107.76M	\$107.76M	\$0.00	MI	\$13.90K	\$0.00	\$0.00

Executive Summary

BHSI Executive Summary

20 items selected

Layer Number...	Perspective C...	Region	Peril	50 Yr TCP - 90...	50	Layer Number...	Perspective C...	Region	Peril	50 Yr TCP - 90...	50 Yr TCP - 8
	GU	Rest of US	Earthquake	\$0.00	\$0		Ground Up	CA	Earthquake	\$0.00	\$0.00
1_ProgramLimit Xs GR		Rest of US	Earthquake	\$2.43K	\$1	200MPo 200MXs 0 GR		CA	Earthquake	\$225.13K	\$191.54K
6_50MPo 50M Xs GR		Rest of US	Earthquake	\$88.26	\$2	450MPo 450MXs 5 GR		CA	Earthquake	\$1.00	\$1.00
5_25MPo 25M Xs GR		Rest of US	Earthquake	\$419.82	\$1	250MPo 250MXs 3 GR		CA	Earthquake	\$1.00	\$1.00
4_15MPo 15M Xs GR		Rest of US	Earthquake	\$734.65	\$3	Program Limit xs D GR		CA	Earthquake	\$1.00	\$1.00
3_5MPo 5M Xs 5M GR		Rest of US	Earthquake	\$542.79	\$2	75MPo 75MXs 25N GR		CA	Earthquake	\$1.00	\$1.00
2_5MPo 5M Xs 0 GR		Rest of US	Earthquake	\$1.08K	\$6	200MPo 200MXs 1 GR		CA	Earthquake	\$1.00	\$1.00
						25MPo 25MXs 0 GR		CA	Earthquake	\$1.00	\$1.00

- Events, Policy contributions, Location Contributions and executive summary are the tabs which appear after completion of any visualization job. Let us know what these four tabs tell you.
- "Events" information- This tab provides all the information about Total Gross Loss and Total Ground Up Loss per location
- "Policy contribution" information- The main information this tab provides is the Layer amount per location. The rest of policy details per locations are displayed here "Location contribution" information-
- "Executive Summary" information- With this version TrueCAT provides an option to pull the data from both AIR and BHSI hazard models in this grid. The option to add BHSI data (BHSI summary) is provided right at the top. Once the data from AIR and BHSI is fed to TrueCAT you can find options specifically to compare and work with data from both models.

Grid Visualization

Policy Location

Column Head Chooser: View list of all columns by clicking on this button

11 items selected

Layer Number...	Company Sha...	Layer Amount...	Attachment P...	Deductible Ty...	Deductible1	Deductible2	GU AAL	Account Nam...	Layer ID
1_ProgramLimit Xs	\$400.00M	\$400.00M	\$0.00	MI	\$100.00K	\$0.00	\$867.21		0
2_5MPo 5M Xs 0_	\$5.00M	\$5.00M	\$0.00	MI	\$100.00K	\$0.00	\$867.21		0
3_5MPo 5M Xs 5M	\$5.00M	\$5.00M	\$5.00M	MI	\$100.00K	\$0.00	\$867.21		0
4_15MPo 15M Xs	\$15.00M	\$15.00M	\$10.00M	MI	\$100.00K	\$0.00	\$867.21		0
5_25MPo 25M Xs	\$25.00M	\$25.00M	\$25.00M	MI	\$100.00K	\$0.00	\$867.21		0
6_50MPo 50M Xs	\$50.00M	\$50.00M	\$50.00M	MI	\$100.00K	\$0.00	\$867.21		0

Account Name
Layer Number
Layer ID
Inception Date
Expiry Date
Company Share
Layer Amount
Attachment Point

Tip: If you don't see the column(s) you are looking for, click on the "column head chooser" button and select the column(s). While empty columns will appear on the grid, make sure to click on "Update Grid" at the top of menu to populate them with the information.

The filters which are applied on grid can also be applied on Map. If you already have applied few filters on grid from MAP then you can remove them as well.

Grid Visualization


Policy Location

1. Apply filter from grid to Map.
2. Remove filter which applied from Map to grid.
3. Update grid.


35 items selected

Account ID	Account Na...	L...	Location Numb...	Location Name	Street...	City	Count...	State ...	State ...	Posta...	Country...	Latitude...	Longitude	Address f
36	Wilson Portfolio	5105	23	Metro Place I II	907 S Kirk	Orlando	Orange	Florida	FL	32811	United State	28.529687	-81.456819	User D
36	Wilson Portfolio	5113	20	Waterford	4733 Wes	Tampa	Hillsborou	Florida	FL	33614	United State	28.027202	-82.522799	User D
36	Wilson Portfolio	5132	16	Woodhill	7200 Woc	Orlando	Orange	Florida	FL	32818	United State	28.557456	-81.485386	User D
36	Wilson Portfolio	5120	5	Westchester	105 West	Brandon	Hillsborou	Florida	FL	33510	United State	27.939941	-82.27094	User D
36	Wilson Portfolio	5109	24	Pointe Vista I II	5455 Poin	Orlando	Orange	Florida	FL	32839	United State	28.484336	-81.405372	User D
36	Wilson Portfolio	5116	2	Wellington	2900 Drev	Clearwater	Pinellas	Florida	FL	33759	United State	27.970695	-82.718484	User D

4. Chart Visualization:




Access all the predetermined charts here. Click on a particular chart to visualize.




As an underwriter, you will need multiple information in different chart formats and different heads. The following screenshot will explain how to customize charts to extract preferred information.

TO delete any chart from the default list click on (X).

Before going ahead, you can choose the type of chart you wish to create (Chart Type, i.e. Bar chart, Column chart, Pie chart etc.). Once you chose the chart type you can update/generate charts using following features.



To add new chart on dashboard, click on Add widgets button from dashboard.



5. Pivot Visualization

You can visualize the account in Pivot format. Attributes can be chosen here and they will be show in columns and rows. Then chose the measures to visualize values against the attributes.

Pivots are powerful if more values are to be analyzed for every dimension.

TRUECAT Qube Property_ES United States Dollar Earthquake

TIV, Building Value by Cou...

1.To update pivot 2.To remove filter fro pivot 3.To minimize visualization 4.To maximize visualization 5.To remove visualization

	User Defined (13)		Postal Code (5)		Summary	
	TIV	Building Value	TIV	Building Value	TIV	Building Value
Australia (AU)	\$97.86M	\$86.24M	\$523.27K	\$100.76K	\$98.38M	\$86.34M
Summary	\$97.86M	\$86.24M	\$523.27K	\$100.76K	\$98.38M	\$86.34M

TRUECAT Qube Property_ES United States Dollar Earthquake

TIV, Building Value by Buil...

Scroll down to see summary of pivot

	User Defined (13)		Postal Code (5)		Summary	
	TIV	Building Value	TIV	Building Value	TIV	Building Value
Reinforced concrete (AIR 131)	\$31.06M	\$26.41M			\$31.06M	\$26.41M
Masonry (AIR 111)	\$3.13M	\$2.78M			\$3.13M	\$2.78M
Summary	\$97.86M	\$86.24M	\$523.27K	\$100.76K	\$98.38M	\$86.34M

Note: Summary is the total of all values of the attribute

Pivots can be customized by dragging attributes and measures to respective windows

Click on generate to visualize the pivot. The features explained in chart visualization option (Refer to page no19.) are applicable for Pivot as well.

TIV Building Value by Build...

	User Defined (13)		Postal Code (5)		Summary	
	TIV	Building Value	TIV	Building Value	TIV	Building Value
Unknown (AIR 100)	\$63.67M	\$57.05M	\$523.27K	\$100.76K	\$64.19M	\$57.15M
Reinforced concrete (AIR 131)	\$31.06M	\$26.41M			\$31.06M	\$26.41M
Masonry (AIR 111)	\$3.13M	\$2.78M			\$3.13M	\$2.78M
Summary	\$97.86M	\$86.24M	\$523.27K	\$100.76K	\$98.38M	\$86.34M

You will get attribute and values list once you expand selection.

1. Attribute list which you used for visualization.
2. Values like TIV

To apply filter on pivot

Export Functionality

To export account data, CAT and RDT report from True CAT. Please find below buttons:

Wilson Portfolio Up2 ES
Summary Template (99)

United States Dollar Summary

Summary Values

Description	Wilson Po...
Building Value	\$1.31B
Content Value	\$12.60M
Business Interruption Value	\$115.90M
Total Locations	44
TIV	\$1.44B
GU AAL	\$0.00
Post Ded. AAL	\$0.00

Map

Map Type: Cluster Map with TIV

Map data ©2018 Google, INEGI | 200 km

For development purposes only

Legend

Export account data

To export CAT Report

To export RDT

6. Create Subportfolio:

The Portfolio tab will now be enabled to all user role. Portfolio tab on UI grid will be modified to add created user, created date, filter information. You will also allow users to delete the sub portfolio if needed.

Changes to the portfolio screen:

Select Multiple Job	Portfolio Name	EDM Database	User Name	Creation Date	Visited Date	Vendor	Filter Name	
☐	Bound_AllAccounts_February 2019	Bound_201902_BHSL_Exposure		21-05-2019	16-09-2019	AIR		X
☐	Bound AllAccounts May 2019_AccountId	Bound_201905_BHSL_Exposure		11-09-2019	16-09-2019	AIR		X
☐	ICAT EQ- February 2019	Bound_201902_BHSL_Exposure		13-05-2019	16-09-2019	AIR		X
☐	Bound AllAccounts May 2019	Bound_201905_BHSL_Exposure		13-07-2019	16-09-2019	AIR		X
☐	Bound AllAccounts_February 2019_Aust	Bound_201902_BHSL_Exposure	Pratibha Kulkarni	05-09-2019	11-09-2019	AIR	Aust	X
☐	NCIUA 2019 HU	Bound_SpecialAccounts_2018_AZ_Exposure		10-07-2019	11-09-2019	AIR		X
☐	ICAT WS - February 2019	Bound_201902_BHSL_Exposure		13-05-2019	10-09-2019	AIR		X
☐	Bound AllAccounts_February 2019_AccountName	Bound_201902_BHSL_Exposure		22-08-2019	09-09-2019	AIR	Acc1	X
☐	Catalytic EQ - February 2019	Bound_201902_BHSL_Exposure		13-05-2019	06-09-2019	AIR		X
☐	Cabrillo-February 2019	Bound_201902_BHSL_Exposure		13-05-2019	06-09-2019	AIR		X

User Name: Who created particular portfolio

Creation Date: Creation date of portfolio

Visited Date: Last visited date will get update

Filter Name: Filter criteria of portfolio

By clicking on any Filter from above grid you will get below pop up of filter criteria which applied to while creating particular portfolio.

Filter

Branch

Contains

INDIA

+

-

AND

OR

U/W Name

Contains

Alison Wayne

+

-

For Underwriter:

This user type will show only portfolios created by them. Initially they will see a blank screen and will need to create a Subportfolio from the base portfolios.


For Branch Manager:

This user type will show only portfolios created by them. Initially they will see a blank screen and will need to create a Subportfolio from the base portfolios.


If Portfolio Manager or Admin:

This user type will show ALL portfolios that are transferred from AIR (current functionality) and the user created portfolios.


Creating Subportfolio:

Switch to portfolio you will get  4 options. By clicking on filter option, you will get below window:

1. Select a portfolio name: You will get intelligence for parent portfolio name selection. ONLY primary portfolios will be available for Subportfolio creation.



2. Sub Portfolio Suffix:



You will need enter unique Subportfolio suffix. If Suffix already exist then will get alert for Suffix name exist on clicking of  button.

3. Save Filter ():

This button will be enabled and user will need to save the filter with unique name before submitting it.

4. **Add filter button** ():

You can apply filter to parent portfolio by clicking on Add Filter button. You will get grid structure with filter options. Select filter from dropdown and for filter option you will get intelligence.

5. **Delete Filter** ():

It will be disabled initially. Only when you select a new filter or modifies existing filter.


6. **Verify filter:**

You will get message for count of account of sub portfolio which you are going to create with filter criteria

Submit: On Submit click you will get pop up for sub portfolio creation.

Creating Filter when User: Underwriter

- If the user is underwriter the grayed-out filter with his name will automatically appear



Creating Filter when user: Branch Manager

If the user is branch manager, grayed out filter with the branch name will automatically appear

Create SubPortfolio

Enter Portfolio :*

All Accounts - Jan 2016

Sub-Portfolio Suffix :*

BMRole

Filter Name :*

BMRole

+

Branch

Contains

INDIA

+

Submit

Cancel

7. Add Users:

This button only visible to Admin role. Admin can add, update and delete user's details.

TRUECAT

Clicking on User Account, you will get 'Admin' option. To add, delete, update user details.

Admin

Analyst Job Authorization

Publish Shape File

Create Exposed Limit File

Select Multiple Job	Portfolio Name	EDM Database	User Name	Creation Date	Visited Date	Vendor	Filter Name	
☐	Bound_AllAccounts_February 2019	Bound_201902_BHSL_Exposure		21-05-2019	16-09-2019	AJR		X
☐	Bound AllAccounts May 2019_AccountId	Bound_201905_BHSL_Exposure		11-09-2019	16-09-2019	AJR		X
☐	ICAT EQ- February 2019	Bound_201902_BHSL_Exposure		13-05-2019	16-09-2019	AJR		X
☐	Bound AllAccounts May 2019	Bound_201905_BHSL_Exposure		13-07-2019	16-09-2019	AJR		X
☐	Bound_AllAccounts_February 2019_Aust	Bound_201902_BHSL_Exposure	Pratibha Kulkarni	05-09-2019	11-09-2019	AJR	Aust	X
☐	NCIUA 2019 HU	Bound_SpecialAccounts_2018_AZ_Exposur		10-07-2019	11-09-2019	AJR		X
☐	ICAT WS - February 2019	Bound_201902_BHSL_Exposure		13-05-2019	10-09-2019	AJR		X
☐	Bound AllAccounts February 2019_AccountId	Bound_201902_BHSL_Exposure		21-05-2019	16-09-2019	AJR		X

By clicking on **Admin**, you will get below pop up with user details:

Admin Control

DisplayName	LoginId	UserRole	Branch	CurrencyCode	Update	Delete
Alison McVeigh	BHSI\AMcVeigh	Underwriter	Retail - NY	USD		
Brian Cummins	BHSI\BCummins	BranchManager	Retail - MW	USD		
Bruce Edwards	BHSI\BEDwards	Underwriter	Retail - MW	USD		
Cathy Miller	BHSI\CMiller	PortfolioManager	Boston	USD		
Charles Hamilton	BHSI\CHamilton	Underwriter	Inland Marine	USD		
Christopher Dalby	BHSI\CDalby	BranchManager	Wholesale	USD		
Christopher Lemoine	BHSI\CLemoine	Underwriter	Wholesale	USD		
Christopher Rose	BHSI\CRose	Underwriter	Canada	CAD		
David Leal	BHSI\DLeal	Underwriter	Houston	USD		
Emily Rastello	BHSI\ERastello	Underwriter	Wholesale	USD		
Erin Flaherty	BHSI\EFlaherty	Underwriter	Wholesale	USD		

AddNewRow
AddUser
Cancel

Total count of Active Users
215 Users

Add User:

First you need to click on  .You will get new row at top of list. After entering mandatory details and click on  . You will get pop up on successful addition of users.

Update User:

Edit previous details and click on  to update details. User will get validation pop up once user details getting updated successfully.

Delete User:

To delete user from list simply click on  .

DisplayName ▾	LoginId ▾	UserRole ▾	Branch ▾	CurrencyCode ▾
 Sort Ascending	BHSI\AMcVeigh	Underwriter ▾	Retail - NY	USD ▾
 Sort Descending	BHSI\BCummins	BranchManager ▾	Retail - MW	USD ▾

Admin can sort user details in ascending and descending order by using above options which comes by clicking on arrow which is at right corner of each columns.

8. Analysis Job Authorization

Now Admin can give authorization of job analysis to Underwriter and Branch manager from TRUECAT.

TRUECAT							
Select Multiple Job	Portfolio Name ▾	EDM Database ▾	User Name ▾	Creation Date ▾	Visited Date ▾	Vendor ▾	Filter Name ▾
☐	Bound_AllAccounts_February 2019	Bound_201902_BHSI_Exposure		21-05-2019	16-09-2019	AIR	
☐	Bound AllAccounts May 2019_AccountId	Bound_201905_BHSI_Exposure		11-09-2019	16-09-2019	AIR	
☐	ICAT EQ- February 2019	Bound_201902_BHSI_Exposure		13-05-2019	16-09-2019	AIR	
☐	Bound AllAccounts May 2019	Bound_201905_BHSI_Exposure		13-07-2019	16-09-2019	AIR	
☐	Bound_AllAccounts_February 2019_Aust	Bound_201902_BHSI_Exposure	Pratibha Kulkarni	05-09-2019	11-09-2019	AIR	Aust
☐	NCIUA 2019 HU	Bound_SpecialAccounts_2018_AZ_Exposur		10-07-2019	11-09-2019	AIR	
☐	ICAT WS - February 2019	Bound_201902_BHSI_Exposure		13-05-2019	10-09-2019	AIR	

By clicking on above option, you will get below window:

Analysis Job Authorization For Underwriters

Peril Type :

Earthquake

Choose peril from dropdown

Shape :

☐ Ring :
 ☐ Custom Shape :

–

Select analysis option

Analysis Name :

Hazard File :

Damage Ratio :

Save

Analysis Name	Job Details	Damage Ratio File	Visible To U/W
Auth	Earthquake Northridge 1994 PGA	DR1.csv	☒
oooo	Earthquake Hazard Faults 2014	AfghanistanTerrorism.csv	☒
P_shape_1	Earthquake Northridge 1994 PGA	earthquake_shape_DR.csv	☒
P_shape_1	Earthquake Northridge 1994 PGA	earthquake_shape_DR.csv	☐

*Click check box to make Analysis options visible to U/W

Update

1. Analysis Name: Enter analysis name.
2. Hazard File: Enter first 2 characteristics of hazard file .You will get list of hazard file. Choose any one.
3. Damage ratio File: Choose related damage ratio file from dropdown.

Note: We are giving button to preview damage ratio file.

By clicking on

Save

 you will get pop up which says “Analysis option are saved”. Analysis details will add to below grid at top of row:

Analysis Name	Job Details	Damage Ratio File	Visible To U/W
P_shape_1	Earthquake Northridge 1994 PGA	earthquake_shape_DR.csv	☐
E1northridge	Earthquake Northridge 1994 PGA	earthquake_shape_DR.csv	☐
Loc_EQ_1	Earthquake Northridge 1994 PGA	earthquake_shapeWithLocId_DR.c	☐
U_shape_5	Earthquake Northridge 1994 PGA	earthquake_shape_DR.csv	☐

*Click check box to make Analysis options visible to U/W

Update

Now search your Analysis name click on checkbox which is in **Visible to U/W** column and click on

Update

.You will get again one pop up which says "Analysis option are updated".

9. Create Exposed Limit File

Purpose

TrueCAT application allows users to understand the risk accumulations based on political boundaries (country/state/county/zip) or combinations of these. This document discusses different options that user can use to understand the risk accumulations and exposed limits.

Go to TrueCAT interface and check

Select Multiple Job	Portfolio Name	EDM Database	User Name	Creation Date	Validated Date	Vendor	Filter Name	
☐	ICAT WS - February 2019	Bound_201902_BHSL_Exposure		13-05-2019	17-07-2019	AIR		☐
☐	09 00 BH EQ NW	ICAT_20180701_EDM		29-09-2018	17-07-2019	RMS		☐
☐	Bound_AIAccounts_February 2019	Bound_201902_BHSL_Exposure		21-05-2019	16-07-2019	AIR		☐
☐	Bound_AIAccounts_February 2019_Account	Bound_201902_BHSL_Exposure	Pratibha Kukarni	11-06-2019	09-07-2019	AIR	Account	☐
☐	All Accounts - Jan 2016	EDM_RMS_Bound_Jan2016		14-05-2019	08-07-2019	RMS		☐
☐	Bound_AIAccounts_February 2019_acc1	Bound_201902_BHSL_Exposure	Pratibha Kukarni	20-06-2019	08-07-2019	AIR	acc	☐
☐	All Accounts - Jan 2016_Co	EDM_RMS_Bound_Jan2016	Pratibha Kukarni	19-06-2019	04-07-2019	RMS	Co	☐
☐	ICAT EQ - February 2019	Bound_201902_BHSL_Exposure		13-05-2019	27-06-2019	AIR		☐
☐	Catalytic EQ - February 2019	Bound_201902_BHSL_Exposure		13-05-2019	26-06-2019	AIR		☐
☐	All Accounts - December 2018_OCC1	Bound_20181201_BHSL_EDM	Pratibha Kukarni	25-06-2019	25-06-2019	RMS	OCC1	☐

Next

Select Multiple Job	Portfolio Name	EDM Database	User Name	Creation Date	Visited Date	Vendor		
☐	09.00.BH.EQ.NW	ICAT_20190701_EDM		20-09-2018	17-07-2019	RMS		x
☐	ICAT WS - February 2019	Bound_201902_BHSL_Exposure		13-05-2019	17-07-2019	AIR		x
☐	Bound_AIAccounts_February 2019	Bound_201902_BHSL_Exposure		21-05-2019	16-07-2019	AIR		x
☐	Bound_AIAccounts_February 2019_Account	Bound_201902_BHSL_Exposure	Pratibha Kulkarni	11-06-2019	09-07-2019	AIR	Account	x
☐	All Accounts - Jan 2016	EDM_RMS_Bound_Jan2016		14-05-2019	08-07-2019	RMS		x
☐	Bound_AIAccounts_February 2019_acc1	Bound_201902_BHSL_Exposure	Pratibha Kulkarni	20-06-2019	08-07-2019	AIR	acc	x
☐	All Accounts - Jan 2016_Co	EDM_RMS_Bound_Jan2016	Pratibha Kulkarni	19-06-2019	04-07-2019	RMS	Co	x
☐	ICAT EQ - February 2019	Bound_201902_BHSL_Exposure		13-05-2019	27-06-2019	AIR		x
☐	Catalytic EQ - February 2019	Bound_201902_BHSL_Exposure		13-05-2019	26-06-2019	AIR		x
☐	All Accounts - December 2018_OCC1	Bound_20181201_BHSL_EDM	Pratibha Kulkarni	25-06-2019	25-06-2019	RMS	OCC1	x

The exposed limit functionality has 3 different parts.

- Creating a new exposed limits option based on manual or file mode
- Running an exposed limit analysis with damage ratio options
- Administrative functionality that allows admin to control which exposed limit analyses options are viewed by underwriters and branch managers

Creating a new Exposed Limits file

This option is available to only senior members of the team with user roles: Portfolio Manager, Admin or Senior Executive

There are two way to create Exposed Limit File:

➤ Manual Mode

Manual mode allows users to quickly create a zone for exposed limits calculations without having to spend time in creating files.

User will be able to create exposed limit file with different regions for all six peril to submit the job.

- Select peril from peril type drop down
- Provide "File Name": Each file can contain multiple regions
- Each region may contain combination of fields – CountryCode, StateCode, CountyName and PostalCode
- The hierarchy of the field is: CountryCode >> StateCode >> CountyName >> PostalCode.

Filters should be selected in above manner only. If user wants to add CountyName, then country code should be selected first, then state code; similarly, for postal code, all the above hierarchy should be selected first.

- After applying all the filters, Click on Save button so that filtered values will be saved for a particular RegionName. And same can be seen on bottom left of the create exposed limit file panel
- User can also remove any Region, from cross button on added Region
- Repeat the process to add new Region
- Click "Submit" button to save the file

➤ **File Mode:**

File mode allows users to create multiple zones and quickly upload them into TrueCAT application. User can also create exposed limit file by uploading .csv file with mandatory fields and sequence of fields should also be same as mentioned below.

FileName	RegionName	CountryCode	StateCode	CountyName	PostalCode
----------	------------	-------------	-----------	------------	------------

Create Exposed Limit File

Exposed Limit Data Mode :

☐ Manual
☒ File

Peril Type :

Earthquake

Select CSV :

Choose File

No file chosen

Submit File

Cancel

FileName	RegionName	CountryCode	StateCode	CountyName	PostalCode
File_1	California EQ	US	CA		
File_1	New Madrid EQ	US	AR,IL,IN,KY,LA,MI		
File_1	Great Basin EQ	US	NV,UT		
File_1	Northwest EQ	US	OR,WA		
File_1	Northeast EQ	US	CT,DC,DE,MA,MD		
File_1	Southeast EQ	US	GA,NC,SC,VA		

Filename: This is a name given and will be shown in the drop down for exposed limit file selection

Region Name: this is an exposed limit accumulation zone name. This name needs to be exactly same with the one in the damage ratio file. While using exposed limit file on UI, Data of rows having same File Name will be grouped together and will be visualized as a single file.

Exposed Limit File

Event Id	Country Codes	State Codes	County Names	Postal Codes
California EQ	US	CA		
New Madrid EQ	US	AR,IL,IN,KY,LA,MI		
Great Basin EQ	US	NV,UT		
Northwest EQ	US	OR,WA		
Northeast EQ	US	CT,DC,DE,MA,MD		

Ok

Validations:

The exposure data must contain the exact same data for column name and no validation is done against the exposure data.

- Name of Column Headers has to be in the order below or it will prompt error.

FileName	RegionName	CountryCode	StateCode	CountyName	PostalCode
File_1	E199	IN,US	IN	TU	1012536
File_1	E199	IN	IN,IK	PS	456666

- CountryCode / StateCode / County Name may contains single or comma separated multiple values. In a particular row, if any column has multiple comma separated values or blank, then successive column values will be ignored, since it is not a valid scenario.

FileName	RegionName	CountryCode	StateCode	CountyName	PostalCode
File_1	E199	IN,US	IN	TU	1012536
File_1	E199	IN	IN,IK	PS	456666

E.g. in above file, in 1st row, columns after country code are ignored while in 2nd row, columns after statecode are ignored.

If there are multiple “event IDs” that has similar exposed zones, TrueCAT will calculate the losses independently for each zone.

Event ID	Description	GU Loss	Gross Loss
New Madrid EQ	New Madrid EQ	\$703.99M	\$1.00B
Northeast EQ	Northeast EQ	\$10.48B	\$1000.00M
Texas EQ	Texas EQ	\$501.10M	\$992.21M
Southeast EQ	Southeast EQ	\$422.44M	\$834.87M
Hawaii EQ	Hawaii EQ	\$620.83M	\$600.00M
California EQ	California EQ	\$17.47B	\$600.00M
Northwest EQ	Northwest EQ	\$116.59M	\$223.19M
Great Basin EQ	Great Basin EQ	\$68.03M	\$126.05M

Creating Damage Ratio File:

Option to create and upload damage ratio file is available to only admin and portfolio manager user. All the file name should not be more than 15 character.


Event Id	DR
California EQ	100
New Madrid EQ	100
Great Basin EQ	100
Northwest EQ	100
Northeast EQ	100
Southeast EQ	100

The “Event ID” in the damage ratio file should be exactly same as the one that was used in the “Region Name” column in Exposed limit file. “Event ID” needs to be the first column of the file. The DR column has to be the last column in the damage ratio file list.

All the other columns in the “Event ID” and “DR” should be BldgClass, OccType, CONSTRUCTION_GROUP, OCC_MAJOROCCUPANCYGROUP, YEARBUILTRANGE, NUMSTORIESRANGE, BUILDINGVALUE_DR, CONTENTVALUE_DR, APPTSTRUCTVALUE_DR, BIValue_DR or LocationID. The other columns are optional and are reviewed from left to right. Please view the damage ratio file creation documentation for further review.

Exposed Limit Analysis in TrueCAT:

If you have an Admin or Portfolio Manager role, you will see the below dialog where you will have an option to select the Exposed limit file and Damage Ratio (DR) file. Given an analysis name and submit the job to HPC.



If file contains multiple event IDs of exposed zones, TrueCAT will calculate the losses for each zone independently.

Exposed limit File:

FileName	RegionName	CountryCode	StateCode	CountyNa	PostalCode
EQ1	California EQ	US	CA		
EQ2	New Madrid EQ	US	AR,IL,IN,KY,LA,MI,MO,MS,OH,TN,WI		
EQ3	Great Basin EQ	US	NV,UT		
EQ4	Northwest EQ	US	OR,WA		
EQ5	Northeast EQ	US	CT,DC,DE,MA,MD,ME,NH,NJ,NY,RI,VT		
EQ6	Southeast EQ	US	GA,NC,SC,VA		
EQ7	Hawaii EQ	US	HI		
EQ8	Texas EQ	US	TX		

Results at TrueCAT UI after submitting analysis with above File:

Event ID ↕	Description ↕	GU Loss ↕	Gross Loss ↕
☐ New Madrid EQ	New Madrid EQ	\$703.99M	\$1.00B
☐ Northeast EQ	Northeast EQ	\$10.48B	\$1000.00M
☐ Texas EQ	Texas EQ	\$501.10M	\$992.21M
☐ Southeast EQ	Southeast EQ	\$422.44M	\$834.87M
☐ Hawaii EQ	Hawaii EQ	\$620.83M	\$600.00M
☐ California EQ	California EQ	\$17.47B	\$600.00M
☐ Northwest EQ	Northwest EQ	\$116.59M	\$223.19M
☒ Great Basin EQ	Great Basin EQ	\$68.03M	\$126.05M

Exposed Limit Job Authorization:

Underwriters and branch managers don't have access to import or create exposed limit file or damage ratio files. They can use the files created by admin or portfolio manager user only if similar access has been provided. Similar to other job types like shape, custom shape and ring, the exposed limit job will be "visible to underwriters" only if it has been authorized by the admin or portfolio manager user from the TrueCAT UI.

The Analysis Job authorization option is available under the "User Account" section in TrueCAT. The user will need to select the Peril and click on the + sign to show additional details. It then needs to select analysis name, exposed limit file name and damage ratio file name that it wants to exposed to underwriter and branch managers.

Analysis Name	Job Details	Damage Ratio File	Visible To U/W
wait	WaltDisney3	DamageRatio_1.csv	☒
TestExposed	US EQ Exposed Limits_File	US Earthquake Exposed L...	☒
EX	US EQ Exposed Limits_File	US Earthquake Exposed L...	☒
EX_46	US	US_CA_CD_DC.csv	☒
Ex_45	EQ5	US EQ Exposed-DR.csv	☒
Exposed	EQ5	US Earthquake Exposed L...	☒

As an underwriter or branch manager, the user will have an option to select the analyses that have been authorized to view and run from the TrueCAT UI. They will see the dropdown selection in the analysis Name section. The Exposed limit file and DR file will be automatically selected based on the analysis name selection. The user will still have ability to view the contents of the file and run analysis as necessary.

