
	Test Case Name	Create Schedule Test
	Test Case Number	LIMS-SM-007
	Actual Result	Pass

1.Enter the username, password, Select Module and click on login button


SSNo : PSS-LIMS-SS-001




The screenshot shows the LIMS login interface. At the top center, the word "LIMS" is displayed in yellow. Below it is the PharmaSoftSol logo. The login form contains three input fields: "User Name" with the value "LIMS_USER", "Password" with masked characters "*****", and "Module" with a dropdown menu set to "STABILITY MANAGEMENT". At the bottom of the form are two buttons: "Login" and "Reset".

2.Click on Schedule Test

SSNo : PSS-LIMS-SS-002



The screenshot shows the "Schedule Test Selection" screen within the "STABILITY MANAGEMENT" module. The page header includes the PharmaSoftSol logo, the module name "STABILITY MANAGEMENT", and a user profile icon labeled "LIMS User". The main content area has three tabs: "Action", "Schedule Intervals", and "Schedule Test Selection". Below the tabs, there is an "Activity" section with instructions: ". Select Create, Select The Record and Click on Next." and ". If Rejected is Required, Then Select Rejected." There are two radio buttons: "Schedule Test Selection" (unselected) and "Reverted Schedule Test Selection" (selected). Below the radio buttons is a table titled "List of Reverted Schedules". The table has columns: S.No., Protocol Number, Product Name, Generic Name, Specification Name, Reverted By, Reverted On, and Comments. The table is currently empty, with the text "No data available!" displayed below it. A "Row count" dropdown is set to "10". The footer of the page shows "LIMS 2.0" and "All © rights Reserved PharmaSoftSol".

	Test Case Name	Create Schedule Test
	Test Case Number	LIMS-SM-007
	Actual Result	Pass

3. Click on Create

SSNo : PSS-LIMS-SS-003

PHARMA SOFT
STABILITY MANAGEMENT
LIMS User

Schedule Test Selection

Action
Schedule Intervals
Schedule Test Selection

Activity :

- . Select Create, Select The Record and Click on Next.
- . If Rejected is Required, Then Select Rejected.

☒ Schedule Test Selection
 ☐ Reverted Schedule Test Selection

Schedule Create

S.No.	Protocol Number	Product	Specification Name	Generic Name
No data available!				

Go to page: 1
Row count: 10

IMS 2.0
 All © rights Reserved PharmaSoftSol

4. Select a Record

SSNo : PSS-LIMS-SS-004

PHARMA SOFT
STABILITY MANAGEMENT
LIMS User

Schedule Test Selection

Action
Schedule Intervals
Schedule Test Selection

Activity :

- . Select Create, Select The Record and Click on Next.
- . If Rejected is Required, Then Select Rejected.

☒ Schedule Test Selection
 ☐ Reverted Schedule Test Selection


Schedule Create

S.No.	Protocol Number	Product	Specification Name	Generic Name
1	PC0015	PARA65	SPPARACHEMICAL	Paracetamol 650 mg

<<
 <
 1
 >
 >>

Go to page: 1
Row count: 10

Showing 1-1 of 1

	Test Case Name	Create Schedule Test
	Test Case Number	LIMS-SM-007
	Actual Result	Pass

5.Click on Next
SSNo : PSS-LIMS-SS-005

PHARMA SOFT

STABILITY MANAGEMENT

LIMS User

Schedule Test Selection

Action

Schedule Intervals

Schedule Test Selection

Record and Click on Next.

Then Select Rejected.

ction

☐ Reverted Schedule Test Selection

nber	Product	Specification Name	Generic Name
	PARA65	SPPARACHEMICAL	Paracetamol 650 mg

age: 1

Row count: 10

Showing 1-1 of 1

. Select The Record and C

Schedule Test Sele

☐ S.No
 ☐ Packing Type

Go to page 1

Row col

LIMS 2.0

All © rights Reserved PharmaSoftSol

6.Select a Record
SSNo : PSS-LIMS-SS-006

PHARMA SOFT

STABILITY MANAGEMENT

LIMS User

Schedule Test Selection

Action

Schedule Intervals

Schedule Test Selection

. Select The Record and Click On Next.

Schedule Test Selection									
<input checked="" type="checkbox"/> S.No	Packing Type	Product Batch No	Mfg.Date	Exp.Date	Storage Conditions	Orientation	Stability Conditions	Schedule Interval	Type
<input checked="" type="checkbox"/> 1	Blister	44	08/31/2022	08/31/2028	40°C ± 2°C / 75%RH ± 5%RH	UP RIGHT	ACCELERATED	MONTH	

<<

<

1

>

>>


Go to page 1

Row count: 10

Showing 1-1 of 1

LIMS 2.0

All © rights Reserved PharmaSoftSol

 PHARMA SOFT SOL <small>COMMITTED TO PAPERLESS COMPLIANCE</small>	Test Case Name	Create Schedule Test
	Test Case Number	LIMS-SM-007
	Actual Result	Pass

7. Click on Next

SSNo : PSS-LIMS-SS-007

PHARMA SOFT
STABILITY MANAGEMENT
LIMS User

Schedule Test Selection

Action
Schedule Intervals
Schedule Test Selection

Schedule Interval Type
MONTH
Showing 1-1 of 1

. Select The Test, Select Approval Life Cycle and Click On Finish.
. Enter E-Signature Password and Click On Submit.

Set1

Packing Type: Blister
Storage Conditions: 40°C ± 2°C / 75%RH ± 5%RH
Stability Condition: ACCELERATED
Product Batch No: 44
Schedule Interval Type: MONTH
Orientation: UP RIGHT

Interval and Test Details

S.No	Test Name	
1	PARA6SCHDescription	<input checked="" type="checkbox"/>

IMS 2.0
All © rights Reserved PharmaSoftSol

8. Select Approval Cycle

SSNo : PSS-LIMS-SS-008

PHARMA SOFT
STABILITY MANAGEMENT
LIMS User

Schedule Test Selection

Action
Schedule Intervals
Schedule Test Selection

. Select The Test, Select Approval Life Cycle and Click On Finish.
. Enter E-Signature Password and Click On Submit.

Set1


Packing Type: Blister
Storage Conditions: 40°C ± 2°C / 75%RH ± 5%RH
Stability Condition: ACCELERATED
Product Batch No: 44
Schedule Interval Type: MONTH
Orientation: UP RIGHT

Interval and Test Details

S.No	Test Name	
1	PARA6SCHDescription	<input checked="" type="checkbox"/>
1	Number of Syringes required at Each Point	50


Approval Life Cycle*: ApproverLC View

IMS 2.0
All © rights Reserved PharmaSoftSol

	Test Case Name	Create Schedule Test
	Test Case Number	LIMS-SM-007
	Actual Result	Pass


9. Click on Finish

SSNo : PSS-LIMS-SS-009




10. Enter E-Signature Password

SSNo : PSS-LIMS-SS-010



SSN₀ : PSS-LIMS-SS-010

© SmartPharmaSoftSol

	Test Case Name	Create Schedule Test
	Test Case Number	LIMS-SM-007
	Actual Result	Pass

11.Click on OK button

SSNo : PSS-LIMS-SS-011

PHARMA SOFT **STABILITY MANAGEMENT** LIMS User

Packing Type: Blister Product Batch No: 44
Storage Conditions: 40°C ± 2°C / 75%RH ± 5%RH Schedule Interval Type: MONTH
Stability Condition: ACCELERATED Orientation: UP RIGHT

Interval and Test Details

S.No	Test Name
1	PARA65CHDescription

Success
Submitted successfully.

Approval Life Cycle*: ApproverLC

Previous Finish

LIMS 2.0 All © rights Reserved PharmaSoftSol

12.Click on User Name

SSNo : PSS-LIMS-SS-012

PHARMA SOFT **STABILITY MANAGEMENT** LIMS User

☐ Schedule Test Selection ☒ Reverted Schedule Test Selection

List of Reverted Schedules


S.No.	Protocol Number	Product Name	Generic Name	Specification Name	Reverted By	Reverted On	Comments
No data available!							

Row count: 10

Logout

Previous Next

LIMS 2.0 All © rights Reserved PharmaSoftSol

	Test Case Name	Create Schedule Test
	Test Case Number	LIMS-SM-007
	Actual Result	Pass

13.Click on Logout

SSNo : PSS-LIMS-SS-013

