


| | | |
|---|-------------------------|-----------------|
|  | Test Case Name | Reject Protocol |
| | Test Case Number | PSS-LIMS-005 |
| | Actual Result | Pass |


1. Enter the username, password, Select Module and click on login button


SSNo : PSS-LIMS-SS-001



2. Click on Protocol

SSNo : PSS-LIMS-SS-002



| | | |
|--|-------------------------|-----------------|
|  PHARMA SOFT SOL <small>COMMITTED TO PAPERLESS COMPLIANCE</small> | Test Case Name | Reject Protocol |
| | Test Case Number | PSS-LIMS-005 |
| | Actual Result | Pass |

3. Select a Record And Click on View & Approval

SSNo : PSS-LIMS-SS-003

PHARMA SOFT
STABILITY MANAGEMENT
88
LIMS Approver

rotocol Stability Plan

Procedure :

↶

↷

Formats

B

I

≡

≡

≡

≡

≡

≡

≡

≡

rotocol Procedure

Location:

Plant-1

Specification Number:

SPPARACH001

Generic Name:

Paracetamol 650 mg

Test Planner Version:

0

Product Name:

PARA65

Specification Name:

SPPARACHEMICAL

STP Number:

STPCHPARA001

Customer Name:

BA

4. Enter Comments

SSNo : PSS-LIMS-SS-004

PHARMA SOFT
STABILITY MANAGEMENT
88
LIMS Approver


| Packing type | No | Batch size | Manufactured Date | Expiry Date | Storage Condition | Orientation | Stability Condition | Type |
|--------------|----|------------|-------------------|-------------|---------------------------|-------------|---------------------|-------|
| Blister | 44 | 100 | 09/01/2022 | 09/01/2027 | 40°C ± 2°C / 75%RH ± 5%RH | UP RIGHT | ACCELERATED | MONTH |

Comments*:

Rejected

Approve

Revert


| | | |
|--|-------------------------|-----------------|
|  PHARMA SOFT SOL <small>COMMITTED TO PAPERLESS COMPLIANCE</small> | Test Case Name | Reject Protocol |
| | Test Case Number | PSS-LIMS-005 |
| | Actual Result | Pass |

5. Click on Reject

SSNo : PSS-LIMS-SS-005

PHARMA SOFT

STABILITY MANAGEMENT

 LIMS Approver

| Packing type | No | Batch size | Manufactured Date | Expiry Date | Storage Condition | Orientation | Stability Condition | Type |
|--------------|----|------------|-------------------|-------------|---------------------------|-------------|---------------------|-------|
| Blister | 44 | 100 | 09/01/2022 | 09/01/2027 | 40°C ± 2°C / 75%RH ± 5%RH | UP RIGHT | ACCELERATED | MONTH |

Comments*:

Rejected

Validate E-Signature

E-Signature Password*:

Submit

Cancel

Approve


Revert

6. Enter E-Signature Password

SSNo : PSS-LIMS-SS-006

PHARMA SOFT

STABILITY MANAGEMENT

 LIMS Approver

| Packing type | No | Batch size | Manufactured Date | Expiry Date | Storage Condition | Orientation | Stability Condition | Type |
|--------------|----|------------|-------------------|-------------|---------------------------|-------------|---------------------|-------|
| Blister | 44 | 100 | 09/01/2022 | 09/01/2027 | 40°C ± 2°C / 75%RH ± 5%RH | UP RIGHT | ACCELERATED | MONTH |

Comments*:

Rejected

Validate E-Signature


E-Signature Password*:

Submit

Cancel

Approve

Revert

| | | |
|--|-------------------------|-----------------|
|  PHARMA SOFT SOL <small>COMMITTED TO PAPERLESS COMPLIANCE</small> | Test Case Name | Reject Protocol |
| | Test Case Number | PSS-LIMS-005 |
| | Actual Result | Pass |

7. Click on Submit

SSNo : PSS-LIMS-SS-007

PHARMA SOFT
STABILITY MANAGEMENT
☰
👤 LIMS Approver

| Packing type | No | Batch size | Manufactured Date | Expiry Date | Storage Condition | Orientation | Stability Condition | Type |
|--------------|----|------------|-------------------|-------------|---------------------------|-------------|---------------------|-------|
| Blister | 44 | 100 | 09/01/2022 | 09/01/2027 | 40°C ± 2°C / 75%RH ± 5%RH | UP RIGHT | ACCELERATED | MONTH |

Comments*:

Rejected

Validate E-Signature

E-Signature Password*:

Saving...

Submit

Cancel

Approve

Revert

8. Click on OK button

SSNo : PSS-LIMS-SS-008

PHARMA SOFT
STABILITY MANAGEMENT
☰
👤 LIMS Approver

| Packing Type | Product Batch No | Batch Size | Manufactured Date | Expiry Date | Storage Condition | Orientation | Stability Condition | Interval Type | Int |
|--------------|------------------|------------|-------------------|-------------|---------------------------|-------------|---------------------|---------------|-----|
| Blister | 44 | 100 | 09/01/2022 | 09/01/2027 | 40°C ± 2°C / 75%RH ± 5%RH | UP RIGHT | ACCELERATED | MONTH | |

Comments*:

Rejected


Success

Submitted successfully.

OK

Approve

Revert

| | | |
|---|-------------------------|-----------------|
|  | Test Case Name | Reject Protocol |
| | Test Case Number | PSS-LIMS-005 |
| | Actual Result | Pass |


9. Click on User Name

SSNo : PSS-LIMS-SS-009

PHARMA SOFT SOL
STABILITY MANAGEMENT
LIMS Approver

Protocol Approval

Activity :
 . Select The Record and Click On View & Approval.
 . Enter Comments and Click on Approve / Revert.
 . Enter E-Signature Password and Click on Submit.



List of Protocols for Approval

| S.No. | Protocol Number | Product Name | Specification Name | Generic Name | Registered By/On | Request From | Action |
|-------|-----------------|--------------|--------------------|--------------------|-------------------------------|--------------|-------------------------------------|
| 1 | PC0016 | PARA65 | SPPARACHEMICAL | Paracetamol 650 mg | LIMS User 01/09/2022 00:50:14 | NEW | View & Approval |

<< < 1 > >> Go to page: 1 Row count: 10 Showing 1-1 of 1

LIMS 2.0
All © rights Reserved PharmaSoftSol

10. Click on Logout

SSNo : PSS-LIMS-SS-010

LIMS



User Name

Password

Module