

09:38 ☰ f ↲ ☰

← 110 of 111 → :

Moodle. x

NetExam  
Sri Lanka Institute of Information Technology

Question 19

Not yet answered

Marked out of 1.00

Flag question

Creating an object from a class is also called

Select one:

- a. initializing
- b. instantiating
- c. interfacing
- d. implementing

Instantiation: The new keyword is a Java operator that creates the object. The new keyword is a Java operator that creates the object. this is also known as instantiating a class.

Dannawada

Nimsara Deminda

29.03.21 at 09:36

🔗 🔍



NetExam

Sri Lanka Institute of Information Technology

on 40

et answered

ed out of

eg question

Select what is NOT Correct.

Select one:

- a. Objects are created using class.
- b. You can create many objects using one class
- c. Classes are instances of objects
- d. Objects are instances of a class

Moodle

NetExamination

Sri Lanka Institute of Information Technology

Question 20

Not yet answered

Marked out of  
1.00

Flag question

An object CANNOT be

Select one:

- a. a thing
- b. an item
- c. an activity
- d. an entity

21

answered  
out of  
question

What is the output of this program ?

```
class empty{  
  
public:  
    int main()  
    {  
        cout<< sizeof(Empty); // sizeof function finds the o. of bytes allocated to a memory location  
        return 0;  
    }  
};
```

Select one:


- a. A non-zero value
- b. 0
- c. compilation error
- d. run time error

DELL

**Question 22**

Not yet answered.  
Marked out of 1.00  
 Flag question

Select the **Correct statement/s** on the given state chart diagram.



Select one or more:

- i. When money occurs, only the do activities are executed
- ii. Order is a composite state
- iii. Money is an event
- iv. When money occurs, all the activities within the order state executed once again
- v. Self-transitions are used to restart the state



# NetExam

Sri Lanka Institute of Information Technology

n 34

answered

out of

question

Class access specifiers are also known as;

Select one:

- a. specifications
- b. class depth
- c. Visibility labels
- d. objects

DELL





# NetExam

Sri Lanka Institute of Information Technology

Question 33

0 yet answered

Marked out of  
0.00

Flag question

What is NOT a correct loop in C++ ?

Select one:

- a. for
- b. while
- c. until
- d. do

Moodle

→ X C | i | A

 NetExam  
Sri Lanka Institute of Information Technology


Question 32  
1 yes answered  
1 mark out of 1  
Flag question

The binding of data and functions together into a single class type variable is referred to as:

Select one:

- a. Encapsulation
- b. Abstraction
- c. Interfaces
- d. Information Hiding

DELL



Moodle

→ X C | i | A

 NetExam  
Sri Lanka Institute of Information Technology

Question 31  
Not yet answered  
Marked out of 0.00  
Flag question

Every class declaration is terminated by:

Select one:

- a.
- b.
- c.
- d.

Dell

F1 F2 F3 F4 F5 F6 F7 F8 F9

In OOP, a problem is considered as a collection of number of entities called \_\_\_\_\_

Select one:

- a. classes
- b. objects
- c. functions
- d. variables

Nex

Consider the following statements.

- A. Identify the Objects
- B. Create Objects
- C. Categorize the Objects
- D. Create Classes




What is the correct order of events in OOP, when developing a solution to a problem ?

Select one:

- a. A,B,C,D
- b. A,C,D,B
- c. A,D,C,B
- d. A,B,D,C

DELL



 NetExam

Sri Lanka Institute of Information Technology

Which is private member functions access scope ?

Select one:

- a. Member functions which can be used outside the class
- b. Member functions which are accessible in other classes
- c. Member functions which can only be used within the class
- d. Member functions which can be accessed inside the class



DELL

Moodle

NetExam  
Sri Lanka Institute of Information Technology

Question 29  
Not yet answered  
Marked out of 1.00  
Flag question

What is NOT a name for the activities performed by a class ?

Select one:

- a. Methods
- b. Properties
- c. Behaviours
- d. Member Functions

DELL

8  
Question  
of

Employee class has salary as a double type attribute. Select the correct method definition of the getter for salary in Employee class.

Select one:

- a. int getSalary();
- b. double setsalary();
- c. void setSalary(double sal);
- d. double getSalary();

Next page

☰ Q

Finish

Time

1

8

15

22


29


36

37

Actual  
Score

DELL





Moodle

NetExam

Sri Lanka Institute of Information Technology

it20661892 Madhuri

Question 38

Which of the following statements about member functions are True or False?

i) A member function can access the private data of a class.

ii) A member function can call another member function directly by using the dot operator.

Select one:

- a. i) True; ii) True
- b. i) False; ii) True
- c. i) True; ii) False
- d. i) False; ii) False

Next page

Quiz navigation

Finish attempt

Time left 0:05:54

1	2	3					
4	5	6					
7	8	9	10	11			
12	13	14	15	16	17	18	
19	20	21	22	23	24	25	
26	27	28	29	30	31	32	33
34	35	36	37	38	39	40	

hp



Moodle

← → X C | i | A

NetExam  
Sri Lanka Institute of Information Technology

Question 39  
Not yet answered  
Marked out of 1.00  
Flag question

What is NOT a correct loop in C++ ?

Select one:

- a. for
- b. while
- c. until
- d. do

Next page

IT2066189

Finish attempt

Time left 0:25

1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	

hp

The image shows a laptop screen displaying a Moodle-based NetExam. The exam interface includes a header with the Sri Lanka Institute of Information Technology logo and the word "NetExam". A question is displayed: "What is NOT a correct loop in C++ ?" with four options: a. for, b. while (selected), c. until, and d. do. The "while" option has a red mark above it. The laptop keyboard is visible at the bottom of the frame.

on 27  
answered  
d out of  
g question

Why do we need to mention the following statement in a C++ program ?  
`using namespace std;`

Select one:

- a. To use the input and output statements in the program
- b. To get rid of using `std::` in the program
- c. To do calculations in the program
- d. To do calculations in the program

DELL

**Question 26**

Not yet answered

Marked out of  
1.00

Flag question

What is the output of this program ?

class Test

{

    int x;

}

int main()

{

    Test t;

    cout<<t.x;

    return 0;

}

Select one:

- a. 0
- b. Garbage Value
- c. Compilation error
- d. Run time error





# NetExam

Sri Lanka Institute of Information Technology

State whether the following statements are True or false.

- A - It is easy to partition the work in a project based on objects
- B - Software complexity can be easily managed

Select one:

- a. A-True , B - False
- b. A-False , B - True
- c. A- True , B - True
- d. A- False , B - False



24

answered

1 out of

question

Which of the following is a valid class declaration ?

Select one:

- a. class A { int x; };
- b. class B();
- c. public class A();
- d. class B();



3

Answered  
of  
question

The data stored in a class can NOT be called;

Select one:

- a. Properties
- b. Attributes
- c. Data Members
- d. Functions





Question 21

Not yet answered

Marked out of

0


Flag question


Select a class

Select one:

- a. Garfield
- b. Rocky
- c. Tommy
- d. Dog

DELL







## Sri Lanka Institute of Information Technology

What is the correct method of chaining in a `cout` statement?

Select one:

- a. `cout >> number1 >> number2;`
- b. `cout << number1, number2;`
- c. `cout >> number1 << number2;`
- d. `cout << number1 << number2;`

A red vertical line highlights the fourth option, "d. cout << number1 << number2;"

Q All Images Videos Maps News More Settings Tools

About 237,000,000 results (0.71 seconds)

**Which of the following is a valid class declaration?** Explanation: A **class declaration** terminates with semicolon and starts with **class** keyword. only option (a) follows **these rules** therefore **class A{ int x; }**; is correct.

<https://www.sanfoundry.com/c-plus-plus-quiz-classes>

C++ Quiz - Classes - Sanfoundry ✓

>About featured snippets • Feedback

## Questions and answers

Translators	Brainly.in	HomeworkLib
Question	Question	Question
Which of the following declarations are valid?	Which of the following is a valid declaration of an object of class Box? Select one or more options. <b>class Base { ... } Interface</b>	Consider the following C++ program // class declaration class person

**Information Technology**

What is the output of this program ?

class empty{

    ~empty()

    {

        cout<< sizeof(empty); // sizeof function finds the o of bytes allocated to a memory location

    }

    return 0;

}

Select one:

a. A non-Zero Value

b. 0

c. compilation error

d. run time error

Which of the following is a valid class declaration ?

Select one:

- a. class A { int x; };
- b. class B{}
- c. public class A{}
- d. class B{x};

Employee class has salary as a double type attribute. Select the correct method definition of the getter for salary in Employee class.

Select one:

- a. int getSalary();
- b. double setSalary();
- c. void setSalary(double sal);
- d. double getSalary();

Finish att

Moodle ← → X C | ⓘ | ⓘ

**NetExam**  
Sri Lanka Institute of Information Technology

Question 35  
Not yet answered  
Marked out of 1.00  
Flag question

Which of the following keywords are used to control access to a class member?

Select one:

- a. default
- b. break
- c. class
- d. public

\*

Next page


8  
15  
22  
29  
36  
37

The image shows a laptop screen displaying a Moodle-based NetExam. The exam interface includes a header with the NetExam logo and the Sri Lanka Institute of Information Technology. A question is displayed: "Which of the following keywords are used to control access to a class member?". Below the question, there is a list of four options: a. default, b. break, c. class, and d. public. The option "c. class" is selected and highlighted with a red asterisk (\*). On the left side of the screen, there is a sidebar with information about the question: "Question 35", "Not yet answered", "Marked out of 1.00", and a "Flag question" button. At the bottom right of the screen, there is a "Next page" button. The laptop's keyboard and trackpad are visible at the bottom of the frame.

Creating an object from a class is also called

Select one:

- a. initializing
- b. Instantiating
- c. interfacing
- d. implementing





**Question 19**

Not yet answered


Marked out of  
1.00

Flag question

What is not included in a class ?

Select one:

- a. Attributes
- b. Access specifiers
- c. Methods
- d. None of the above



Moodle

NetExam  
Sri Lanka Institute of Information Technology

Question 34  
Not yet answered  
Marked out of 1.00  
Flag question

What is NOT a name for the activities performed by a class ?

Select one:

- a. Methods
- b. Properties
- c. Behaviours
- d. Member Functions

Next page



The data stored in a class can NOT be called;

Select one:

- a. Properties
- b. Attributes
- c. Data Members
- d. Functions

**Question 39**

Not yet answered

Marked out of  
1.00

 Flag question

What is not included in a class ?

Select one:

- a. Attributes
- b. Access specifiers
- c. Methods
- d. None of the above





# NetExam

Sri Lanka Institute of Information Technology

18

answered  
out of  
question

Which is the correct file extension used for class source code in C++ ?

Select one:

- a. .c
- b. .h
- c. .class
- d. .cp

DELL





on 17

nt answered


d out of

g question

What is the operator used to access the members of a class ?

Select one:

- a. Scope Resolution Operator
- b. Assignment operator
- c. Dot operator
- d. & Operator



**NetExdill**

---

**Sri Lanka Institute of Information Technology**

Which of the following access specifier is used as a default in a class definition?

Select one:

- a. private
- b. public**
- c. protected
- d. virtual



6  
Answered  
of  
Question

Choose the correct statement about the client program ( main method) in C++.

Select one:

- a. Once C++ file can contain only one main method
- b. Main method must have the return type "int"
- c. It can contain statements calling for methods in the class in a logical order to get the required output.
- d. All of the above

35  
Answered  
out of  
Question

What is the output of this program ?

```
class empty{};  
  
int main()  
{  
    cout<< sizeof(Empty); // sizeof function finds the o of bytes allocated to a memory location  
    return 0;  
}
```

Select one:

- a. A non-Zero value
- b. 0
- c. compilation error
- d. run time error

Moodle

NetExam  
Sri Lanka Institute of Information Technology

Section 33  
yet answered  
0 out of  
tag question

A \_\_\_\_\_ member function can only be called by another function that is a member of the same class.

Select one:

- a. public
- b. private
- c. static
- d. method

Next page

The image shows a laptop screen displaying a Moodle-based NetExam test. The question asks: "A \_\_\_\_\_ member function can only be called by another function that is a member of the same class." Below the question, there is a list of four options: a. public, b. private, c. static, and d. method. The option "b. private" is selected and has a red underline underneath it. In the bottom right corner of the exam page, there is a blue button labeled "Next page". At the very bottom of the image, the black keyboard of the laptop is visible, with the HP logo on the palm rest area.



Which of the following is true ?

Select one:

- a. All object of a class share all data members of class
- b. Objects of a class do not share members. Every object has its own copy
- c. You can create only one object from a class.
- d. All of the above

[Next page](#)

What is TRUE about the following program ?

```
class ABC
{
public:
    int i;
    void get();
};


void ABC::get()
{
    cout<<"Enter the value of i : ";
    cin >> i;
}

int main()
{
    ABC a;
    a.get();
    a.i= 10;

    return 0;
}
```

Select one:

- a. Compiles and runs.
- b. Compilation error
- c. Compiles but run time error
- d. Compiles and runs but no output ( blank ).



NetExam  
Sri Lanka Institute of Information Technology

it20661410 Perera M

Question 34  
Not yet answered  
Marked out of 1.00  
Flag question

Which of the following access specifier is used as a default in a class definition ?

Select one:

- a. private
- b. public
- c. protected
- d. virtual

Next page

Quiz navigation

Finish attempt ...  
Time left 0:18:38

1	2	3	4	
9	10	11	12	
17	18	19	20	21
25	26	27	28	29
33	34	35	36	37

Moodle

NetExann  
Sri Lanka Institute of Information Technology

Question 31  
Not yet answered  
Marked out of 1.00  
Flag question

State whether the following statements are True or false.

A - It is easy to partition the work in a project based on objects  
B - Software complexity can be easily managed

Select one:

a. A- True , B- False  
 b. A- False , B- True  
 c. A- True , B- True  
 d. A- False , B- False

Next page

Time 1 8 9 15 16 22 23 29 30 31 36 37 38



# NetExam

Sri Lanka Institute of Information Technology

An object is created at \_\_\_\_\_ time. (Select the correct word to fill the blank)

Select one:

- a. compile
- b. run
- c. assembling
- d. linking



# NetExam

Sri Lanka Institute of Information Technology

An object is created at \_\_\_\_\_ time. (Select the correct word to fill the blank)

Select one:

- a. compile
- b. run
- c. assembling
- d. linking

Moodle

NetExam  
Sri Lanka Institute of Information Technology

Question 30  
Not yet answered  
Marked out of 1.00  
Flag question

Which of the following is a shared structure of similar objects ?


Select one:


- a. Encapsulation
- b. A-class
- c. Interface
- d. Property

Next page

Time left

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38





**NetExam**  
Sri Lanka Institute of Information Technology

What is the output of this program ?

```
class empty0;

int main()
{
    cout<< sizeof(Empty); // sizeof function finds the o of bytes allocated to a memory location
    return 0;
}
```

Select one:

- a. A non-Zero value
- b. 0
- c. compilation error
- d. run time error

.....

Finish  
Time  
1  
9  
17  
25  
33

Next page

← → × C | ⓘ | ⌂

**NetExam**  
Sri Lanka Institute of Information Technology

Question 37  
Not yet answered  
Marked out of 1.00  
Flag question

State whether the following statements are True or false.

A - It is easy to partition the work in a project based on objects  
B - Software complexity can be easily managed

Select one:

- a. A- True , B - False
- b. A- False , B - True
- c. True , B - True
- d. A- False , B - False

**1**  
Answered  
out of  
question

NetExam  
Sri Lanka Institute of Information Technology

Which of the following access specifier is used as a default in a class definition ?

Select one:

- a. private
- b. public
- c. protected
- d. virtual

**30**  
Answered  
out of  
question

NetExam  
Sri Lanka Institute of Information Technology

A feature in Object orientation is

Select one:

- a. Abstraction
- b. Abbreviation
- c. Absorbability
- d. Abruptness

on 29

nt answered  
d out of

g question

Why do we need to mention the following statement in a C++ program ?

using namespace std;

Select one:

- a. To use the input and output statements in the program
- b. To get rid of using `std::` in the program
- c. To do calculations in the program
- d. To do calculations in the program

A screenshot of a search results page from a web browser. The search query is "Basic Syntax for using Functions in C++". The results page shows a snippet of text from a source about function declarations and calls.

The snippet reads:

It can be int, char, some pointer or even a class object. ... **Function Name**: is the name of the **function**, using the **function name** it is **called**. **Parameters**: are variables to hold values of arguments passed while **function is called**. A **function** may or may not contain parameter list.

Below the snippet, there is a link to the source: <https://www.studytonight.com/cpp/functions-in-cpp>

The page also includes a navigation bar with links for "About featured snippets", "Feedback", and "Feedback".

Moodle ← → X C | i A

**NetExam**  
Sri Lanka Institute of Information Technology

Question 29  
Not yet answered  
Marked out of 1.00  
Flag question

The OOP concept in C++, exposing only necessary information to users is known as

Select one:

- a. Data hiding
- b. Encapsulation
- c. Hiding Complexity
- d. Abstraction

Next page

IT206

File

Time

1

8

15

22

23

29

30

36

37

hp

Q W E R T Y U I O P

Z S D F G H J K L

X C V B N M

alt

ctrl

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 28

Not answered  
1 out of 1  
View question

What is the output of this program ?

```
class empty{};
```

```
int main()
{
    cout<< sizeof(Empty); // sizeof function finds the no of bytes allocated to a memory location
    return 0;
}
```

Select one:

- a. A non-Zero value
- b. 0
- c. compilation error
- d. run time error

Next page

hp



The image shows a computer monitor displaying an online examination interface. The title bar of the browser window reads "NetExam". Below the title bar, the logo of Sri Lanka Institute of Information Technology (SLIIT) is visible. The main content area of the screen displays a question from a test. On the left side of the question area, there is a sidebar showing the progress: "13 answered out of 20 questions". The question itself asks: "Select the correct statement of how classes and objects are generally implemented in C++." It provides four multiple-choice options:

- a. Objects are created inside the header file with class definitions.
- b. The header file includes both class definition and main program.
- c. A .cpp file with the same name as the class name will have the method implementations of the class.
- d. Class definition and method implementations are usually inside the main program.

Option c is highlighted with a red circle.

**NetExam**  
Sri Lanka Institute of Information Technology

Question 9  
Not yet answered  
Marked out of 0.00  
Flag question

What is the correct method to write the loop to do the following task ?  
Input the price of several products and calculate the discount for each product. The user should stop entering the prices when he enters -99 as the price.

Select one:

- a. while ( price >= -99 )
- b. while ( price <= -99 )
- c. do { ..... }while ( price != -99 );
- d. while ( price != -99 )

[Next page](#)

**NetExam**  
Sri Lanka Institute of Information Technology

Which of the following statements about member functions are True or False ?

- i) A member function can access the private data of a class.
- ii) A member function can call another member function directly by using the dot operator.

Select one:

- a. i) True ii) True
- b. i) False ii) True
- c. i) True ii) False
- d. i) False ii) False

[Next page](#)

Moodle

NetExam  
Sri Lanka Institute of Information Technology

Section 13  
yet answered  
marked out of  
Flag question

Which of the following is a valid class declaration ?

Select one:

a. class A { int x; };  
 b. class B{}  
 c. public class A{}  
 d. class B{x};

ASUS





creating an object from a class is also called

Q All  Images  Videos  News : More  
About 1,270,000,000 results (0.50 seconds)

Instantiation: The new keyword is a Java operator that **creates the object**. As discussed below, this is **also known as instantiating a class**. Initialization: The new operator is followed by a **call** to a constructor.  
↳

<https://www.iitk.ac.in/java/data/objectcreation>

Creating Objects ✓

>About featured snippets · Feedback

<https://www.examtray.com/java-questions/java-class...> ▾

Java Classes and Objects Interview MCQ Questions and ... ✓  
Study and learn Interview MCQ Questions and Answers on Java Classes and Objects. Attend job ... 14) Creating an object from a class is also called \_\_\_\_\_.

People also ask




28

answered  
out of  
question

Creating an object from a class is also called

Select one:

- a. initializing
- b. instantiating
- c. interfacing
- d. implementing





28

answered  
out of  
question

Creating an object from a class is also called

Select one:

- a. initializing
- b. instantiating
- c. interfacing
- d. implementing

Which of the following is a valid class declaration ?

Select one:


- a. class A { int x; };
- b. class B{}
- c. public class A{}
- d. class B{x};

Which of the following data types a class belongs to ?

Select one:

- a. array type
- b. derived type
- c. built-in type
- d. user defined type





NetExam  
Sri Lanka Institute of Information Technology

State whether the following statements are True or false.

- A - It is easy to partition the work in a project based on objects
- B - Software complexity can be easily managed

Select one:

- a. A- True , B - False
- b. A- False , B - True
- c. A- True , B - True
- d. A- False , B - False

```
x = ++px;  
}  
  
void display()  
{  
    cout<< x- <<"";  
}  
};  
  
int main()  
{  
    test obj1;  
    obj1.setX(10);  
    obj1.display();  
    obj1.display();  
    return 0;  
}
```

Select one:

- a. 10 10
- b. 11 10
- c. 11 11
- d. 10 11



NetExam - Sri Lanka Institute of Information Technology - 2021 - March - Mid Term exam-29th March at 8.30 AM

## Term exam-29th March at 8.30 AM

All questions carry equal Marks.  
Backward Navigation is disabled.  
This exam will contribute 20% for Final Mark.

This quiz has been configured so that students may only attempt it using the Respondus LockDown Browser.  
Attempts allowed: 1  
The quiz will not be available until Monday, 29 March 2021, 8:30 AM  
This quiz will close on Monday, 29 March 2021, 9:40 AM.  
Time limit: 1 hour 5 mins

Respondus LockDown Browser is required for this exam.

[Download LockDown Browser](#) | [Check your LockDown Browser Setup](#)

This quiz is not currently available

[Back to the course](#)

Moodle

NetExam  
Sri Lanka Institute of Information Technology

Question 4  
Not yet answered  
Marked out of 1.00  
 Flag question

Class access specifiers are also known as:

Select one:

- a. specifications
- b. class depth
- c. Visibility labels
- d. objects

Next page

Module 1

Sri Lanka Institute of Information Technology

Question 8

What is the correct method to write the loop to do the following task?  
Input the price of several products and calculate the discount for each product. The user should stop entering the prices when he enters -99 as the price.

Select one:

- a. while ( price >= -99 )
- b. while ( price <= -99 )
- c. do { ..... }while ( price != -99 );
- d. while ( price != -99 )

Next page

Finish attempt

Time left 0:00:00

1 2  
8 9  
15 16  
22 23  
29 30 31  
36 37 38

Activate Webcam  
Go to PC settings

DELL

**NetExamination**

Sri Lanka Institute of Information Technology

An object CANNOT be

Select one:

- a. a thing
- b. an item
- c. an activity
- d. an entity



State whether the following statements are True or false.

- A - It is easy to partition the work in a project based on objects
- B - Software complexity can be easily managed

Select one:

- a. A- True , B - False
- b. A- False , B - True
- c. A- True , B - True
- d. A- False , B - False

NetExam  
Sri Lanka Institute of Information Technology

tion 10  
yet answered  
ked out of  
Flag question

What is NOT correct about Object Oriented Programming ?

Select one:

- a. It is a method of implementing programs as a collection of objects.
- b. It allows to reuse classes in many solutions.
- c. It doesn't help to solve complex problems.
- d. It helps to develop systems using smaller sub systems.

ASUS VivoBook





NetExam

Sri Lanka Institute of Information Technology

**Question 20**

Not yet answered


Marked out of  
1.00

Flag question

The binding of data and functions together into a single class type variable is referred to as:

Select one:

- a. Encapsulation
- b. Abstraction
- c. Interfaces
- d. Information Hiding



Moodle ← → X C | i | A

 NetExam  
Sri Lanka Institute of Information Technology

Question 25  
Not yet answered  
Marked out of 1.00  
Flag question

A class consists of

Select one:

- a. Variables and attributes
- b. Properties and Behaviours
- c. Behaviours and functions
- d. Only Properties

Next page




Which is the most appropriate comment on the following code ?

```
class Student  
{  
    int a;  
public :  
    float a;  
};
```

Select one:

- a. Error: Same variable name can't be used twice.
- b. Error: Public must come first
- c. Error: data types are different for same variables
- d. No error

Next page



## Sri Lanka Institute of Information Technology

Correct method to call the `setStudentNo(int no)` method of an object `st1` of `Student` Class is

on

Select one:

- a. `setStudentNo( 1234);`
- b. `st1.setStudentNo(1234);`
- c. `st1::setStudentNo(1234);`
- d. `Student::setStudentNo(1234);`

Next

← → X C | O | □

 NetExam  
Sri Lanka Institute of Information Technology

Question 35  
Not yet answered  
Marked out of 1.00  
Flag question

When an object of a class is created, separate memory is allocated for

Select one:

- a. Member functions only
- b. Member variables only
- c. Both member functions and member variables
- d. Neither member functions nor member variables

Next pa



odle

X C | i | A

 NetExam  
Sri Lanka Institute of Information Technology

3  
Answered  
of  
Question


Public methods which are accessible outside the class are called

Select one:

- a. Interconnections
- b. Interactions
- c. Internal
- d. interfaces

Next page

hp



21

Answered  
out of  
question

Which is the most appropriate comment on the following code ?

class Student

{

    int a;

    public :

        float a;

}

Select one:

- a. Error: Same variable name can't be used twice.
- b. Error: Public must come first
- c. Error: data types are different for same variables
- d. No error

NetExamination  
Sri Lanka Institute of Information

19  
answered  
out of  
question

Select a class

Select one:

- a. Garfield
- b. Rocky
- c. Tommy
- d. Dog

Sri Lanka Institute of Information Technology

What is NOT a correct selection statement in C++ ?

Select one:

- a. if
- b. if.. then.. else..
- c. if .. else ..
- d. switch

NetExam

Sri Lanka Institute of Information Technology

Which is the correct file extension used for class source code in C++ ?

Select one:

- a. .c
- b. .h
- c. .class
- d. .cp

Next page

Moodle

NetExam  
Sri Lanka Institute of Information Technology

Question 20  
Not yet answered  
Marked out of 1.00  
Flag question


What is the correct method of chaining in a cout statement?

Select one:

- a. cout >> number1 >> number2;
- b. cout << number1, number2;
- c. cout >> number1 << number2;
- d. cout << number1 << number2;

Next page

2  
29  
36





# NetExam

Sri Lanka Institute of Information Technology

ed

on

The binding of data and functions together into a single class type variable is referred to as;

Select one:

- a. Encapsulation
- b. Abstraction
- c. Interfaces
- d. Information Hiding



# NetExam

Sri Lanka Institute of Information Technology

tion 18

et answered

ed out of

rag question

Select an object

Select one:

- a. Lecturer
- b. Student
- c. Dr. Kasun
- d. Module

moodle → X C | i | A

**NetExam**  
Sri Lanka Institute of Information Technology

Question 19  
1 question answered  
1 question unanswered  
8 questions total

What is not included in a class ?  
Select one:

- a. Attributes
- b. Access specifiers
- c. Methods
- d. None of the above

← Private  
Public  
Protected  
(visibility  
labeling)

Next page

hp

IDI

alt



What is the correct method to write the loop to do the following task ?

input the price of several products and calculate the discount for each product. The user should stop entering the prices when he enters -99 as the price.

Select one:

- a. while ( price >= -99 )
- b. while ( price <= -99 )
- c. do { ..... }while ( price != -99 );
- d. while ( price != -99 )

[Next page](#)

Moodle ← → X C | i | A

**NetExam**  
Sri Lanka Institute of Information Technology


Question 18  
Not yet answered  
Marked out of 1.00  
Flag question

The data stored in a class can NOT be called;

Select one:

- a. Properties
- b. Attributes
- c. Data Members
- d. Functions





NetExam

Sri Lanka Institute of Information Technology

State whether the following statements are True or false.

A - It is easy to partition the work in a project based on objects  
B - Software complexity can be easily managed

Select one:

- a. A- True , B - False
- b. A- False , B - True
- c. A- True , B - True
- d. A- False , B - False

Moodle

NetExam  
Sri Lanka Institute of Information Technology

Question 29  
Not yet answered  
Marked out of 1.00  
Flag question

What is NOT correct about Object Oriented Programming ?

Select one:

- a. It is a method of implementing programs as a collection of objects.
- b. It allows to reuse classes in many solutions.
- c. It doesn't help to solve complex problems.
- d. It helps to develop systems using smaller sub systems.

An object CANNOT be

Select one:

- a. a thing
- b. an item
- c. an activity
- d. an entity



# NetExam

Sri Lanka Institute of Information Technology

wered  
of  
stion

The data stored in a class can NOT be called;

Select one:

- a. Properties
- b. Attributes
- c. Data Members
- d. Functions

12  
answering  
out of  
question

Sri Lanka Institute of Information Technology

Which of the following statements about member functions are True or False?

- i) A member function can access the private data of a class.
- ii) A member function can call another member function directly by using the dot operator.

Select one:

- a. i) True ii) True
- b. i) False ii) True
- c. i) True ii) False
- d. i) False ii) False

**Question 9**

Not yet answered

Marked out of  
1.00

 Flag question

What is the output of this program ?

class empty{

int main()

{

cout<< sizeof(Empty); // sizeof function finds the o of bytes allocated to a memory location

return 0;

}

Default size of class is 1

Select one:

- a. A non-Zero value
- b. 0
- c. compilation error
- d. run time error

The image shows a screenshot of a computer screen displaying a software application called "NetExam". The application has a blue header bar with the title "NetExam" and the subtitle "Sri Lanka Institute of Information Technology". Below the header, there is a question and several options for selection. The question reads: "A class consists of". Below the question, there is a label "Select one:" followed by four options, each preceded by a radio button:

- a. Variables and attributes
- b. Properties and Behaviours
- c. Behaviours and functions
- d. Only Properties

The option "b. Properties and Behaviours" is underlined with a red line.



5

wered  
of  
stion

A \_\_\_\_\_ member function can only be called by another function that is a member of the same class.

Select one:

- a. public
- b. private
- c. static
- d. method

odie

X C | i | A

 NetExam  
Sri Lanka Institute of Information Technology

16  
answered  
out of  
question

What is the operator used to access the members of a class ?

Select one:

- a. Scope Resolution Operator
- b. Assignment operator
- c. Dot operator
- d. & Operator

hp



 INSTITUTE  
Sri Lanka Institute of Information Technology

**Question 27**  
Not yet answered  
Marked out of 1.00

What is the output of this program ?  
class empty{  
int main()  
{  
cout<< sizeof(Empty); // sizeof function finds the o of bytes allocated to a memory location  
return 0;  
}  
Select one:  
 a. A non-Zero value  
 b. 0  
 c. compilation error  
 d. run time error

 Sri Lanka Institute of Information Technology

For the attributes to be hidden from outside world, it has to be declared

Select one:  
 a. private  
 b. protected  
 c. public  
 d. external

 NetExam  
Sri Lanka Institute of Information Technology


15  
Answered  
out of  
question

Every class declaration is terminated by;

Select one:

- a.
- b.
- c.
- d.

A red mark is placed under the semicolon in option c.



2

wered  
of  
stion

Creating an object from a class is also called


Select one:

- a. initializing
- b. instantiating
- c. interfacing
- d. implementing

Correct method to declare an object of a **Student** class

Select one:


- a. Student st1;
- b. student s1;
- c. Class Student st1;
- d. All of the above




In a class, data members are called as;

Select one:

- a. abstracts
- b. attributes
- c. methods
- d. dimensions





Which is private member functions access scope ?

Select one:

- a. Member functions which can be used outside the class
- b. Member functions which are accessible in other classes
- c. Member functions which can only be used within the class
- d. Member functions which can be accessed inside the class

# NetExam

Sri Lanka Institute of Information Technology

Employee class has salary as a double type attribute. Select the correct method definition of the getter for salary in Employee class.

Select one:

- a. int getSalary();
- b. double setSalary();
- c. void setSalary(double sal);
- d. double getSalary();

Moodle

← → X C | i | A

**NetExam**  
Sri Lanka Institute of Information Technology

Question 10  
Not yet answered  
Marked out of 1.00  
Flag question

Consider the following statements.

- A. Identify the Objects
- B. Create Objects
- C. Categorize the Objects
- D. Create Classes

What is the correct order of events in OOP, when developing a solution to a problem?

Select one:

- a. A, B, C, D
- b. A, C, D, B
- c. A, D, C, B >?
- d. A, B, D, C

Next page

hp

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 24

Not yet answered

Marked out of  
1.00

Flag question

The OOP concept in C++, exposing only necessary information to users is known as

Select one:

- a. Data hiding
- b. Encapsulation
- c. Hiding Complexity
- d. Abstraction

---

Question 23

Not yet answered

Marked out of  
1.00

Flag question

Select what is NOT Correct.

Select one:

- a. Objects are created using class.
- b. You can create many objects using one class
- c. Classes are instances of objects
- d. Objects are instances of a class

Select what is NOT Correct.

Select one:

- a. Objects are created using class.
- b. You can create many objects using one class
- c. Classes are instances of objects
- d. Objects are instances of a class

**Sri Lanka Institute of Information Technology**

Which of the following keywords are used to control access to a class member ?

Select one:

- a. default
- b. break
- c. class
- d. public

**Sri Lanka Institute of Information Technology**

What is the correct method to write the loop to do the following task ?  
input the price of several products and calculate the discount for each product. The user should stop entering the prices when he enters -99 as the price.

Select one:

- a. while ( price >= -99 )
- b. while ( price <= -99 )
- c. do { ..... }while ( price != -99 );
- d. while ( price != -99 )

Next page

Quiz navigation

First attempt ...

Time left 0:48:24

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35
36	37	38	39	40



What is NOT a correct loop in C++ ?

Select one:

- a. for
- b. while
- c. until
- d. do

ation 5

yet answered

ked out of

1

Flag question

Which is the most appropriate comment on the following code ?

class Student

{

    int a;

    public :

        float a;

}

Select one:

- a. Error: Same variable name can't be used twice.
- b. Error: Public must come first
- c. Error: data types are different for same variables
- d. No error

Next p

What is the output of this program ?

```
class Test
{
    int x;
};

int main()
{
    Test t;
    cout<<t.x;
    return 0;
}
```

7  
Answered  
out of  
question

Select one:

- a. 0
- b. Garbage value
- c. Compilation error
- d. Run time error

 NetExam  
Sri Lanka Institute of Information Technology

A \_\_\_\_\_ member function can only be called by another function that is a member of the same class.

Select one:

- a. public
- b. private
- c. static
- d. method

 NetExam  
Sri Lanka Institute of Information Technology

The OOP concept in C++, exposing only necessary information to users is known as

Select one:

- a. Data hiding
- b. Encapsulation
- c. Hiding Complexity
- d. Abstraction

[Next page](#)

1  
9  
17  
25  
33



on 22

not answered

out of

question

Correct method to declare an object of a **Student** class

Select one:

- a. Student st1;
- b. student st1;
- c. Class Student st1;
- d. All of the above



on 21

not answered

out of

question

Puppy class has a private integer attribute age to store the age of a puppy. An object named main program using the puppy class. Select the correct statement to set the age of marshall

Select one:

- a. marshall.getAge = 1;
- b. marshall.setAge(1);
- c. marshall.age = 1;
- d. age.marshall = 1;

Question 8  
yet answered  
Marked out of 100  
Flag question

Which is the most appropriate comment on the following code ?

```
class Student
{
    int a;
public:
    float a;
};
```

Select one:

- a. Error: Same variable name can't be used twice.
- b. Error: Public must come first
- c. Error: data types are different for same variables
- d. No error

[Next page](#)

Sri Lanka Institute of Information Technology

What is NOT correct about Object Oriented Programming ?

Select one:

- a. It is a method of implementing programs as a collection of objects.
- b. It allows to reuse classes in many solutions.
- c. It doesn't help to solve complex problems.
- d. It helps to develop systems using smaller sub systems.

NetExam  
Sri Lanka Institute of Information Technology

Which of the following is a shared structure of similar objects ?

Select one:

- a. Encapsulation
- b. A class
- c. Interface
- d. Property



## Classes capture

Select one:

- a. properties only
- b. behaviours only
- c. name only
- d. both properties and behaviours

# NetExam

Sri Lanka Institute of Information Tech

Restricted Access is denoted by

Select one:

- a. public
- b. protected
- c. private
- d. None of the above

**NetExam**  
Sri Lanka Institute of Information Technology

Choose the correct statement about the client program ( main method) in C++.

Select one:

- a. Once C++ file can contain only one main method
- b. Main method must have the return type "int"
- c. It can contain statements calling for methods in the class in a logical order to get the required output.
- d. All of the above

# NetExam

Sri Lanka Institute of Information Technology

What is the output of this program ?

```
class empty{}  
  
int main()  
{  
    cout<< sizeof(Empty); // sizeof function finds the o of bytes allocated to a memory location  
    return 0;  
}
```

Select one:

- a. A non-Zero value
- b. 0
- c. compilation error
- d. run time error

acer

A S P I R E

An object is created at \_\_\_\_\_ time. ( Select the correct word to fill the blank )

Select one:

- a. compile
- b. run
- c. assembling
- d. linking

Next pa



Yet answered  
Marked out of  
1.00

Flag question

Select what is NOT correct.

Select one:

- a. Objects are created using class,
- b. You can create many objects using one class
- c. Classes are Instances of objects
- d. Objects are Instances of a class

 |  | 

**NetExam**  
Sri Lanka Institute of Information Technology

Class access specifiers are also known as;

Select one:

- a. specifications
- b. class depth
- c. Visibility labels
- d. objects

hp





## Question 7

Not yet answered

Marked out of  
1.00 Flag question

For a method to be an interface between the outside world and a class, it has to be declared

Select one:

- a. private
- b. protected
- c. public
- d. external

An object is created at \_\_\_\_\_ time. ( Select the correct word to fill the blank )

Select one:

- a. compile
- b. run
- c. assembling
- d. linking

[Next page](#)

Finis  
Time  
1  
8  
15  
22  
29  
36

 NetExam

Sri Lanka Institute of Information Technology

Public methods which are accessible outside the class are called

Select one:

- a. interconnections
- b. interactions
- c. internal
- d. interfaces


**NetExam**  
Sri Lanka Institute of Information Technology

A \_\_\_\_\_ member function can only be called by another function that is a member of the same class.

Select one:

- a. public
- b. private
- c. static
- d. method

acer



Moodle

← → X C | ⓘ | ⌂

 NetExam  
Sri Lanka Institute of Information Technology

Question 18  
Not yet answered  
Marked out of 1.00  
Flag question

The data stored in a class can NOT be called:

Select one:

- a. Properties
- b. Attributes
- c. Data Members
- d. Functions



## NetExam

Sri Lanka Institute of Information Technology

The binding of data and functions together into a single class type variable is referred to as:

Select one:

- a. Encapsulation
- b. Abstraction
- c. Interfaces
- d. Information Hiding

 NetExam  
Sri Lanka Institute of Information Technology

An object is created at \_\_\_\_\_ time. ( Select the correct word to fill the blank )

Select one:

- a. compile
- b. run
- c. assembling
- d. linking

[Next page](#)



NetExam

Sri Lanka Institute of Information Technology

**Question 5**

Not yet answered

Marked out of  
1.00

 Flag question

Choose the incorrect statement regarding naming a class.

Select one:

- a. The class name can start with a letter or underscore character
- b. The class name can contain characters
- c. The class name can be any reserved word in C++
- d. The class name can contain capital letters

 NetExam  
Sri Lanka Institute of Information Technology

Question 16  
Not yet answered  
Marked out of 1.00  
 Flag question

Which of the following is a valid class declaration ?

Select one:

- a. class A { int x; };
- b. class B{}  

- c. public class A{};
- d. class B{x};



# NetExam

Sri Lanka Institute of Information Technology

Question 6

Not yet answered

Marked out of  
0.00

Flag question

Every class declaration is terminated by:

Select one:

- a.  
,
- b.  
,
- c.  
;
- d.  
;

 NetExam

Sri Lanka Institute of Information Technology

Choose the correct statement about the client program ( main method) in C++.

Select one:

- a. Once C++ file can contain only one main method
- b. Main method must have the return type "int"
- c. It can contain statements calling for methods in the class in a logical order to get the required output.
- d. All of the above

 NetExam  
Sri Lanka Institute of Information Technology

**Question 6**  
Not yet answered  
Marked out of 1.00  
[Flag question](#)

Select the correct statement of how classes and objects are generally implemented in C++.

Select one:

- a. Objects are created inside the header file with class definitions.
- b. The header file includes both class definition and main program.
- c. A .cpp file with the same name as the class name will have the method implementations of the class.
- d. Class definition and method implementations are usually inside the main program.

[Next p](#)


The image shows a screenshot of a computer monitor displaying a web-based examination system. The top portion of the screen is dark, while the main content area is a light-colored window.

The window has a blue header bar with the text "NetExam" and "Sri Lanka Institute of Information Technology". Below the header, there is a question and a list of options:

Which of the following keywords are used to control access to a class member?

Select one:

- a. default
- b. break
- c. class
- d. public



**Question 14**

Not yet answered

Marked out of  
1.00

Flag question

What is not included in a class ?

Select one:

- a. Attributes
- b. Access specifiers
- c. Methods
- d. None of the above

**Question 5**

Not yet answered

Marked out of  
0


Flag question


Choose the incorrect statement regarding naming a class.

Select one:

- a. The class name can start with a letter or underscore character
- b. The class name can contain characters
- c. The class name can be any reserved word in C++
- d. The class name can contain capital letters







Moodle

NetExam  
Sri Lanka Institute of Information Technology

Question 11  
Not yet answered  
Marked out of 1.00  
Flag question

Select an object

Select one:

- a. Lecturer
- b. Student
- c. Dr. Kasun
- d. Module

Next page

Question 4  
Not yet answered  
Marked out of 1.00  
Flag question

Which is the correct file extension used for class source code in C++ ?

Select one:

- a..c
- b..h
- c..class
- d..cp



Answered  
of  
Question

Consider the following statements.

- A. Identify the Objects
- B. Create Objects
- C. Categorize the Objects
- D. Create Classes

What is the correct order of events in OOP, when developing a solution to a problem ?  
Select one:

- a. A, B, C, D
- b. A, C, D, B
- c. A, D, C, B
- d. A, B, D, C

[Next page](#)

≡ Quiz navi

Finish attempt ...

Time left 0:57:03

1	2	3
8	9	10
15	16	17
22	23	24
29	30	31
36	37	38



on 5  
answered  
out of  
question

What is not included in a class ?

Select one:

- a. Attributes
- b. Access specifiers
- c. Methods
- d. None of the above



 Sri Lanka Institute of Information Technology

Public methods which are accessible outside the class are called

Select one:

- a. interconnections
- b. interactions
- c. internal
- d. interfaces

←

 NetExam  
Sri Lanka Institute of Information Technology

Question 2  
Not yet answered  
Marked out of 1.00  


Which is private member functions access scope ?

Select one:

- a. Member functions which can be used outside the class
- b. Member functions which are accessible in other classes
- c. Member functions which can only be used within the class
- d. Member functions which can be accessed inside the class

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 3

yet answered

Marked out of 0

Flag question

Creating an object from a class is also called

Select one:

- a. initializing
- b. Instantiating
- c. Interfacing
- d. implementing

odie

X C | i A

 NetExam  
Sri Lanka Institute of Information Technology

What is the output of this program ?

```
class empty{};  
  
int main()  
{  
    cout<< sizeof(Empty); // sizeof function finds the 0 of bytes allocated to a memory location  
    return 0;  
}
```

Select one:

- a. A non-zero value
- b. 0
- c. compilation error
- d. run time error

[Next page](#)

D E F G H I J K L  
C V B N



# NetExam

Sri Lanka Institute of Information Technology

3

Answered

out of

question

Creating an object from a class is also called

Select one:

- a. initializing
- b. instantiating
- c. interfacing
- d. implementing

Moodle

NetExam

Sri Lanka Institute of Information Technology

Question 7  
Not yet answered  
Marked out of 1.00  
Flag question

Public methods which are accessible outside the class are called

Select one:

a. interconnections  
 b. interactions  
 c. internal  
 d. interfaces

Next page

Quiz navigation

Finish attempt ...  
Time left 0:58:35

1	2	3	4	5	6
8	9	10	11	12	13
15	16	17	18	19	20
22	23	24	25	26	27
29	30	31	32	33	34
36	37	38	39	40	

NetExam

Sri Lanka Institute of Information Technology

What is the correct method to write the loop to do the following task ?  
input the price of several products and calculate the discount for each product. The user should stop entering the prices when he enters -99 as the price.

Select one:

a. while ( price >= -99 )  
 b. while ( price <= -99 )  
 c. do ( .... )while ( price != -99 );  
 d. while ( price != -99 )

1

answered

1 out of

question

### Classes capture

Select one:

- a. properties only
- b. behaviours only
- c. name only
- d. both properties and behaviours

DELL





**Question 1**

Not yet answered

Marked out of  
1.00

Flag question

A feature in Object orientation is

Select one:

- a. Abstraction
- b. Abbreviation
- c. Absorbability
- d. Abruptness



```
x = ++px
}

void display()
{
    cout<< x - <<"";
}
};

int main()
{
    test obj1;
    obj1.setX(10);
    obj1.display();
    obj1.display();
    return 0;
}
```

Select one:

- a. 10 10
- b. 11 10
- c. 11 11
- d. 10 11



Moodle

NetExam  
Sri Lanka Institute of Information Technology

Question 1  
Not yet answered  
Marked out of 1.00  
Flag question

When an object of a class is created, separate memory is allocated for

Select one:

- a. Member functions only
- b. Member variables only
- c. Both member functions and member variables
- d. Neither member functions nor member variables

next page

Moodle

NetExam  
Sri Lanka Institute of Information Technology

Question 5

Not yet answered

Marked out of 1.00

Flag question

Choose the correct statement about the client program ( main method) in C++.

Select one:

- a. Once C++ file can contain only one main method
- b. Main method must have the return type "int"
- c. It can contain statements calling for methods in the class in a logical order to get the required output.
- d. All of the above

Next page

For the attributes to be hidden from outside world, it has to be declared

Select one:

- a. private
- b. protected
- c. public
- d. external

X C | ⓘ | 🌐

NetExam  
Sri Lanka Institute of Information Technology

A \_\_\_\_\_ member function can only be called by another function that is a member of the same class.

Select one:

- a. public
- b. private
- c. static
- d. method

Next page

Quiz  
For answer  
Page left 13

1	2
8	9
12	16
22	23
29	30
36	37

idle

NetExam  
Sri Lanka Institute of Information Technology

1  
answered  
out of  
question

Which of the following data types a class belongs to ?

Select one:

- a. array type
- b. derived type
- c. built-in type
- d. user defined type



NetExam

Sri Lanka Institute of Information Technology

Question 1

yet answered

Marked out of

0

Flag question

The data stored in a class can NOT be called;

Select one:

- a. Properties
- b. Attributes
- c. Data Members
- d. Functions



 NetExam  
Sri Lanka Institute of Information Technology

Question 5  
Not yet answered  
Marked out of 1.00  
[Flag question](#)

An object CANNOT be

Select one:

- a. a thing
- b. an item
- c. an activity
- d. an entity

[Next p](#)

Moodle ← → X C | i | d

**NetExam**  
Sri Lanka Institute of Information Technology

Section 2  
0 yet answered  
Marked out of 1  
Log question

In OOP, a problem is considered as a collection of number of entities called

Select one:

- a. classes
- b. objects
- c. functions
- d. variables

Next page

29  
36

The image shows a laptop screen displaying an online examination system. The title bar of the browser says "Moodle". The main header of the page reads "NetExam" and "Sri Lanka Institute of Information Technology". On the left, there's a sidebar with "Section 2" and "0 yet answered" status. The main content area contains a question: "In OOP, a problem is considered as a collection of number of entities called". Below the question is a "Select one:" label followed by a list of four options: "a. classes", "b. objects", "c. functions", and "d. variables". The option "a. classes" is highlighted with a red underline. At the bottom right of the screen, there's a "Next page" button. The laptop keyboard is visible at the bottom of the frame.

NetExam  
Sri Lanka Institute of Information Technology

Question 2  
yet answered  
marked out of  
Flag question

Public methods which are accessible outside the class are called

Select one:

- a. interconnections
- b. interactions
- c. internal
- d. interfaces

 NetExam  
Sri Lanka Institute of Information Tech

2  
Answered  
out of  
question

Restricted Access is denoted by

Select one:

- a. public
- b. protected
- c. private
- d. Non of the above



Which of the following data types a class belongs to ?

Select one:

- a. array type
- b. derived type
- c. built-in type
- d. user defined type

Next p

What is the output of the following program ?

```
class test
{
    int x;

public:
    void setX(int px)
    {
        x = ++px;
    }

    void display()
    {
        cout<< x-- <<"";
    }
};

int main()
{
    test obj1;
    obj1.setX(10);
    obj1.display();
    obj1.display();
    return 0;
}
```

```
void setX(int px)
{
    x = ++px;
}

void display()
{
    cout<< x - <<"";
}

int main()
{
    test obj1;
    obj1.setX(10);
    obj1.display();
    obj1.display();
    return 0;
}
```

Select one:

- a. 10 10
- b. 11 10
- c. 11 11
- d. 10 11

 NetExam  
Sri Lanka Institute of Information Technology

A \_\_\_\_\_ member function can only be called by another function that is a member of the same class.

Select one:

- a. public
- b. private
- c. static
- d. method

Next page

IT20655639 Savanath

Time left 1:59

1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38

 NetExam  
Sri Lanka Institute of Information Technology

Choose the correct statement about the client program (main method) in C++.

Select one:

- a. Only C++ file can contain only one main method
- b. Main method must have the return type "int"
- c. It can contain statements calling for methods in the class in a logical order to get the required output.
- d. All of the above

Next page

IT20661588 Savanath

Time left 1:59

1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38

Moodle

← → X C | i | A

 NetExam  
Sri Lanka Institute of Information Technology

Question 1  
Not yet answered  
Marked out of 1.00  
Flag question

Select an object  
Select one:

- a. Lecturer
- b. Student
- c. Dr. Kasun
- d. Module



What is the correct method to write the loop to do the following task ?

Input the price of several products and calculate the discount for each product. The user should stop entering the prices when he enters -99 as the price.

Select one:

- a. while ( price >= -99 )
- b. while ( price <= -99 )
- c. do { .... }while ( price != -99 );
- d. while ( price != -99 )



[Next page](#)

File X

X | i | +

 NetExam  
Sri Lanka Institute of Information Technology

3  
Answered  
out of  
question

What is NOT a correct selection statement in C++ ?

Select one:

- a. if
- b. if.. then.. else..
- c. if.. else ..
- d. switch

 Sri Lanka Institute of Information Technology

Which of the following is true ?

Select one:

- a. All object of a class share all data members of class
- b. Objects ~~of~~ a class do not share members. Every object has its own copy
- c. You can create only one object from a class.
- d. All of the above

 NetExam  
Sri Lanka Institute of Information Technology

Question 1  
Not yet answered  
Marked out of 1.00  
[Flag question](#)

For the attributes to be hidden from outside world, it has to be declared

Select one:

- a. private
- b. protected
- c. public
- d. external

**NetExam**  
Sri Lanka Institute of Information Technology

Section 2  
Not yet answered  
Marked out of 1.00  
Flag question

A \_\_\_\_\_ member function can only be called by another function that is a member of the same class.

Select one:

a. public  
 b. private  
 c. static  
 d. method

Next page

Why do we need to mention the following statement in a C++ program ?

using namespace std;

Select one:

- a. To use the input and output statements in the program
- b. To get rid of using std:: in the program
- c. To do calculations in the program
- d. To do calculations in the program



on 1  
t answered  
d out of  
g question

What is NOT correct about Object Oriented Programming ?

Select one:

- a. It is a method of implementing programs as a collection of objects.
- b. It allows to reuse classes in many solutions.
- c. It doesn't help to solve complex problems.
- d. It helps to develop systems using smaller sub systems.

