

Networks - IT X CN - Online Test 1 - 24/3/2022 - X +

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371025&cmid=6162

mail Course: Object Orie... Course: Computer... Course: Database... Course: Operating...

NetExam

Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test

Refer the following router output:

```
Router#show cl  
% Ambiguous command: "show cl"
```

What is the reason to receive this error message?

Select one:

- There is more than one show command that starts with the letters **c**
- The command is being executed from the wrong router mode
- There is no show command that starts with **c**
- The command requires additional options or parameters

Safari File Edit View History Bookmarks Window Help

CN - Online Test 1 - 24/3/2022 - 8.00pm - 9.00pm Course: Computer

 NetExamination
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test


Question 1
Not yet answered
Marked out of 1.0

Which two statements describe the IP address 10.16.3.65/23?

1. The subnet address is 10.16.3.0
2. The lowest host address in the subnet is 10.16.2.1
3. The last valid host address in the subnet is 10.16.2.254
4. The broadcast address of the subnet is 10.16.3.255

Select one:

1 and 3
 2 and 4
 2 and 3
 1 and 4



ON - Online Test 1 - 24/3/2022 - 8.00pm - 9.00pm Course: Computer Networks - IT2050 [2022/FEB]

NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test it21049668 Sheh

Question 2
Not yet answered Marked out of 1.0 **Flag question**

A router has a valid operating system and a configuration stored in NVRAM. When the router boots up, which mode will display?

Select one:

- global configuration mode
- user EXEC mode
- setup mode
- ROM monitor mode

Previous page **Next page**

ON - Online Test 1 - 24/3/2022 - 8.00pm - 9.00pm Course: Computer Networks - IT2050 [2022/FEB]

NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test it2050 [2022/FEB]

Question 2
Not yet answered Marked out of 1.0 **Flag question**

Which of the following commands sets the secret password to Cisco?

Select one:

- enable secret Cisco
- enable password Cisco
- enable secret cisco
- enable secret password Cisco

Previous page **Next page**



Dashboard

Examinations

Lockdown Browser

Practice Test

Question 3

Not yet answered

Marked out of 1.0


Flag question

Which memory type holds the full IOS image for the router?

Select one:

- RAM
- ROM
- Flash Memory
- NVRAM

[Previous page](#)



CR - Online Test 1 - 24/3/2022 - 8.00pm ~ 9.00pm Course: Computer Networks - IT2050 (2022/FEB)

NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test it21049668 She

Question 3
Not yet answered Marked out of 1.0

Under which circumstance is needed to configure a clock rate on a serial interface?

Select one:

- When the interface is terminated using a loopback adapter.
- When the interface is terminated using a Category 3 Cable.
- When the interface is terminated using the DCE end of the cable.
- When the interface is terminated with the DTE end of the cable.

it210451

NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

Question 1
Not yet answered Marked out of 1.0

In which of the following modes in Cisco's IOS can issue show commands normally ?

Select one or more:


- Interface Configuration
- Privileged
- Line Configuration
- Global Configuration
- User
- Administrative

You need to issue the command show startup-config from the relevant mode. How to identify that you are in that mode?

Select one:

- %
- >
- \$
- #

[Next page](#)



The screenshot shows a computer screen displaying the NetExam application from Sri Lanka Institute of Information Technology. The interface includes a header with the logo, the title "NetExam", and the subtitle "Sri Lanka Institute of Information Technology". Below the header, there is a navigation bar with links for "Dashboard", "Examinations", "Lockdown Browser", and "Practice Test". On the right side of the header, the user's ID "it21006098 Wijesin" is displayed. The main content area contains a question labeled "Question 6": "In what location does a Cisco Router and/or Switch store its startup-configuration?". Below the question, it says "Select one:" followed by four options: "NVRAM" (selected), "Memory", "Disk", and "Flash". A "Flag question" link is also present. At the bottom left is a "Previous page" button, and at the bottom right is a "Next page" button.

NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test it21006098 Wijesin

Question 6

Answer saved

Marked out of 1.0

Flag question

In what location does a Cisco Router and/or Switch store its startup-configuration?

Select one:

NVRAM

Memory

Disk

Flash

Previous page

Next page

puter Networks - IT X CN - Online Test 1 - 24/3/2022 - X untitled X

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371025&cmid=6162&page=7

Gmail Course: Object Ori... Course: Computer... Course: Database... Course: Operating...

NetExam

Sri Lanka Institute of Information Technology

ard Examinations Lockdown Browser Practice Test

8 answered out of 1.0 question

You type the following command into the router and receive the following:

```
Router(config)#show serial 0/0
^
% Invalid input detected at '^' marker.
```

Why was this error message displayed?

Select one or more:

- Part of the command is missing
- You cannot have a space between serial and 0/0
- Administrator only can issue this command
- The router does not have a serial0/0 interface
- You need to be in privileged mode

vious page

clear

Sri Lanka Institute of Information Technology

Examinations

Lockdown Browser

Practice Test

Consider classful addressing and choose the broadcast address of 25.10.100.200.

Select one:

- 25.10.100.255
- 25.0.0.0
- 25.255.254.255
- 25.255.255.255

Test 1 - 24/3/2022 - x +

netexam.slit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=8

NetExam

Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test

Consider classful addressing and choose the broadcast address of 25.10.100.200.

Select one:

- 25.255.255.255
- 25.255.254.255
- 25.10.100.255
- 25.0.0.0

here to search

DELL

page

Online Test 1 - 24/3/2022

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=10

NetExam

Sri Lanka Institute of Information Technology

Board Examinations Lockdown Browser Practice Test

on 11
answered
out of 1.0
g question

Where does a Router store routing tables, ARP cache, and packet buffers ?

Select one:

- Flash Memory
- RAM
- NVRAM
- ROM

Previous page

Type here to search

DELL



1

Answered
out of 1.0
Question

You have typed the command **clock** on a Cisco router and pressed enter/return you received the response as follows:
% Incomplete command.

How can you receive help on this command?

Select one:

- Re enter the command followed by a question mark to view key words
- Type "help" followed by the command to see the command parameter
- Type "history" to review the prompt before the error
- Enter a question mark to display all console commands

Previous page



NetExam

Sri Lanka Institute of Information Technology

board

Examinations

Lockdown Browser

Practice Test

Question 6

yet answered

Marked out of 1.0

Flag question

Under which circumstance is needed to configure a clock rate on a serial interface?

Select one:

- When the interface is terminated using the DCE end of the cable.
- When the interface is terminated with the DTE end of the cable. 
- When the interface is terminated using a loopback adapter.
- When the interface is terminated using a Category 3 Cable.

Previous page

NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test it21049668

Question 4
Not yet answered
Marked out of 1.0
[Flag question](#)

The Administrator needs to prevent unauthorized users from plugging their laptops into the router. What type of password will help prevent this issue?

Select one:

- Console
- Line
- Telnet
- Enable
- Secret

[Previous page](#) [Next page](#)

works - IT X CN - Online Test 1 - 24/3/2022 X what are the purpose of ICMP X +

xam.sliit.lk/mod/quiz/attempt.php?attempt=371206&cmid=6162&page=8

Maps Google Translate

NetExam

Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test

Which of the following commands sets the secret password to Cisco ?

Select one:

- enable secret cisco
- enable secret Cisco
- enable password Cisco
- enable secret password Cisco



Which of the following commands sets the secret password to Cisco?

- A. *enable secret password Cisco*
- B. *enable secret cisco*
- C. *enable secret Cisco*
- D. *enable password Cisco*

Answer: Option C

Solution(By Examveda Team)

The enable secret password is case sensitive, so the second option is wrong. To set the *enable secret <password>*, use the *enable secret <password>* command from global configuration mode.



Dashboard

Examinations

Lockdown Browser

Practice Test

Question 11

Not yet answered

Marked out of 1.0

Flag question

Where does the running configuration file of the router be stored?

Select one:

- ROM
- RAM
- Flash Memory
- NVRAM
- ROM or RAM

[Previous page](#)

Question 12

Not yet answered

Marked out of 1.0

 Flag question

Which type of cable is used to connect to a Cisco Console port?

Select one:

- TIA 568B
- Rollover
- Straight Through
- Crossover

[Previous page](#)

N Online Test 1 - 24/3/2022 X +

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=15

NetExam

Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

Question 16
Not yet answered
Marked out of 1.0
[Flag question](#)

You type the following command into the router and receive the following:

```
Router(config)#show serial 0/0
^
% Invalid input detected at '^' marker.
```


Why was this error message displayed?

Select one or more:

- Part of the command is missing
- You cannot have a space between serial and 0/0
- Administrator only can issue this command
- You need to be in privileged mode
- The router does not have a serial0/0 interface

Previous page

Type here to search



orks - IT x CN - Online Test 1 - 24/3/2022 - x what are the purpose of ICMP - x

xam.sliit.lk/mod/quiz/attempt.php?attempt=371206&cmid=6162&page=16

Maps Google Translate


NetExam
Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test

Which one of the following devices is network layer protocol dependent?

Select one:

- Bridge
- Router
- Repeater
- Hub



Question 14

Not yet answered

Marked out of 1.0

 Flag question

Identify the purpose of ICMP?

Select one or more:

- Send control messages
- Avoiding routing loops.
- Collision detection
- Send error messages
- Transporting routing updates

[Previous page](#)

The Administrator needs to prevent unauthorized users from plugging their laptops into the router. What type of password will help prevent this issue?

Select one:

- Line
- Enable
- Telnet
- Secret
- Console

Next page

Question **16**

Not yet answered

Marked out of 1.0

Flag question

When powering up a router, which of the following types of memory normally stores the start-up configuration?

Select one:

- RAM
- Flash Memory
- ROM
- NVRAM

[Previous page](#)

Networks - IT X CN - Online Test 1 - 24/3/2022 - X Under which circumstance is nee X

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371025&cmid=6162&page=17

Course: Object Ori... Course: Computer... Course: Database... Course: Operating

NetExam

Sri Lanka Institute of Information Technology


Examinations Lockdown Browser Practice Test

Under which circumstance is needed to configure a clock rate on a serial interface

Select one:

- When the interface is terminated using the DCE end of the cable.
- When the interface is terminated with the DTE end of the cable.
- When the interface is terminated using a Category⁵ Cable.
- When the interface is terminated using a loopback adapter.

page



Safari File Edit View History Bookmarks Window Help

CN - Online Test 1 - 24/3/2022 - 8.00pm - 9.00pm

 NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

Question 13
Not yet answered
Marked out of 1.0
 Flag question

Which command gives the view of recently used commands?

Select one or more:

- show protocol
- set history
- show history
- DO set history
- DO show history
- view history
- DO view history

Previous page



Which command gives the view of recently used commands?

Select one or more:

- set history
- view history
- show history
- DO view history
- DO show history
- DO set history
- show protocol

48 page

Course Database...

Course: Operating...

Course: Software E...

netexam

NetExam

Sri Lanka Institute of Information Technology

Examinations

Lockdown Browser

Practice Test

The Administrator needs to prevent unauthorized users from plugging their laptops into the router. What type of password will help prevent this issue?

Select one:

- Telnet
- Secret
- Enable
- Console
- Line

One Test 1 - 24/3/2022 - X +

netexam.slit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=

NetExam

Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test

1 Answered of 1.0 Question


What does the following command allow you to perform next?
RouterA(config)#line vty 0 3

Select one:

- Set the configurations
- Set the console password.
- Set the Telnet password.
- Shut down the router.
- Disable console connections.

Page

here to search



CN - Online Test 1 - 24/3/2022 X +

netexam.slit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=21

NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

Question 22
Answer saved
Marked out of 1.0
Flag question

What is split horizon?

Select one:

It splits the traffic when you have a large bus (horizon) physical network.

It defines the path to forward the IP data traffic

It holds the regular updates from broadcasting to a downed link.

Information about a route should not be sent back in the direction from which the original update message arrived.

It prevents regular update messages from reinstating a route that has gone down.

Previous page

Type here to search

DELL


A photograph of a Dell laptop screen displaying an online exam interface. The screen shows a question about split horizon in a routing protocol. The background shows the laptop's keyboard and part of its body.

Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test it21041716 Sandaruwan.W.S.R It21041716 20:37

Question 23
Not yet answered
Marked out of 1.0
 Flag question

Refer to the router topology shown in the diagram. Assuming that all routers are running RIP, which statements describe how the routers exchange their routing tables?



Select one:

- A. Router 1 exchanges with Router 3
- B. Router 1 exchanges with Router 4
- C. Router 1 exchanges with Router 2

Quiz navigation


Finish attempt ...

Time left 0:30:02

1	2	3	4	5	6	7
9	10	11	12	13	14	15
17	18	19	20	21	22	23
25	26	27	28	29	30	31

29°C ENG WiFi

Network addresses of MALABE and METRO LANs are given in the diagram.



Assume networks are configured with a DHCP server and newly connected computer in MALABE LAN is required to obtain an IP address from this DHCP server. Which of the following can be used as source address?

Select one:

- 192.168.1.0
- 255.255.255.255
- 10.0.0.2
- 255.255.255.0
- 0.0.0.0

[Next page](#)

Which of the following memory locations describes the possible locations from which the operating system would be loaded at system initialization?

Select one:

- RAM, ROM
- NVRAM, RAM
- NVRAM, ROM
- Flash Memory, ROM

[Next page](#)

rd

Examinations

Lockdown Browser


Practice Test

it2104

21

Answered
out of 1.0
Question

Network addresses of MALABE and METRO LANs are given in the diagram.



Assume networks are configured with a DHCP server and newly connected computer in MALABE LAN is required to obtain an IP address from this DHCP server. Which of the following can be used as source address?


Select one:

- 10.0.0.2
- 192.168.1.0
- 255.255.255.255
- 255.255.255.0
- 0.0.0.0

CN - Online Test 1 - 24/3/2022 - x +
→ C netexam.sliit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=19

 NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

Question 20
Not yet answered
Marked out of 1.0


Identify the purpose of ICMP?

Select one or more:

Collision detection
 Send control messages
 Avoiding routing loops.
 Transporting routing updates
 Send error messages.

[Previous page](#)

Type here to search

red
1.0
on

Refer the following router output:


Router#show cl

% Ambiguous command: "show cl"

What is the reason to receive this error message?

Select one:

- There is no show command that starts with *cl*
- There is more than one show command that starts with the letters *cl*
- The command requires additional options or parameters
- The command is being executed from the wrong router mode



Question 17

Not yet answered

Marked out of 1.0

 Flag question

Under which circumstance is needed to configure a clock rate on a serial interface?

Select one:

- When the interface is terminated using a Category 3 Cable.
- When the interface is terminated using the DCE end of the cable.
- When the interface is terminated with the DTE end of the cable.
- When the interface is terminated using a loopback adapter.

[Previous page](#)

ON - Online Test 1 - 24/3/2022 X +

→ C netexam.sliit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=18

 NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

Question 19
Not yet answered
Marked out of 1.0
Flag question

The Administrator needs to prevent unauthorized users from plugging their laptops into the password will help prevent this issue?

Select one:

Enable
 Telnet
 Secret
 Console
 Line

Previous page

Type here to search

DELL



The owner of a company is concerned about security on your network and wants to make sure that no one can identify passwords if they happen to view a configuration on your router. What command will encrypt all passwords on the router?

Select one:

- Router#service password-encryption
- Router#enable secret password
- Router(config)#enable secret password
- Router(config)#service password-encryption

Next page

CN - Online Test 1 - 24/3/2022 - x +

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=16

 NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

Question 17
Not yet answered
Marked out of 1.0
Flag question

Which memory type holds the full IOS image for the router?

Select one:

Flash Memory
 ROM
 NVRAM
 RAM

Previous page

Type here to search

DELL

etworks - IT X CN - Online Test 1 - 24/3/2022 - X G Which one of the following devic

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371025&cmid=6162&page=15

Course: Object Ori... Course: Computer... Course: Database... Course: Ope

NetExam

Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test

Which one of the following devices is network layer protocol dependent?

Select one:

- Router
- Hub
- Bridge
- Repeater

page

works - X CN - Online Test 1 - 24/3/2022 - what are the purpose of ICMP - +

exam.slit.lk/mod/quiz/attempt.php?attempt=371206&cmid=61628&page=14

Maps Google Translate

Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test it21041716

Refer to the exhibit. The user at Workstation B reports that Server A cannot be reached. What is preventing Workstation B from reaching Server A?

```
graph TD; Router --- ServerA[Server-A]; Router --- WorkstationB[Workstation-B];
```

Server-A
IP: 192.168.10.1/24
Gateway: 192.168.10.1/24

Router
IP: 172.34.10.1/24
Gateway: 172.34.10.1/24

Workstation-B
IP: 172.34.10.1/24
Gateway: 172.34.10.1/24

Select one:

- The IP address for Server A is a broadcast address.
- The gateway for Workstation B is not on the same subnet.
- The gateway for Server A is not on the same subnet.
- The IP address for Workstation B is a subnet address.

DELL

You type the following command into the router and receive the following:

Router(config)#show serial 0/0

^

% Invalid input detected at '^' marker.


Why was this error message displayed?


Select one or more:

- Administrator only can issue this command
- You need to be in privileged mode
- Part of the command is missing
- You cannot have a space between serial and 0/0
- The router does not have a serial0/0 interface

age

Next page





20:19 🔍 74

X freecram.net

FreeCram

≡

Refer to the exhibit. The user at Workstation B reports that Server A cannot be reached.

What is preventing Workstation B from reaching Server A?

The diagram shows a blue circular switch at the top. Two lines descend from it to two computer icons below. The left icon is a server tower labeled "Server A" with the following details:
IP: 131.1.123.24/27
GW: 131.1.123.33. The right icon is a desktop computer labeled "Workstation B" with the following details:
IP: 131.1.123.43/27
GW: 131.1.123.33.

A. The IP address for Workstation B is a subnet address.

B. The gateway for Server A is not on the same subnet.

C. The IP address for Server A is a broadcast address.

D. The gateway for Workstation B is not on the same subnet.

Hide answers/explanations

You have typed the command **clock** on a Cisco router and pressed enter/return you received the response as follows:
% Incomplete command.

How can you receive help on this command?

Select one:

- Type "history" to review the prompt before the error
- Enter a question mark to display all console commands
- Type "help" followed by the command to see the command parameter
- Re enter the command followed by a question mark to view key words

1 - 24/3/2022 x +

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=9

NetExam
Sri Lanka Institute of Information Technology


Examinations Lockdown Browser Practice Test it2100

When powering up a router, which of the following types of memory normally stores the start-up configuration?

Select one:

- Flash Memory
- NVRAM
- ROM
- RAM

[Next page](#)



e Test 1 - 24/3/2022 - x +

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=7

NetExam

Sri Lanka Institute of Information Technology

Examinations Lockdown Browser Practice Test

Where does the running configuration file of the router be stored?

Select one:

- Flash Memory
- RAM
- NVRAM
- ROM or RAM
- ROM

page

here to search



DELL

Identify the purpose of ICMP?

Select one or more:

- Avoiding routing loops.
- Transporting routing updates
- Collision detection
- Send control messages
- Send error messages



CN - Online Test 1 - 24/3/2022 - netexam.slitt.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=2

NetExam
Sri Lanka Institute of Information Technology

Dashboard Examinations Lockdown Browser Practice Test

it21006098 Wijesinghe W.M.

it21006098 Wijesinghe W.M.C.I it21006098

Question 3 Not yet answered Marked out of 1.0 Flag question

The owner of a company is concerned about security on your network and wants to make sure that no one can identify passwords if they happen to view a configuration on your router. What command will encrypt all passwords on the router?

Select one:

- Router#service password-encryption
- Router(config)#enable secret password
- Router#enable secret password
- Router(config)#service password-encryption

Previous page Next page

Quiz navigation

Finish attempt ...

Time left 0:53:44

1	2	3	4	5
8	9	10	11	12
15	16	17	18	19
22	23	24	25	26
29	30	31		

netexam.sliit.lk/mod/quiz/attempt.php?attempt=371075&cmid=6162&page=1

Examinations Lockdown Browser Practice Test

```
PC>ping 192.168.1.2
Pinging 192.168.1.2 with 32 bytes of data:
Request timed out.
Reply from 192.168.1.2: bytes=32 time=0ms TTL=255
Reply from 192.168.1.2: bytes=32 time=0ms TTL=255
Reply from 192.168.1.2: bytes=32 time=0ms TTL=255

Ping statistics for 192.168.1.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

PC>ping 192.168.1.21
Pinging 192.168.1.21 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.


Ping statistics for 192.168.1.21:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
PC>
```

Select one:

Connectivity : 192.168.1.255
 Connectivity : 192.168.1.2 No connectivity : 192.168.1.21
 Connectivity : 192.168.1.0
 No Connectivity : 192.168.1.0
 Connectivity : 192.168.1.21 No connectivity : 192.168.1.2

to search

DELL



Dashboard

Examinations

Lockdown Browser

Practice Test

Question 1

Not yet answered

Marked out of 1.0

 Flag question

Which two statements describe the IP address 10.16.3.65/23?

1. The subnet address is 10.16.3.0
2. The lowest host address in the subnet is 10.16.2.1
3. The last valid host address in the subnet is 10.16.2.254
4. The broadcast address of the subnet is 10.16.3.255

Select one:

- 1 and 4
- 1 and 3
- 2 and 4
- 2 and 3