


Question 50

Not yet answered
Marked out of 2.0

Flag question

Consider the given physical diagram. Then drag and drop correct answers to appropriate places.



The Webstore component has 3 subcomponents. The Warehouses subsystem user can access SearchEngine through provided interface of Inventory component. Shopping cart sub component of the WebStore subsystem uses Delegation connectors and Assembly connectors to connect with Warehouses subsystem.

provided
Delegation
Assembly
required

Quiz navigation

Finish attempt ...

Time left 0:01:11

MULTIPLE CHOICE QUESTIONS

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					


STRUCTURED QUESTIONS

31	32	33	34	35	36	37
38	39	40	41	42	43	44
45	46	47	48	49	50	

COMMENTS AND CONCERNS

51

Consider the given physical diagram. Then drag and drop correct answers to appropriate places.



"ConversionManagement" component has one provided interface and required interfaces. "Log4j" component implements "Logger" interface which used by component. component uses interface provided by "ConversionManagement" component

two

Read the scenario and select the correct answer from drop down.

Online payment system facilitates their users to use credit/debit card to do ordering transactions easily. When someone enters the card details into the payment system, the system sends a message to the payment gateway to verify the given customer information. There the payment gateway will authenticate the given information and accept or deny the given information. If the information denied, the user can enter the details in another two attempts and all the attempts will be verified. If all attempts get failed, then the card state will be set to hold so, the customer will not be able to do any further transactions. Once the authentication is successful, then the required amount will be deducted and payment notification will be send to the customers' mobile number.

What is the best state representation can be used to illustrate the authentication process?

Orthogonal Composite State

If you have assigned to model the state diagram, select the correct transition used to check the number of card attempts?

When() Transition

Next page

≡ Quiz

Finish at

Time left

MULTIPLE

1 2

9 10

17 18

25 26

STRUCTURE

33 34

36 37

43 44

46 47

53 54

56 57

63 64

66 67

73 74

76 77

83 84

86 87

93 94

96 97

103 104

106 107

113 114

116 117

123 124

126 127




Question 33

Not yet answered

Marked out of 2.00

Flag question

Consider the given physical diagram. Then drag and drop correct answers to appropriate places.



"ConversionManagement" component has one provided interface and required interfaces. "Log4j" component implements "Logger" interface which used by component. component uses interface provided by "ConversionManagement" component

A Home automation system known as "Smart-Home" includes a Light controlling System that adjust the lighting level monitoring the intensity level. When it's the 6.00 a.m., automatically the controlling system will change to off and when it's 6.00 p.m. automatically it will set to on. There, the lighting level of the system initially set to low level. Gradually, when the nightfall it will change the lighting level to medium. If the user needs, he/she can use voice commands to change the light level if required. If user informs "High", the system needs to verify the input command and change it state accordingly. When the residents are leaving from home, the user can give command to off all the lights inside the house, where the system will only monitor the lights outdoor.

What the State transition can used to represent the Voice command when leaving the house?

when (condition) [Guard Condition] / Action

When(Command Received) [command == off] / TurnOff_lights() ✓

Select the correct internal behavior of the controller, when the system automatically set to on?

Entry / Set Controller On, Do / Monitor the intensity ✓

Next page

Finish attempt .

Time left 0:47:2

MULTIPLE CHO

1	2	3
8	9	10
15	16	17
22	23	24
29	30	31

STRUCTURED

31	32	33
38	39	40
41	42	43

Select the statement/s that is/are true about Deployment diagram.

Select one or more:

- ☒ i. Execution environment resides on a particular device indicate by placing
- ☐ ii. Links between nodes are called as connections.
- ☐ iii. Disk drivers and execution environments are software nodes.
- ☐ iv. A node is drawn as a rectangle with its type written inside.
- ☐ v. Nodes are consists of hardware units only.



Which of the following/s is/are the main parts of component diagram?

Select one or more:

- ☒ i. Components
- ☒ ii. Interfaces
- ☐ iii. Protocols
- ☐ iv. Object
- ☒ v. Relationship between interfaces



NetExam

Sri Lanka Institute of Information Technology

Question 12

Not yet answered

Marked out of 1.0

Flag question

Select the statement/s that is/are **true** about Deployment diagram.

Select one or more:

- ☐ i. Nodes are consists of hardware units only.
- ☐ ii. Disk drivers and execution environments are software nodes.
- ☒ iii. Execution environment resides on a particular device indicate by placing the nodes inside one another, nesting them.
- ☒ iv. Links between nodes are called as connections.
- ☒ v. A node is drawn as a rectangle with its type written inside.

nodes consist of 3 types- Hardware nodes and software nodes
Disk driver is a hardware node.
Nodes are drawn as cubes.

Next page



NetExam

Sri Lanka Institute of Information Technology

Question 8

Not yet answered

Marked out of 1.0

Flag question

Select the statement/s that is/are **true** about Deployment diagram.

Select one or more:

- ☐ i. Nodes are consists of hardware units only.
- ☐ ii. Links are software nodes.
- ☒ iii. Execution environment resides in a particular device indicate by placing the nodes inside one another, nesting them.
- ☐ iv. Disk drivers and execution environments are software nodes.
- ☐ v. A node is drawn as a rectangle with its type written inside.

nodes consist of 3 types- Hardware nodes and software nodes
Disk driver is a hardware node.
Nodes are drawn as cubes.

6

answered

out of 1.0

question

Which of the following statement/s, is/are true related to "Provided Interfaces" of a Component Diagram?

"needs to function" - required interface

"services provided by the component" / "component realizes"- provided interface.

Select one or more:

- ☒ i. It is an interface that the component needs to function. ✗
- ☒ ii. A component's provided interface describes the services provided by the component. ✓
- ☐ iii. Is shown using a "lollipop" notation.
- ☒ iv. Is shown using a "ball" notation.
- ☒ v. It is an interface that the component realizes.



Question 35

Not yet answered

Marked out of 2.0

Flag question

Read the scenario and select the correct answer from drop down.

Online payment system facilitates their users to use credit/debit card to do ordering transactions easily. When someone enters the card details into the payment system, the system sends a message to the payment gateway to verify the given customer information. There the payment gateway will authenticate the given information and accept or deny the given information. If the information denied, the user can enter the details in another two attempts and all the attempts will be verified. If all attempts get failed, then the card state will be set to hold so, the customer will not be able to do any further transactions. Once the authentication is successful, then the required amount will be deducted and payment notification will be send to the customers' mobile number.

If you have assigned to model the state diagram, select the correct transition used to check the number of card attempts?

What is the best state representation can be used to illustrate the authentication process?

- Choose...
- Choose...
- Hidden Decomposition State
- Self-Transition
- When() Transition **2**
- Use Do Internal Behavior
- Simple Composite State
- After() Transition
- Nested State
- Orthogonal Composite State **1**

Quiz navigation

Finish attempt ...

Time left 0:19:43

MULTIPLE CHOICE QUESTIONS

1	2	3	4	5	6
8	9	10	11	12	13
15	16	17	18	19	20
22	23	24	25	26	27
29	30				

STRUCTURED QUESTIONS

31	32	33	34	35	36
38	39	40	41	42	43

43

answered
out of 2.0
question

Read the scenario and select the correct answer from drop down.

A Home automation system known as "Smart-Home" includes a Light controlling System that adjust the lighting level monitoring the intensity level. When it's the 6.00 a.m., automatically the controlling system will change to off and when it's 6.00 p.m. automatically it will set to on. There, the lighting level of the system initially set to low level. Gradually, when the nightfall it will change the lighting level to medium. If the user needs, he/she can use voice commands to change the light level if required. If user informs "High", the system needs to verify the input command and change it state accordingly. When the residents are leaving from home, the user can give command to off all the lights inside the house, where the system will only monitor the lights outdoor.

Select the correct internal behavior of the controller, when the system automatically set to on?

What the State transition can used to represent the Voice command when leaving the house?

Choose...

Choose...

When(Voice command == off)

Entry/ Light On, Do/ Monitor the intensity

Turn_off() [voice_command == off]

Entry / Set Intensity to Low, Do/ Monitor the intensity

Entry / Set Controller On, Do / Monitor the intensity 2

When(Command Received) [command == off] / TurnOff_lights() 1

Next page

≡ Quiz navigation

Finish attempt ...

Time left 0:09:21

MULTIPLE CHOICE QUESTIONS

1	2	3	4
8	9	10	11
15	16	17	18
22	23	24	25
29	30		

STRUCTURED QUESTIONS

31	32	33	34
38	39	40	41


Question 44

Not yet answered


Marked out of 2.0

Flag question

Below is white box view of interfaces of Order component.



Identify the correct names of the interfaces in the component diagram related to it. Drag and drop correct answers to appropriate places.



In the give component Interface A is a required interface and interface B is a provided Interface. Name of required interface A is and Name of the provided interface B is

- addLineItem Discount Cancel applyDiscount pay

Quiz navigation

Finish attempt ...

Time left 0:06:58

MULTIPLE CHOICE QUESTIONS

1	2	3	4	5	6
8	9	10	11	12	13
15	16	17	18	19	20
22	23	24	25	26	27
29	30				

STRUCTURED QUESTIONS

31	32	33	34	35	36
38	39	40	41	42	43
45	46	47	48	49	50


Question 46

Not yet answered

Marked out of 2.0

Flag question

Consider the given physical diagram. Then drag and drop correct answers to appropriate places.



The desktop user can access the "E-Hospital" web application through a [] while a mobile user needs to setup the "E-HosMobile" mobile app from the App-Store. The main application of E-Hospital runs in a [] which deployed in DellInspiron5330. The E-Hospital-application contains the subcomponents: [] Doctor, Pharmacy and HospitalUI. The Patient component implements [] which used by both Doctor

Quiz navigation

Finish attempt ...

Time left 0:05:03

MULTIPLE CHOICE QUESTIONS

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

STRUCTURED QUESTIONS

31	32	33	34	35	36	37
38	39	40	41	42	43	44
45	46	47	48	49	50	

COMMENTS AND CONCERNS

51						
----	--	--	--	--	--	--



Question 49


Not yet answered

Marked out of 2.0

Flag question

The following sequence diagram is based on **cash check clearance process** of Bank of Ceylon in Sri Lanka.

Customers initiate the function with submitting cash amount to the bank and system will firstly check the amount that has to be paid and then system will **check the account balance**. If **balance will less than the amount that must be paid**, System will **break the process** add insufficient fee to the account. Then system will put the note against the account details as "returned check". **"InsufficientFundfee"** will be added to the account as debit value. Then system will return the request. Unless system will add the debit transaction and keep the records of request. Ultimately system will return the cash amount.



Quiz navigation

Finish attempt ...

Time left 0:01:20


MULTIPLE CHOICE QUESTIONS

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

STRUCTURED QUESTIONS

31	32	33	34	35	36	37
38	39	40	41	42	43	44
45	46	47	48	49	50	

COMMENTS AND CONCERNS



What is answer for A?

Choose...

What is answer for B?

Choose...
AddInsufficientFundFee() *d*

What is answer for C?

Opt *a*
balance *b*

What is answer for D?

ReturnedCheck() *c*
NoteReturnedCheck() *e*

What is answer for E?

Choose...

15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

STRUCTURED QUESTIONS

31	32	33	34	35	36	37
38	39	40	41	42	43	44
45	46	47	48	49	50	

COMMENTS AND CONCERNS

51

Activate Windows
Go to Settings to activate Windows.