SLIIT UNI
THE KNOWLEDGE UNIVERSITY

Mobile Application Development

Mobile Platforms and Application Development fundamentals

Lecture Plan

- Introduction to App Development
- Mobile Platforms and Application Development fundamentals
- Mobile Interface Design Concepts and UI/UX Design
- Introduction to Android Operating System
- Main Components of Android Application
- Sensors and Media Handling in Android Applications
- Data Handling in Android Applications
- Android Application Testing and security aspects

"When the opportunities comes, this is like aligning the stars"

-Andy Rubin-
Co-funder of Android

Learning Outcomes of the Lecture

At the end of this Lecture students will be able to:

- Illustrate the architecture of android

- Describe the life cycle of android application

- Recognize the folder hierarchy and components of android application project

Features of Android

- Attractive UI (User Interface)
- Connectivity
- Storage
- Media support
- Messaging
- Web browser
- Multi-tasking
- Multi-touch
- Resizable widgets

- GCM (Google Cloud Messaging)
- Wi-Fi Direct
- Android Beam
- Multi language

Android Platform Architecture

Applications

| Home | Contacts | Phone | Browser | ... |

Applications Framework

| Activity Manager | Window Manager | Content Providers | View System |

| Package Manager | Telephony Manager | Resource Manager | Location Manager | Notification Manager |

Libraries

Surface Manager	Media Framework	SQLite
OpenGL	ES	FreeType	WebKit
SGL	SSL	Libc

Android Runtime

Core Libraries

Dalvik Virtual Machine

Linux Kernel

| Display Driver | Camera Driver | Flash Memory Driver | Binder (IPC) Driver |
| Keypad Driver | WiFi Driver | Audio Drivers | Power Management |

1. Linux Kernel

- This layer provides a level of abstraction between the hardware of the device and contains all the essential hardware drivers, such as the camera, keyboard, screen, etc.

- Kernel handles networks and a wide range of device drivers, which eliminate interference with hardware peripherals.

- Why it's Linux?
  - ➢Portability
  - ➢Security
  - ➢Features

2. Libraries

- This layer operates on top of Linux kernel

- This layer includes,
  - Open source web browser engine Webkit
  - SQLite database
  - Libraries to play and record (video & audio)
  - SSL libraries and etc.

3. Application Framework

- Set of activities that forms the environment in which apps are run and managed.

- This layer provides higher-level services to applications in the form of Java classes. So that they can be reused by other application development process.

  Key services;
  - Activity Manager
  - Content Providers
  - Resource Manager
  - Notifications Manager
  - View System

4. Applications

- This layer contains, native apps provided with the OS and the third-party apps installed by the users will get installed here.

Market store for android apps

- Google Play
- SlideME
- Opera Mobile Store
- Mobango
- F-droid A
- mazon Appstore

Android Runtime

This is a section of second layer. Consists of,

1. **Core Libraries** –
   - These libraries enable developers to develop android applications using Java programming language

Cont'd…

2. **Dalvik Virtual Machine** –
   - Kind of Java Virtual Machine specially designed and optimized for Android

   - Makes use of Linux core features like memory management and multi-threading, which is fundamental in the Java language

   - Enables the application to run in its own process, with its own instance

Android Application Project Structure


```
▼  📁 app
   ▶  📁 manifests
   ▶  📁 java
   ▼  📁 res
      📁 drawable
      ▼  📁 layout
         📄 activity_main.xml
      ▼  📁 menu
         📄 activity_main.xml
         📄 menu_main.xml
      ▼  📁 mipmap
         ▼  📁 ic_launcher.png (4)
            📄 ic_launcher.png (hdpi)
            📄 ic_launcher.png (mdpi)
            📄 ic_launcher.png (xhdpi)
            📄 ic_launcher.png (xxhdpi)
      ▼  📁 values
         ▶  📁 dimens.xml (2)
         📄 strings.xml
         📄 styles.xml
▶  🔄 Gradle Scripts
```

Project File Structure

(based on Android Studio)

• Once a project is created in Android Studio, the project view will content all the project files (as shown in the the image)

• Here, the files are organized into directories

Cont'd…

Some important directories are,

- **src** - Contains all source files (code) and resource files in   subdirectories such as,
  - androidTest
  - **Main**
  - build.gradle (module)

- **gradle (project) -** This defines your build configuration that apply to all modules.

Cont'd... (src/main)

main directory contain subdirectories within it,

- **java** - contains Java code sources

- **AndroidManifest.xml** - Describes the nature of the application and each of its components.

- **res** - Contains all non-code resources
    - The XML files here can be divided into corresponding sub-directories
        - **drawable** – consists of Bitmap files or XML files
          Ex:
            - bitmap files,
            - shapes,
            - animation drawables
            - other drawable

Cont'd...

layout –
XML files that define a user interface layout

menu – XML files that define app menus
(context menu, options menu)

mipmap – Drawable files for different launcher
icon densities

values – XML files that contain simple values such
as, string, style, color

R.Java file

- Resource file that contains resource IDs for all the resources of res/ directory.

- This is an abstraction between different resources (XML file, any UI component [icon], audio & etc. and the java file)

- Auto generated file by AAPT (Android Asset Packaging Tool).

Activity & Activity Life Cycle

Activity

- An activity is like a frame or window in java that represents GUI

- It represents one screen of android

- They perform actions on the screen

Activity Life Cycle

Reference: https://www.javatpoint.com/images/androidimages/Android-Activity-Lifecycle.png

Cont'd…

- **onCreate():** called when activity is first created
- **onStart():** called when activity is becoming visible to the user
- **onResume():** called when activity will start interacting with the user
- **onPause():** called when activity is not visible to the user
- **onStop():** called when activity is no longer visible to the user
- **onRestart():** called after your activity is stopped, prior to start
- **onDestroy():** called before the activity is destroyed

22

References

1. https://developer.android.com/

2. https://www.tutorialspoint.com/

3. https://www.javatpoint.com

Summary

1. Overview to Android system

2. Android architecture & Android application architecture

3. Mobile App development life cycle

4. Android app development life cycle

5. Android app project structure

6. Activity & Activity life cycle

Thank You!!!