Rajalakshmi Engineering College

Name: Sinehan A

Email: 240801325@rajalakshmi.edu.in

Roll no: 240801325 Phone: 6381242076

Branch: REC

Department: I ECE AF

Batch: 2028

Degree: B.E - ECE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Sharon is developing a programming challenge for a coding competition. The challenge revolves around implementing a character-based stack data structure using an array.

Sharon's project involves a stack that can perform the following operations:

Push a Character: Users can push a character onto the stack.Pop a Character: Users can pop a character from the stack, removing and displaying the top character.Display Stack: Users can view the current elements in the stack.Exit: Users can exit the stack operations application.

Write a program to help Sharon to implement a program that performs the given operations.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the character to be pushed onto the stack.

Choice 2: Pop the character from the stack.

Choice 3: Display the characters in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- 1. If the choice is 1, push the given character to the stack and display the pushed character having the prefix "Pushed: ".
- 2. If the choice is 2, undo the character from the stack and display the character that is popped having the prefix "Popped: ".
- 3. If the choice is 2, and if the stack is empty without any characters, print "Stack is empty. Nothing to pop."
- 4. If the choice is 3, print the elements in the stack having the prefix "Stack elements: ".
- 5. If the choice is 3, and there are no characters in the stack, print "Stack is empty."
- 6. If the choice is 4, exit the program.
- 7. If any other choice is entered, print "Invalid choice"

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 2

4

Output: Stack is empty. Nothing to pop.

Answer

#include <stdio.h>

```
#include <stdbool.h>
#define MAX_SIZE 100
     char items[MAX_SIZE];
     int top = -1;
     void initialize() {
       top = -1;
     bool isFull() {
       return top == MAX_SIZE - 1;
     bool isEmpty() {
       return top == -1;
     void push(char value) {
       if(top==MAX_SIZE-1){
         printf("Stack is full. Cannot push more elements.\n");
       }else{
         top++;
         items[top]=value;
         printf("Pushed: %c\n",value);
                                                       240801325
char pop() {
if(ton
       if(top==-1){
         printf("Stack is empty. Nothing to pop.\n");
         return 0;
       }else {
         char poppedElement=items[top];
         top--;
         printf("Popped: %c\n",poppedElement);
         return poppedElement;
       }
ulsplay()
if(top==-1){
 printf("C
     void display() {
         printf("Stack is empty.")
```

```
240801325
                                                  240801325
    printf("Stack elements:");
    for(int i=top;i>=0;i--){
      printf("%c ",items[i]);
    printf("\n");
  }
}
int main() {
  initialize();
  int choice;
  char value;
  while (true) {
  Scanf("%d", &choice);
    switch (choice) {
       case 1:
         scanf(" %c", &value);
         push(value);
         break;
       case 2:
         pop();
         break;
       case 3:
         display();
         break;
                                                                             240801325
                                                  240801325
     case 4:
         return 0;
      default:
         printf("Invalid choice\n");
  }
  return 0;
}
```

Status: Correct Marks: 10/10

240801325

240801325