## -----CODE FOR HOMEPAGE-----

## HTML CODE:

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="homestyle.css">
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
k
href="https://fonts.googleapis.com/css2?family=Abril+Fatface&family=Lora:ital,wght@0,400..700;1,40
0..700&family=Pacifico&family=Playfair+Display:ital,wght@0,400..900;1,400..900&family=Playwrite+I
N:wght@100..400&family=Sixtyfour+Convergence&display=swap" rel="stylesheet">
<title>home page </title>
 </head>
<body bgcolor="2D336B">
   <div class="topnav">
      <a href="about.html">ABOUT ME</a>
      <a href="skills.html">SKILLS</a>
      <a href="contact.html">CONTACT</a>
      <a href="resume.html">RESUME</a>
    </div>
   <div class="img1">
       <img src="comp.avif" alt="">
   </div>
```

```
<div class="overlay-text">
    <b>Aprajita Singh <br> Soner</b>
  </div>
</body>
</html>
CSS CODE:
.overlay-text{
 font-family: 'Lora', Courier, monospace;
 color: rgb(255, 255, 255);
 font-size:50px;
 position: absolute;
 top: 500px;
 left: 600px;
}
img{
 height: 600px;
 width: 1000px;
 position: absolute;
 top: 50px;
 right: 20px;
 opacity:50%;
 margin: 20px;
 }
```

```
/* Style the links inside the navigation bar */
.topnav a {
 float: left;
 color: #fcf9f9;
 text-align:right;
 padding: 16px 30px;
 text-decoration:underline;
 font-size: 17px;
/* Change the color of links on hover */
.topnav a:hover {
 background-color: #ddd;
 color: black;
}
/* Add a color to the active/current link */
.topnav a.active {
 background-color: #04AA6D;
 color: white;
}
-----CODE FOR ABOUTPAGE-----
HTML CODE:
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>about</title>
  <link rel="stylesheet" href="about.css">
</head>
<body bgcolor="7886C7">
  <div class="topnav">
    <a href="homepage.html">Go Back</a>
    <a href="about.html">About</a>
    <a href="skills.html">Skills</a>
    <a href="contact.html">Contact<a>
      <a href="resume.html">Resume</a>
  </div>
  <br><br><br><br><
  <div>
    <img src="WhatsApp Image 2025-02-13 at 11.57.09 PM.jpeg" alt="">
  </div>
  <div class="text">I'm Aprajita Singh Soner, a proactive and hardworking student with strong
problem-solving and teamwork skills. Looking for
    opportunities to gain hands-on experience and contribute effectively to organizational goals.
</div>
</body>
</html>
```

## -----CODE FOR SKILLS PAGE-----

```
HTML CODE:
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="skills.css">
  <style>
    body{
      background-image: url(brain.jpg);
      background-repeat: no-repeat;
      background-size: cover;
    }
  </style>
</head>
<body >
  <div class="topnav">
    <a href="homepage.html">Go Back</a>
    <a href="about.html">ABOUT</a>
    <a href="skills.html">SKILLS</a>
    <a href="contact.html">CONTACT<a>
    <a href="resume.html">RESUME</a>
```

```
</div>
<div class="text">
  <center>
    <h2>My skill set includes </h2>
  </center>
  Languages : C ,C++ ,Java
  Data base tool : MySQL 
  Technology/tools : Git, Github, VsCode
   Behavioral Skills: Highly disciplined, Quick learner, <br> teamwork and collaboration,
    Communication, Initiative
  </div>
</body>
</html>
CSS CODE:
.topnav a {
 float: left;
 color: #060606;
 text-align:right;
 padding: 17px 25px;
  text-decoration:underline;
 font-size: 17px;
 /* Change the color of links on hover */
```

```
.topnav a:hover {
 background-color: #f9f9f9;
 color: black;
/* Add a color to the active/current link */
.topnav a.active {
background-color: #04AA6D;
 color: white;
.text{
 position: absolute;
 top: 200px;
left: 800px;
 padding: 1%;
 font-size:x-large;
background-color: rgb(40, 186, 199);
}
```

## -----CODE FOR CONTACT PAGE-----

HTML CODE:

<html lang="en">

```
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="contact.css">
</head>
<body>
 <div class="topnav">
  <a href="homepage.html">Go Back</a>
  <a href="about.html">About Me</a>
  <a href="skills.html">Skills</a>
  <a href="contact.html">Contact<a>
  <a href="resume.html">Resume</a>
</div>
 <h2>Contact Us</h2>
 <form id="contactform">
    <label for="name"> Name:</label><br>
    <input type="text" id="" name="name" placeholder="first name ...." ><br><br>
    <label for="email">E-mail id:</label><br>
    <input type="text" id="" name="email" placeholder="abc@gmail.com"><br><br>
    <label for="contact">Contact:</label><br>
    <input type="number" id="" name="contact" placeholder="contact no. ...">
    <br><br>
    <button type="submit">Submit</button>
```

</form>

```
<br>><br>>
<script >
  const form = document.getElementById('contactform');
  const nameInput = document.getElementById('name');
  const emailInput = document.getElementById('email');
  const contactInput = document.getElementById('contact');
  form.addEventListener('submit', function(event) {
   if (nameInput.value === '') {
    alert('Name is required');
    event.preventDefault();
    return false;
   if (emailInput.value === ") {
    alert('Email is required');
    event.preventDefault();
    return false;
   if (contactInput.value === '') {
    alert('Contact no. is required');
    event.preventDefault();
    return false;
   return true;
});
```

```
</script>
</body>
</html>
CSS CODE:
.topnav a {
  float: left;
  color: #060606;
  text-align:right;
  padding: 17px 25px;
  text-decoration:underline;
  font-size: 17px;
 /* Change the color of links on hover */
 .topnav a:hover {
  background-color: #c2c1c1;
  color: black;
 /* Add a color to the active/current link */
 .topnav a.active {
  background-color: #04AA6D;
  color: white;
body {
  align-items: center;
```

```
}
h2,p{
  text-align:center;
  font-family: system-ui,-apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu,
Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
}
form{
  background-color: #fff;
  padding: 20px;
  border-radius: 20px;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
  max-width: 600px;
  width: 200%;
  margin:0 auto;
  display:block;
}
input{
  width: 100%;
  padding: 12px 20px;
  border: 2px solid rgb(184, 182, 182);
}
 button[type=submit] {
  background-color: #04AA6D;
```

```
border: none;
  color: white;
 padding: 16px 32px;
  text-decoration: none;
  margin:0 auto;
  display:block;
  cursor: pointer;
  width: 100px;
 border-radius: 30px;
-----CODE FOR RESUME PAGE-----
HTML CODE:
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="resume.css">
  <title>Document</title>
</head>
<body bgcolor="C4D9FF">
  <div class="topnav">
    <a href="homepage.html">Go Back</a>
    <a href="about.html">About Me</a>
    <a href="skills.html">Skills</a>
    <a href="contact.html">Contact<a>
    <a href="resume.html">Resume</a>
```

```
</div>
  <img src="resume_img.jpg" alt="">
</body>
</html>
CSS CODE:
.topnav a {
  float: left;
  color: #0a0a0a;
  text-align:right;
  padding: 14px 40px;
  text-decoration:underline;
  font-size: 17px;
 }
 /* Change the color of links on hover */
 .topnav a:hover {
  background-color: #f6f6f6;
  color: black;
 }
 /* Add a color to the active/current link */
 .topnav a.active {
  background-color: #04AA6D;
  color: rgb(7, 7, 7);
```

img{

```
height: 700px;
position: absolute;
top: 80px;
left: 500px;
```