

# Automation Test Report

Mar 12, 2023, 9:37:54 AM

**Start : Mar 12, 9:37:53.007 AM**

**End : Mar 12, 9:37:53.184 AM**

**Duration : 0.177 s**

*Features*

*Scenarios*

*Steps*

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 2



FAILED - 4

SKIPPED - 0


PASSED - 20

FAILED - 4


SKIPPED - 8



| Feature                         |          | Scenario |   |   |   | Step |    |   |   |
|---------------------------------|----------|----------|---|---|---|------|----|---|---|
| Name                            | Duration | T        | P | F | S | T    | P  | F | S |
| <u>Login test using Datable</u> | 0.177 s  | 6        | 2 | 4 | 0 | 32   | 20 | 4 | 8 |





| # | Feature Name             | T | P | F | S | Duration |
|---|--------------------------|---|---|---|---|----------|
| 1 | Login test using Datable | 6 | 2 | 4 | 0 | 0.177 s  |





| # | Feature Name                    | Scenario Name                                   | T | P | F | S | Duration |
|---|---------------------------------|---|---|---|---|---|----------|
| 1 | <u>Login test using Datable</u> | <u>Login functionality using Datatable</u>      | 6 | 6 | 0 | 0 | 0.038 s  |
| 2 | <u>Login test using Datable</u> | <u>Login functionality using Datatable maps</u> | 6 | 6 | 0 | 0 | 0.011 s  |
| 3 | <u>Login test using Datable</u> | <u>Testing DataTables</u>                       | 5 | 2 | 1 | 2 | 0.014 s  |
| 4 | <u>Login test using Datable</u> | <u>Testing DataTables</u>                       | 5 | 2 | 1 | 2 | 0.009 s  |
| 5 | <u>Login test using Datable</u> | <u>Testing DataTables</u>                       | 5 | 2 | 1 | 2 | 0.007 s  |
| 6 | <u>Login test using Datable</u> | <u>Testing DataTables</u>                       | 5 | 2 | 1 | 2 | 0.006 s  |

## Login test using Datable



|                                      |                    |   |   |   |   |
|--------------------------------------|--------------------|---|---|---|---|
| <b>FAILED</b>                        | DURATION - 0.177 s | Scenarios                                     |  | Steps   |  |
| / 9:37:53.007 AM // 9:37:53.184 AM / |                    | Total - 6<br>Pass - 2<br>Fail - 4<br>Skip - 0 |   | Total - 32<br>Pass - 20<br>Fail - 4<br>Skip - 8 |   |
|                                      |                    |   |   |   |   |

## Login functionality using Datatable

|                                      |                    |  |   |   |
|--------------------------------------|--------------------|--|---|---|
| <b>PASSED</b>                        | DURATION - 0.038 s |  | Steps   |  |
| / 9:37:53.012 AM // 9:37:53.050 AM / |                    |  | Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |   |
| Login test using Datable             |                    |  |   |   |
|                                      |                    |  |   |   |



| #     | Step / Hook Details   | Status | Duration |        |        |       |        |
|-------|---|--------|----------|--------|--------|-------|--------|
| 1     | Given user navigates to application url   | PASSED | 0.001 s  |        |        |       |        |
| 2     | When user validates the homepage title  | PASSED | 0.000 s  |        |        |       |        |
| 3     | Then user enters "valid" username   | PASSED | 0.000 s  |        |        |       |        |
| 4     | And user enters "valid" password  | PASSED | 0.002 s  |        |        |       |        |
| 5     | And user enters firstname and lastname  | PASSED | 0.005 s  |        |        |       |        |
|       | <table><tr><td>name1</td><td>lname1</td></tr><tr><td>name2</td><td>lname2</td></tr></table> |        |          | name1  | lname1 | name2 | lname2 |
|       | name1   |        |          | lname1 |        |       |        |
| name2 | lname2  |        |          |        |        |       |        |
|       |   |        |          |        |        |       |        |
| 6     | And user clicks on the sign in button   | PASSED | 0.001 s  |        |        |       |        |

## Login functionality using Datatable maps

|                                      |                    |  |   |   |
|--------------------------------------|--------------------|--|---|---|
| <b>PASSED</b>                        | DURATION - 0.011 s |  | <b>Steps</b><br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  |
| / 9:37:53.073 AM // 9:37:53.084 AM / |                    |  |   |   |
| Login test using Datable             |                    |  |   |   |
|                                      |                    |  |   |   |

| #     | Step / Hook Details   | Status | Duration |           |          |       |        |       |        |
|-------|---|--------|----------|-----------|----------|-------|--------|-------|--------|
| 1     | Given user navigates to application url   | PASSED | 0.001 s  |           |          |       |        |       |        |
| 2     | When user validates the homepage title  | PASSED | 0.000 s  |           |          |       |        |       |        |
| 3     | Then user enters "valid" username   | PASSED | 0.001 s  |           |          |       |        |       |        |
| 4     | And user enters "valid" password  | PASSED | 0.000 s  |           |          |       |        |       |        |
| 5     | And user enters firstname and lastname using maps   | PASSED | 0.002 s  |           |          |       |        |       |        |
|       | <table><tr><td>firstname</td><td>lastname</td></tr><tr><td>name1</td><td>lname1</td></tr><tr><td>name2</td><td>lname2</td></tr></table> |        |          | firstname | lastname | name1 | lname1 | name2 | lname2 |
|       | firstname   |        |          | lastname  |          |       |        |       |        |
|       | name1   |        |          | lname1    |          |       |        |       |        |
| name2 | lname2  |        |          |           |          |       |        |       |        |
|       |   |        |          |           |          |       |        |       |        |
|       |   |        |          |           |          |       |        |       |        |
| 6     | And user clicks on the sign in button   | PASSED | 0.000 s  |           |          |       |        |       |        |

### Testing DataTables



|   |  |   |   |  |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.014 s</div> |  |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 9:37:53.101 AM // 9:37:53.115 AM /            |  |   |   |  |
| Login test using Datable                        |  |   |   |  |
|   |  |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given user navigates to application url  | PASSED | 0.000 s  |
| 2 | When user validates the homepage title   | PASSED | 0.000 s  |
| 3 | Then user enters "admin" username and "admin" password   | FAILED | 0.003 s  |
|   | io.cucumber.core.exception.CucumberException: Step [user enters {string} username and {string} password] is defined with 1 parameters at |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p>'steps.DataTableSteps.user_enters_username_and_password(io.cucumber.datatable.DataTable)'. However, the gherkin step has 2 arguments:<br/>           * "admin" * "admin" Step text: user enters "admin" username and "admin" password</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)<br/>           at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)<br/>           at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br/>           at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)<br/>           at io.cucumber.core.runner.TestStep.run(TestStep.java:57)<br/>           at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br/>           at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br/>           at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br/>           at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)<br/>           at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)<br/>           at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br/>           at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)<br/>           at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br/>           at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br/>           at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br/>           at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br/>           at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br/>           at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br/>           at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br/>           at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)<br/>           at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)<br/>           at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br/>           at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)<br/>           at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)<br/>           at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br/>           at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br/>           at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)<br/>           at org.testng.TestRunner.privateRun(TestRunner.java:829)<br/>           at org.testng.TestRunner.run(TestRunner.java:602)<br/>           at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)<br/>           at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)<br/>           at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)<br/>           at org.testng.SuiteRunner.run(SuiteRunner.java:330)<br/>           at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br/>           at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br/>           at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)<br/>           at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)<br/>           at org.testng.TestNG.runSuites(TestNG.java:1099)<br/>           at org.testng.TestNG.run(TestNG.java:1067)</p> |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)<br>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) |         |          |
| 4 | And user enters valid captcha code  | SKIPPED | 0.001 s  |
| 5 | And user clicks on the sign in button   | SKIPPED | 0.001 s  |

## Testing DataTables



|   |  |  |   |   |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.009 s</div> |  |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 9:37:53.130 AM // 9:37:53.139 AM /            |  |  |   |   |
| Login test using Datable                        |  |  |   |   |
|   |  |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given user navigates to application url   | PASSED | 0.000 s  |
| 2 | When user validates the homepage title  | PASSED | 0.001 s  |
| 3 | Then user enters "finance" username and "finance" password  | FAILED | 0.001 s  |
|   | io.cucumber.core.exception.CucumberException: Step [user enters {string} username and {string} password] is defined with 1 parameters at 'steps.DataTableSteps.user_enters_username_and_password(io.cucumber.datatable.DataTable)'. However, the gherkin step has 2 arguments:<br>* "finance" * "finance" Step text: user enters "finance" username and "finance" password<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) |        |          |



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)<br>at org.testng.TestRunner.privateRun(TestRunner.java:829)<br>at org.testng.TestRunner.run(TestRunner.java:602)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:330)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)<br>at org.testng.TestNG.runSuites(TestNG.java:1099)<br>at org.testng.TestNG.run(TestNG.java:1067)<br>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)<br>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) |         |          |
| 4 | <a href="#">And user enters valid captcha code</a>   | SKIPPED | 0.000 s  |
| 5 | <a href="#">And user clicks on the sign in button</a>  | SKIPPED | 0.001 s  |

## Testing DataTables

|   |  |  |   |   |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.007 s</div> |  |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 9:37:53.154 AM // 9:37:53.161 AM /            |  |  |   |   |
| Login test using Datable                        |  |  |   |   |
|   |  |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given user navigates to application url   | PASSED | 0.000 s  |
| 2 | When user validates the homepage title  | PASSED | 0.000 s  |
| 3 | Then user enters "PM" username and "Pm" password<br>io.cucumber.core.exception.CucumberException: Step [user enters {string} username and {string} password] is defined with 1 parameters at 'steps.DataTableSteps.user_enters_username_and_password(io.cucumber.datatable.DataTable)'. However, the gherkin step has 2 arguments:<br>* "PM" * "Pm" Step text: user enters "PM" username and "Pm" password<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)<br>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)<br>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)<br>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)<br>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)<br>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) | FAILED | 0.001 s  |

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)<br>at org.testng.TestRunner.privateRun(TestRunner.java:829)<br>at org.testng.TestRunner.run(TestRunner.java:602)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:330)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)<br>at org.testng.TestNG.runSuites(TestNG.java:1099)<br>at org.testng.TestNG.run(TestNG.java:1067)<br>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)<br>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) |         |          |
| 4 | And user enters valid captcha code   | SKIPPED | 0.000 s  |
| 5 | And user clicks on the sign in button  | SKIPPED | 0.000 s  |

## Testing DataTables

|   |  |  |  |
|---|--|--|--|
| <b>FAILED</b><br>DURATION - 0.006 s<br>/ 9:37:53.178 AM // 9:37:53.184 AM /<br>Login test using Datable |  | Steps<br>Total - 5<br>Pass - 2<br>Fail - 1<br>Skip - 2 |  |
|---|--|--|--|

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given user navigates to application url  | PASSED | 0.000 s  |
| 2 | When user validates the homepage title   | PASSED | 0.000 s  |
| 3 | Then user enters "Planning" username and "Planning" password   | FAILED | 0.001 s  |
|   | io.cucumber.core.exception.CucumberException: Step [user enters {string} username and {string} password] is defined with 1 parameters at 'steps.DataTableSteps.user_enters_username_and_password(io.cucumber.datatable.DataTable)'. However, the gherkin step has 2 arguments: |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>* "Planning" * "Planning" Step text: user enters "Planning" username and "Planning" password</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:57)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:566)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:829)</p> <p>at org.testng.TestRunner.run(TestRunner.java:602)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:330)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1099)</p> <p>at org.testng.TestNG.run(TestNG.java:1067)</p> <p>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)</p> |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) |         |          |
| 4 | And user enters valid captcha code  | SKIPPED | 0.000 s  |
| 5 | And user clicks on the sign in button   | SKIPPED | 0.000 s  |