Singularity

AI AGENT DETECTION & RESPONSE

# Singularity AIDR

Detection, response and data privacy for
AI agents and the people who use them

| | |
|---|---|
| AGENT CONNECTORS | Claude Code · Cursor · VS Code · OpenClaw · OpenCode · Codex CLI |
| BROWSER GUARD SITES | ChatGPT · Gemini · Claude · Copilot · Perplexity · DeepSeek · Mistral · Grok |
| LIFECYCLE | Discover · Assess · Protect · Control · Inspect · Approve · Prove, governed end to end |

### Agent actions are checked before they happen

Shell, file, web and MCP calls from coding agents are evaluated by an engine on the device: allow, hold for approval, or deny.

### Sensitive data is masked before it is sent

National IDs, IBANs, emails and API keys become placeholders before they reach ChatGPT, Gemini or Copilot, and come back in the answer on your screen only.

### Local first, central where you need it

Detection runs on the device with no account. Add central policy and audit in the cloud, on your own servers or air-gapped.

# AI no longer just writes text. It runs commands, changes files and sends data.

Coding agents act with developer credentials; people move data into AI chat every day. Singularity AIDR sits in between: before the action happens and before the data leaves the page.

### The agent isn't hacked. It's obeying.

Agents run commands, write files, fetch URLs and call MCP tools. A README, a web page or a tool result they read can steer them into a harmful action.

### Customer data is one paste away

Customer records, IBANs, national ID numbers and API keys get pasted into ChatGPT, Gemini and other chat products, often without anyone noticing.

## One detection core, four product lines

PRODUCT LINE 1

### AIDR for AI coding agents

Every tool call reaches the local decision engine before the host acts, and comes back as `allow` `ask` `deny`.

- **494 YAML detection rules** in 29 files: dangerous commands, credential access, persistence, obfuscation, supply chain; Linux, macOS, Windows.
- **Fail-closed entry points:** on an internal error a connector denies the call instead of letting it through.
- **MCP Gateway** scans tool results before the model reads them; the **SDK** and **CLI** use the same engine.
- **Toxic flow and AI safety:** session attack chains, runaway loops, test sabotage and irreversible actions wait for a person.

Claude Code · Cursor · VS Code · OpenClaw · OpenCode · Codex CLI

PRODUCT LINE 2

### AIDR Browser Guard

A Chrome, Edge and Firefox extension that masks sensitive values in prompts, pastes and files before the AI site sees them.

- **Turkish and English personal data:** T.C. kimlik (checksum), IBAN (mod-97), phones, emails, payment cards; secrets and API keys.
- **Your own data:** company code names and exact-data-match fingerprints of your records.
- **Reversible placeholders** (`[EMAIL_1]`): originals come back in the answer, locally only.
- **Enterprise managed:** policy through GPO, Intune or Jamf; counts-only telemetry.

ChatGPT · Gemini · Claude · Copilot · Perplexity · DeepSeek · Mistral · Grok

PRODUCT LINE 3

### AIDR Privacy engine

Turkish and English detection and masking. The same rule layer runs in the browser, in the agent engine's DLP detectors and in the enterprise gateway.

- **Validated detection:** T.C. kimlik and IBAN checksums, Luhn for cards; Turkish phone and address patterns.
- **No network needed:** the rule layer runs inside the page, on the device.
- **Optional native host:** NER for names and addresses and OCR for screenshots, on the endpoint.
- **Optional enterprise gateway:** server-side integration with signed policy and tool controls.

Türkçe · English · NER / OCR (optional)

PRODUCT LINE 4

### AI Security Posture


Shows where your AI infrastructure, MCP servers and agent plugins are exposed, in one posture view.

- **AI infrastructure scanning:** 146 AI component fingerprints, 2,000+ CVE rules; findings with severity and CVSS.
- **MCP risk analysis:** MCP server inventory with transport, manifest attestation and 14 risk categories.
- **Skill and plugin scanning:** T01–T09 categories; installed plugins scanned at session start.
- **Posture dashboard:** findings by severity and CVSS with a 30-day trend; an empty view is never shown as clean.
- **AI-BOM:** agents, MCP servers, models, plugins and known flaws as a CycloneDX 1.6 export.

aidr scan · aidr discover · MCP · Skill · Plugin

# Decisions are made on the device. Only what you choose goes to the centre.

Agent tool calls and browser prompts pass through the same local engine. The control plane is optional: it distributes policy and collects audit records; enforcement stays on the endpoint.




## Capabilities at a glance

### Inline verdicts

Allow, ask or deny on every tool call, naming the matched rule and artifact.

### Rules as data

494 YAML rules, obfuscated commands included; add or override your own.

### Toxic flow

Private data, untrusted content and egress in one session: the final step is held.

### Supply chain

npm/PyPI checks, plugin scanning at session start and safe model loading.

### MCP Gateway

Tool results scanned before the model reads them; signed server manifests.

### Human approval

`ask` waits for a person in the terminal or console; agents can't self-approve.

### Data and secrets

TR/EN IDs, IBANs, phones and cards, checksum-validated; cloud, Git and AI keys.

### Agent safety

Loops, sabotage, autonomy escalation, irreversible acts: held or blocked.

### AI governance

AI asset register, intake, time-boxed exceptions, four-eyes policy change and a scorecard.

### Attack simulation

`aidr simulate` scores defanged attacks against your settings; nothing is executed.

### Managed policy

Browser policy through GPO, Intune and Jamf; central policy for agents.

### Audit and SIEM

JSONL/CSV audit export; Splunk, Sentinel and Elastic formats.

## Browser Guard in action

**1 · What the user types**

Customer email `ayse@firma.com.tr`, IBAN `TR33 0006 1005 1978 6457 8413 26`. Draft a short refund note.

2 findings: email, IBAN (mod-97)

**2 · What the provider receives**

Customer email `[EMAIL_1]`, IBAN `[IBAN_1]`. Draft a short refund note.

Mapping kept in page memory only

**3 · The answer on your screen**

Your refund will be paid to `TR33 0006 1005 1978 6457 8413 26`, and confirmation will go to `ayse@firma.com.tr`.

Originals restored locally only

# You decide where it runs.

## Deployment options

FREE

### Local mode

Connectors and Browser Guard run on the device. No account, sign-up or server; this is the default.

SAAS

### Cloud

Multi-tenant hosted control plane: dashboard, enrollment, central policy, SSO/SCIM. Enforcement stays local if it is unreachable.

ON-PREMISES

### Your infrastructure

The same control plane on Docker Compose or Kubernetes (Helm). Telemetry goes to your server, not to SingularityRD.

AIR-GAPPED

### Offline networks

A vendor-signed offline license, signed offline threat and intel packs, and an offline image bundle.

## Security and privacy

**Local first**
Detection and masking happen on the device; the default `local` mode needs no network access.

**Counts, not content**
Prompts, file contents and detected values are not sent to SingularityRD; telemetry is per-type counts.

**Tenant isolation**
Postgres row-level security (RLS) across the multi-tenant control plane.

**Identity**
SSO with Microsoft Entra ID and SAML 2.0, SCIM provisioning, MFA.

**Audit**
JSONL/CSV export, SIEM delivery, optional signed local audit log.

**Signed content**
Policies, rule and intel packs and the offline license are signed with Ed25519.

KVKK · GDPR

### Designed to support KVKK and GDPR obligations

Data minimisation, masking of personal data before it reaches third-party AI providers, tenant-scoped retention and legal holds, and data residency through on-prem deployment.

Using AIDR does not by itself meet those obligations.

## Editions

### Free

**For individual developers: 1 protected agent**

- **Local detection engine** for every connector
- **Control-plane dashboard**

| DEPLOYMENT | RETENTION |
|---|---|
| Cloud | 7 days |

### Team

**For teams of 3 or more developers**

- Everything in Free
- **Browser Guard**
- **Microsoft Entra ID SSO**

| DEPLOYMENT | RETENTION |
|---|---|
| Cloud | 90 days |

### Business

**For organisations of 25 or more developers**

- Everything in Team
- **SIEM export**
- **SCIM provisioning**
- **AI Security Posture**

| DEPLOYMENT | RETENTION |
|---|---|
| Cloud, on-premises | 365 days |

### Enterprise

**For regulated and isolated networks**

- Everything in Business
- **Air-gapped deployment**
- **Dedicated support**

| DEPLOYMENT | RETENTION |
|---|---|
| On-premises, air-gapped | Per agreement |

**For pricing and a quote: anil@singularityrd.com**

Edition scope is confirmed in your written quote. Local mode stays free.

## See it in your own environment.

We validate your connectors, browsers and identity provider with you during the pilot.

14-day cloud trial · Apply for a pilot · Live demo

anil@singularityrd.com

singularityrd.com



© 2026 SingularityRD